

Erratum

Stellar model atmospheres with magnetic line blanketing

S. A. Khan^{1,2} and D. V. Shulyak²

¹ Physics and Astronomy Department, University of Western Ontario, London, ON, N6A 3K7, Canada
e-mail: skhan@astro.uwo.ca

² Institut für Astronomie, Universität Wien, Türkenschanzstraße 17, 1180 Wien, Austria

A&A, 454, 933–941 (2006), DOI: 10.1051/0004-6361:20064938

A&A, 448, 1153–1164 (2006), DOI: 10.1051/0004-6361:20054269

Key words. stars: chemically peculiar – stars: magnetic fields – stars: atmospheres – errata, addenda

In the series of papers “Stellar model atmospheres with magnetic line blanketing” published in A&A 448, 1153 (2006) and A&A 454, 933 (2006) we used dex flux units of $\log F_\lambda$ to measure flux discrepancies, but mistakenly called the units magnitudes. Thus all flux values and flux differences should be multiplied by 2.5 in order to obtain true magnitudes. This mistake does not influence the photometry study or other parts of the papers.

Because of a misprint in the paper A&A 454, 933 (2006) the transpose sign was missed in formula (10). The correct formula should be as follows:

$$I' = G^\dagger I.$$

This correction does not affect any part of the paper.