

LETTER TO THE EDITOR

*Erratum*

**Accurate *Spitzer* infrared radius measurement  
for the hot Neptune GJ 436b**

M. Gillon<sup>1,2</sup>, B.-O. Demory<sup>1</sup>, T. Barman<sup>3</sup>, X. Bonfils<sup>4</sup>, T. Mazeh<sup>5</sup>, S. Udry<sup>1</sup>, M. Mayor<sup>1</sup>, and D. Queloz<sup>1</sup>

<sup>1</sup> Observatoire de l'Université de Genève, 1290 Sauverny, Switzerland  
e-mail: [michael.gillon@obs.unige.ch](mailto:michael.gillon@obs.unige.ch)

<sup>2</sup> Institut d'Astrophysique et de Géophysique, Université de Liège, 4000 Liège, Belgium

<sup>3</sup> Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001, USA

<sup>4</sup> Observatório Astronómico de Lisboa, Tapada da Ajuda, 1349-018 Lisboa, Portugal

<sup>5</sup> School of Physics and Astronomy, Raymond and Beverly Sackler Faculty of Exact Sciences, Tel Aviv University, Tel Aviv, Israel

A&A 471, L51–L54 (2007), DOI: [10.1051/0004-6361:20078283](https://doi.org/10.1051/0004-6361:20078283)

**Key words.** techniques: photometric – eclipses – stars: individual: GJ 436 – planetary systems – infrared: general – errata, addenda

In the original analysis, an offset of 33s was erroneously added to the timings of the *Spitzer* photometric data. The correct transit timing deduced from our analysis is thus  $2\,454\,280.78148^{+0.00015}_{-0.00008}$  HJD and not  $2\,454\,280.78186^{+0.00015}_{-0.00008}$  HJD. We thank D. Deming for pointing out this error.