

# Spectroscopic characterization of 78 DENIS ultracool dwarf candidates in the solar neighborhood and the Upper Scorpii OB association

E. L. Martín<sup>1,2</sup>, N. Phan-Bao<sup>3,4</sup>, M. Bessell<sup>5</sup>, X. Delfosse<sup>6</sup>, T. Forveille<sup>6</sup>, A. Magazzù<sup>7</sup>, C. Reylé<sup>8</sup>, H. Bouy<sup>1</sup>, and R. Tata<sup>2</sup>

<sup>1</sup> Centro de Astrobiología (CAB-CSIC), Ctra. Ajalvir km 4, 28850 Torrejón de Ardoz, Madrid, Spain  
e-mail: ege@cab.inta-csic.es

<sup>2</sup> University of Central Florida, Dept. of Physics, PO Box 162385, Orlando, FL 32816-2385, USA  
e-mail: tata@physics.ucf.edu

<sup>3</sup> Department of Physics, HCMIU, Vietnam National University Administrative Building, Block 6, Linh Trung Ward, Thu Duc District, HCM, Vietnam  
e-mail: pbngoc@hcmiu.edu.vn

<sup>4</sup> Institute of Astronomy and Astrophysics, Academia Sinica, PO Box 23-141, Taipei 106, Taiwan  
e-mail: pbngoc@asiaa.sinica.edu.tw

<sup>5</sup> Research School of Astronomy and Astrophysics, College of Science, Australian National University, ACT 2611, Australia  
e-mail: bessell@mso.anu.edu.au

<sup>6</sup> Laboratoire d'Astrophysique de Grenoble, Université J. Fourier, BP 53, 38041 Grenoble, France  
e-mail: [forveille;delfosse]@obs.ujf-grenoble.fr

<sup>7</sup> Telescopio Nazionale Galileo, Rambla José Ana Fernández Pérez 7, 38712 Breña Baja, Spain  
e-mail: magazzu@tng.iac.es

<sup>8</sup> Observatoire de Besançon, Institut UTINAM, University of Franche-Comté, CNRS-UMR 6213, BP 1615, 25010 Besançon Cedex, France  
e-mail: celine@obs-besancon.fr

Received 5 February 2010 / Accepted 8 April 2010

## ABSTRACT

**Aims.** We search for new ultracool dwarfs and report here our observations of 78 ultracool dwarf candidates that have been photometrically selected using the DENIS survey point source catalogue. We analyze low-resolution optical spectroscopic observations to estimate spectral types of all candidates.

**Methods.** We derive spectral types for each object using measurements of the PC3 spectral index as defined in Martín et al. They range from M6 to L3. The H $\alpha$  emission and NaI subordinate doublet (818.3 nm and 819.9 nm) equivalent widths are measured in the spectra to identify young stellar objects. Spectroscopic indices of TiO, VO, CrH, and FeH molecular features are also reported.

**Results.** A rule-of-thumb criterion for selecting young very low-mass objects using the NaI doublet equivalent width is given. It is used to confirm seven new members of the Upper Sco OB association and two new members of the R Cr-A star-forming region. Four of our field objects are also classified as very young, but are not members of any known nearby young association. The frequency of lower-gravity young objects in our field ultracool sample is 8.5%. Our results provide the first spectroscopic classification for 42 ultracool dwarfs in the solar vicinity with spectrophotometric distances in the range 17 pc to 65 pc (3 of them being new L dwarfs within 20 pc).

**Key words.** techniques: photometric – techniques: spectroscopic – brown dwarfs – proper motions – stars: distances

## 1. Introduction

A complete census of the solar neighborhood is needed for many different purposes, a few examples being: understanding the star formation history of the Milky Way, the identifying bright benchmark objects of different spectral types and determining their evolutionary history, and the search for extrasolar planets. Henry et al. (2002) estimated that more than half of the stellar systems within 25 pc are still unknown, and most of them are probably ultracool dwarfs (UDs; defined as those with spectral types M6–M9, L and T; Martín et al. 1996, 1997, 1999; Kirkpatrick et al. 1999, 2000), which include a mixture of very low-mass stars and substellar-mass brown dwarfs. Many UD within 25 pc have been found in the last few years (Phan-Bao et al. 2008; Reid et al. 2008).

Large optical/infrared surveys have made a significant impact in the identification of our coolest neighbours. The Deep Near Infrared Survey of the Southern Sky (DENIS, Epchtein et al. 1997) has enabled the discovery of many UD in the solar vicinity (Delfosse et al. 1997, 2001; Crifo et al. 2005; Phan-Bao et al. 2001, 2003, 2008; Kendall et al. 2004) and prompted the development of a new spectral class, the L dwarfs (Martín et al. 1997, 1999; Delfosse et al. 1999), which is characterized by the condensation of dust grains in the atmospheres (Allard et al. 2001; Marley et al. 2002; Tsuji 2005).

The Sloan Digital Sky Survey (SDSS, York et al. 2000) and the Two Micron All Sky Survey (2MASS, Skrutskie et al. 1997) have also brought about the discoveries of many UD (Kirkpatrick et al. 1999, 2000; Fan et al. 2000; Knapp et al. 2004; Cruz et al. 2007; Reid et al. 2008) and have provided

the identification of the coolest spectral class, the T dwarfs, characterized by the presence of methane bands in the near-infrared spectrum (Burgasser et al. 2006; Kirkpatrick 2005). The new generation large infrared surveys CFHTLS and UKIDSS are starting to identify even cooler dwarfs (Warren et al. 2007), the so-called Y class, for which the distinguishing characteristic may be the emergence of ammonia molecular bands in the near infrared. Two objects with possible ammonia absorption have been identified (Delorme et al. 2008), but their classification as Y dwarfs remains controversial because they are very similar to late T dwarfs (Burningham et al. 2008).

The characterization of the nearby ultracool population continues to be a goal of recent papers. Besides those mentioned above, it is worthwhile to mention a few more. Kendall et al. (2007) presented twenty-one southern ultracool dwarfs (M7–L5.5) selected from 2MASS and SuperCOSMOS point source databases according to their colors and proper motions, and confirmed via low-resolution near-infrared spectroscopy. Costa et al. (2006) and Henry et al. (2006) reported trigonometric parallaxes for several UD, including the closest known L dwarf. Jameson et al. (2008) provided proper motion measurements for over a hundred L and T dwarfs.

In this paper, we present low-resolution optical spectra of 78 UD candidates selected from the DENIS point source catalog using photometric color criteria. For a subsample of them (50 objects with galactic latitude between 30 and 15 degrees), the maximum reduced proper motion (MRPM) method (Phan-Bao et al. 2003, 2008) is used to reject giants. We also present spectra of a few DENIS UD candidates in the general area of the Upper Sco OB associations.

## 2. Sample selection and spectroscopic observations

Most (71 out of 78) of our sample comes from a systematic search of 10 000 square degrees of the DENIS database (available at the Paris Data Analysis Center, PDAC) for potential UD members of the solar neighbourhood that are redder than  $I - J \geq 3.0$  and have Galactic latitudes  $|b_{\text{II}}| \geq 15^\circ$  (Delfosse et al. 2003). Twenty-one of them have Galactic latitudes  $|b_{\text{II}}| > 30$ , and the other 50 were extracted from a selection with a Galactic latitude criterion that is less restrictive ( $|b_{\text{II}}| > 15$ ) and for which the MRPM method was used to discriminate nearby ultracool dwarfs from distant red giants (Phan-Bao et al. 2003, 2008). Proper motions were measured using Aladin and the Digital Sky Survey<sup>1</sup> (DSS). They will be presented in another paper that will deal with the analysis of the kinematics of the UDs. Seven of our targets come from a search for low-mass members of the Upper Sco OB association (Martín et al. 2004). We covered 60 square degrees looking for objects redder than  $I - J \geq 2.3$ . The names, coordinates, and photometry of all targets are provided in Table 1.

Spectroscopy of DENIS candidates presented herein was obtained in several observing runs using different telescopes. Following a chronological order, we started on March 2000 with ALFOSC on the Nordic Optical Telescope in La Palma. The grism number 5 provided a dispersion of 3.1 Å per pixel. Our second observing run was in September 2000 with the red arm of the ISIS spectrograph mounted on the 4.2-m William Herschel telescope in La Palma. The grating R158R provided a dispersion of 2.9 Å per pixel. The same telescope and instrumental configuration were again used on December 2006. However, a different

CCD was installed, resulting in a dispersion of 1.6 Å per pixel. A slit of 1 arcsec gave a spectral resolution of 6.5 Å.

On December 2000 and November 2003, we used the ESO NTT with the EMMI instrument in its Red Imaging and Low-Dispersion mode (RILD). In this mode, the dispersion is 2.8 Å pixel<sup>-1</sup>, and the effective wavelength range is 520 to 950 nm. The spectrophotometric standards, LTT 2415 and Feige 110 were chosen from the ESO list. All reduction was performed within MIDAS. We selected the 1'' slit, which corresponds to a spectral resolution of 10.4 Å.

Spectroscopic data of more DENIS candidates were collected on August 2002 with the FORS2 spectrograph mounted on the 8-m Very Large Telescope in Paranal. The grating 600I provided a dispersion of 1.3 Å per pixel. Additional DENIS objects were observed at the 2.3-m telescope of the Siding Springs Observatory (SSO) in Australia between 22 and 28 June 2006. The Double Beam Spectrograph with gratings 158R and 316R was used providing dispersions of 3.7 Å, and 1.87 Å respectively. The last observing run included in this paper took place on 17 July 2007 at the Blanco 4-m telescope in the Cerro Tololo Interamerican Observatory (CTIO). The spectroscopic observing log that summarizes all these observations is provided in Table 2.

All the spectra were reduced following standard procedures within the IRAF environment (bias and flatfield correction, wavelength calibration using a CuNeAr lamp, and flux calibration using standards), except the SSO spectra, which were reduced in the FIGARO environment.

## 3. Spectral types

Low-resolution CCD spectra have been used to define the spectral classification of late-M and early-L dwarfs (Kirkpatrick et al. 1999; Martín et al. 1996, 1999). The PC3 index defined by the latter authors has been used in several papers to determine spectral types (Crifo et al. 2005; Martín et al. 2004, 2006; Phan-Bao & Bessell 2006, 2008; Reylé et al. 2006). Comparisons with other methods of spectral type determination have found that the results are consistent. We measured the PC3 index in our spectra and determined spectral subclasses following the relationships given by Martín et al. (1999). The results are given in Table 3.

We obtained spectra for seven UDs in common with Martín et al. (1999). The spectral types obtained from measurement of the PC3 index in our spectra are in very good agreement with their values. Therefore the spectral classification adopted in this paper is tied to that of Martín et al. (1999), which is consistent within one spectral subclass with that of Kirkpatrick et al. (1999) for dwarfs earlier than L4. All the spectral types were checked by visual inspection and compared to standards from Martín et al. (1999). Full spectra of some of the latest type objects in our sample are shown in Fig. 1.

We found that 26 of our targets already had spectral types in the literature (see references in the caption to Table 3). The largest overlap of objects with spectral types estimated independently is with Reid et al. (2008). In Fig. 2, we show the comparison between our spectral types and those in the literature. In general, there is a fairly good agreement: most of the dwarfs have the same spectral type to within  $\pm 1$  subclass. We find spectral subclasses consistent with Reid et al. (2008) within 1 spectral subclass for all the UDs in common.

For 5 objects, we obtain spectral subclasses that deviate by more than 1 subclass from those published in other papers. Three of them, namely DENIS J0314352–462341, DENIS

<sup>1</sup> [http://archive.stsci.edu/cgi-bin/dss\\_plate\\_finder](http://archive.stsci.edu/cgi-bin/dss_plate_finder)

**Table 1.** Photometric data for 78 DENIS ultracool dwarf candidates.

| DENIS name<br>(1) | RA (J2000)<br>(2) | Dec (J2000)<br>(3) | <i>I</i><br>(4) | <i>I</i> − <i>J</i><br>(5) | <i>J</i> − <i>K</i><br>(6) | errI<br>(7) | errJ<br>(8) | errK<br>(9) |
|-------------------|-------------------|--------------------|-----------------|----------------------------|----------------------------|-------------|-------------|-------------|
| J0000286−124514   | 00 00 28.7        | −12 45 14          | 16.16           | 3.09                       | 1.05                       | 0.08        | 0.11        | 0.11        |
| J0006579−643654   | 00 06 57.9        | −64 36 54          | 16.71           | 3.28                       | 1.32                       | 0.12        | 0.09        | 0.11        |
| J0014554−484417   | 00 14 55.4        | −48 44 17          | 17.54           | 3.56                       | 1.40                       | 0.13        | 0.08        | 0.13        |
| J0028554−192716   | 00 28 55.4        | −19 27 16          | 17.61           | 3.66                       | 1.18                       | 0.18        | 0.18        | 0.17        |
| J0031192−384035   | 00 31 19.3        | −38 40 35          | 17.62           | 3.52                       | 1.24                       | 0.14        | 0.10        | 0.15        |
| J0050244−153818   | 00 50 24.4        | −15 38 18          | 16.86           | 3.20                       | 1.10                       | 0.10        | 0.10        | 0.11        |
| J0053189−363110   | 00 53 19.0        | −36 31 10          | 18.10           | 3.89                       | 1.30                       | 0.19        | 0.12        | 0.16        |
| J0055005−545026   | 00 55 00.5        | −54 50 26          | 17.12           | 3.38                       | 1.00                       | 0.11        | 0.20        | 0.15        |
| J0116529−645557   | 01 16 52.9        | −64 55 57          | 17.90           | 3.46                       | 1.28                       | 0.16        | 0.10        | 0.17        |
| J0128266−554534   | 01 28 26.6        | −55 45 34          | 17.07           | 3.26                       | 1.47                       | 0.16        | 0.12        | 0.13        |
| J0141582−463358   | 01 41 58.2        | −46 33 58          | 18.37           | 3.61                       | 1.84                       | 0.25        | 0.12        | 0.17        |
| J0147327−495448   | 01 47 32.8        | −49 54 48          | 16.05           | 3.14                       | 0.97                       | 0.07        | 0.09        | 0.07        |
| J0206566−073519   | 02 06 56.7        | −07 35 20          | 17.92           | 3.58                       | 1.35                       | 0.17        | 0.11        | 0.15        |
| J0213371−134322   | 02 13 37.1        | −13 43 22          | 17.64           | 3.36                       | 1.03                       | 0.17        | 0.16        | 0.18        |
| J0224120−763320   | 02 24 12.0        | −76 33 20          | 18.07           | 2.71                       | 2.05                       | 0.19        | 0.18        | 0.19        |
| J0227102−162446   | 02 27 10.2        | −16 24 46          | 17.04           | 3.37                       | 1.49                       | 0.11        | 0.12        | 0.18        |
| J0230450−095305   | 02 30 45.0        | −09 53 05          | 18.24           | 3.56                       | 1.69                       | 0.21        | 0.18        | 0.15        |
| J0240121−530552   | 02 40 12.1        | −53 05 52          | 18.18           | 3.83                       | 1.36                       | 0.22        | 0.10        | 0.16        |
| J0301488−590302   | 03 01 48.8        | −59 03 02          | 16.80           | 3.37                       | 1.11                       | 0.10        | 0.08        | 0.09        |
| J0314352−462340   | 03 14 35.2        | −46 23 41          | 17.99           | 3.13                       | 1.15                       | 0.20        | 0.15        | 0.20        |
| J0325293−431229   | 03 25 29.4        | −43 12 30          | 17.48           | 3.32                       | 1.21                       | 0.15        | 0.10        | 0.16        |
| J0357290−441730   | 03 57 29.0        | −44 17 31          | 17.91           | 3.39                       | 1.73                       | 0.19        | 0.16        | 0.17        |
| J0427270−112713   | 04 27 27.1        | −11 27 14          | 16.67           | 3.14                       | 0.99                       | 0.13        | 0.08        | 0.12        |
| J0428510−225322   | 04 28 51.0        | −22 53 22          | 16.80           | 3.35                       | 1.48                       | 0.10        | 0.08        | 0.11        |
| J0436360−295947   | 04 36 36.0        | −29 59 47          | 18.14           | 3.33                       | 1.31                       | 0.23        | 0.14        | 0.21        |
| J0443376+000205   | 04 43 37.6        | +00 02 05          | 15.88           | 3.35                       | 1.42                       | 0.05        | 0.10        | 0.11        |
| J0529572−200300   | 05 29 57.2        | −20 03 00          | 17.84           | 3.39                       | 1.06                       | 0.25        | 0.15        | 0.20        |
| J0608528−275358   | 06 08 52.8        | −27 53 58          | 17.09           | 3.41                       | 1.47                       | 0.10        | 0.09        | 0.11        |
| J0610008−472741   | 06 10 00.9        | −47 27 41          | 17.46           | 3.00                       | 1.29                       | 0.15        | 0.13        | 0.17        |
| J0620165−430009   | 06 20 16.5        | −43 00 09          | 17.78           | 2.82                       |                            | 0.18        | 0.13        |             |
| J0719317−505141   | 07 19 31.8        | −50 51 41          | 17.44           | 3.44                       | 1.09                       | 0.11        | 0.09        | 0.14        |
| J0921141−210445   | 09 21 14.1        | −21 04 45          | 16.50           | 3.65                       | 1.02                       | 0.09        | 0.08        | 0.10        |
| J0953213−101420   | 09 53 21.3        | −10 14 20          | 16.82           | 3.30                       | 1.41                       | 0.10        | 0.08        | 0.11        |
| J1004283−114648   | 10 04 28.3        | −11 46 48          | 18.02           | 3.17                       |                            | 0.20        | 0.15        |             |
| J1004403−131818   | 10 04 40.3        | −13 18 19          | 17.80           | 3.14                       | 1.49                       | 0.18        | 0.24        | 0.15        |
| J1019245−270717   | 10 19 24.6        | −27 07 17          | 16.90           | 3.33                       | 1.08                       | 0.10        | 0.08        | 0.15        |
| J1115297−242934   | 11 15 29.7        | −24 29 35          | 16.50           | 3.12                       | 0.93                       | 0.08        | 0.07        | 0.15        |
| J1206501−393725   | 12 06 50.1        | −39 37 26          | 17.67           | 3.36                       | 1.19                       | 0.16        | 0.10        | 0.16        |
| J1216121−125731   | 12 16 12.1        | −12 57 31          | 18.30           | 3.18                       |                            | 0.23        | 0.26        |             |
| J1232183−095149   | 12 32 18.3        | −09 51 50          | 16.97           | 3.20                       | 1.34                       | 0.10        | 0.12        | 0.12        |
| J1234018−112407   | 12 34 01.9        | −11 24 07          | 18.22           | 3.59                       | 1.23                       | 0.19        | 0.13        | 0.20        |
| J1256569+014616   | 12 56 56.9        | +01 46 17          | 18.20           | 3.77                       | 1.49                       | 0.17        | 0.09        | 0.13        |
| J1359551−403456   | 13 59 55.1        | −40 34 56          | 16.98           | 3.20                       | 1.16                       | 0.10        | 0.10        | 0.13        |
| J1411051−791536   | 14 11 05.2        | −79 15 36          | 16.23           | 3.10                       | 1.06                       | 0.07        | 0.08        | 0.10        |
| J1555256−181748   | 15 55 25.6        | −18 17 48          | 14.75           | 2.35                       | 1.09                       | 0.05        | 0.10        | 0.10        |
| J1600256−192750   | 16 00 25.6        | −19 27 50          | 14.68           | 2.42                       | 1.11                       | 0.05        | 0.10        | 0.10        |
| J1602043−205043   | 16 02 04.3        | −20 50 43          | 15.16           | 2.40                       | 0.94                       | 0.05        | 0.10        | 0.10        |
| J1602553−192243   | 16 02 55.3        | −19 22 43          | 15.07           | 2.40                       | 0.98                       | 0.05        | 0.10        | 0.10        |
| J1611014−192449   | 16 11 01.4        | −19 24 49          | 15.69           | 2.41                       | 0.91                       | 0.05        | 0.10        | 0.10        |
| J1611124−192737   | 16 11 12.4        | −19 27 37          | 15.20           | 2.41                       | 1.11                       | 0.05        | 0.10        | 0.10        |
| J1611296−190029   | 16 11 29.6        | −19 00 29          | 16.46           | 2.80                       | 1.19                       | 0.05        | 0.10        | 0.10        |
| J1622326−120719   | 16 22 32.7        | −12 07 19          | 16.56           | 3.20                       | 0.89                       | 0.07        | 0.08        | 0.13        |
| J1633131−755322   | 16 33 13.1        | −75 53 23          | 16.20           | 3.10                       | 1.10                       | 0.06        | 0.07        | 0.10        |
| J1703356−771520   | 17 03 35.6        | −77 15 20          | 18.25           | 3.09                       |                            | 0.15        | 0.10        |             |
| J1707252−013809   | 17 07 25.2        | −01 38 09          | 17.81           | 3.55                       | 1.40                       | 0.15        | 0.12        | 0.14        |
| J1716352−031542   | 17 16 35.2        | −03 15 42          | 14.46           | 3.43                       | 1.71                       | 0.05        | 0.10        | 0.09        |
| J1753452−655955   | 17 53 45.2        | −65 59 55          | 17.80           | 3.59                       | 1.79                       | 0.14        | 0.10        | 0.12        |
| J1901391−370017   | 19 01 39.1        | −37 00 17          | 17.94           | 3.71                       | 1.94                       | 0.16        | 0.11        | 0.10        |
| J1907440−282420   | 19 07 44.0        | −28 24 20          | 17.95           | 3.60                       | 0.97                       | 0.16        | 0.12        | 0.18        |
| J1926005−650006   | 19 26 00.5        | −65 00 06          | 17.90           | 3.35                       | 1.51                       | 0.15        | 0.12        | 0.18        |
| J1934511−184134   | 19 34 51.2        | −18 41 35          | 17.71           | 3.43                       | 1.15                       | 0.14        | 0.11        | 0.16        |
| J1935560−284634   | 19 35 56.0        | −28 46 34          | 17.21           | 3.30                       | 1.23                       | 0.14        | 0.11        | 0.16        |
| J1956460−774717   | 19 56 46.0        | −77 47 17          | 17.46           | 3.28                       | 1.14                       | 0.13        | 0.11        | 0.18        |
| J2013108−124244   | 20 13 10.8        | −12 42 45          | 18.07           | 3.55                       | 1.21                       | 0.17        | 0.15        | 0.17        |
| J2030412−363509   | 20 30 41.2        | −36 35 09          | 17.50           | 3.19                       | 1.21                       | 0.16        | 0.09        | 0.12        |

Table 1. continued.

| DENIS name<br>(1) | RA (J2000)<br>(2) | Dec (J2000)<br>(3) | <i>I</i><br>(4) | <i>I - J</i><br>(5) | <i>J - K</i><br>(6) | errI<br>(7) | errJ<br>(8) | errK<br>(9) |
|-------------------|-------------------|--------------------|-----------------|---------------------|---------------------|-------------|-------------|-------------|
| J2045024-633206   | 20 45 02.4        | -63 32 06          | 16.05           | 3.40                | 1.45                | 0.13        | 0.12        | 0.15        |
| J2126340-314322   | 21 26 34.0        | -31 43 22          | 16.26           | 3.06                | 0.91                | 0.07        | 0.13        | 0.16        |
| J2139136-352950   | 21 39 13.6        | -35 29 51          | 17.94           | 3.47                | 1.11                | 0.17        | 0.11        | 0.20        |
| J2143510-833712   | 21 43 51.0        | -83 37 12          | 16.50           | 3.30                | 0.98                | 0.10        | 0.06        | 0.11        |
| J2150133-661036   | 21 50 13.3        | -66 10 37          | 17.23           | 3.55                | 1.13                | 0.14        | 0.08        | 0.12        |
| J2150149-752035   | 21 50 15.0        | -75 20 36          | 17.45           | 3.51                | 1.39                | 0.16        | 0.09        | 0.12        |
| J2243169-593219   | 22 43 17.0        | -59 32 20          | 17.40           | 3.32                | 1.11                | 0.15        | 0.10        | 0.14        |
| J2308113-272200   | 23 08 11.3        | -27 22 01          | 18.11           | 3.53                | 1.40                | 0.20        | 0.17        | 0.17        |
| J2322468-313323   | 23 22 46.8        | -31 33 23          | 16.84           | 3.29                | 1.26                | 0.15        | 0.13        | 0.17        |
| J2329343-540858   | 23 29 34.3        | -54 08 58          | 18.37           | 3.41                | 1.74                | 0.20        | 0.12        | 0.21        |
| J2330226-034717   | 23 30 22.6        | -03 47 17          | 17.74           | 3.33                | 1.28                | 0.10        | 0.15        | 0.20        |
| J2345390+005514   | 23 45 39.0        | +00 55 14          | 16.90           | 3.18                | 1.28                | 0.12        | 0.13        | 0.13        |
| J2354599-185221   | 23 54 59.9        | -18 52 21          | 17.43           | 3.21                | 1.39                | 0.11        | 0.09        | 0.13        |

Table 2. Spectroscopic observing log.

| Name<br>(1)           | Telescope<br>(2) | Date<br>(3)   | Temp<br>(4) | Disp.<br>(5) | Res.<br>(6) |
|-----------------------|------------------|---------------|-------------|--------------|-------------|
| DENIS J0000286-124514 | SSO 2.3 m        | 23 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J0006579-643654 | SSO 2.3 m        | 23 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J0014554-484417 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0028554-192716 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0031192-384035 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
|                       | NTT              | 30 Dec. 2000  | 2700        | 2.73         | 10.5        |
| DENIS J0050244-153818 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
|                       | NTT              | 30 Dec. 2000  | 1800        | 2.73         | 10.5        |
| DENIS J0053189-363110 | SSO 2.3 m        | 28 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0055005-545026 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0116529-645557 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0128266-554534 | SSO 2.3 m        | 24 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0141582-463358 | NTT              | 29 Nov. 2003  | 2400        | 3.62         | 8.5         |
| DENIS J0147327-495448 | SSO 2.3 m        | 24 June 2006  | 600         | 1.87         | 8.5         |
| DENIS J0206566-073519 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0213371-134322 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0224120-763320 | NTT              | 30 Dec. 2000  | 2700        | 2.73         | 10.5        |
| DENIS J0227102-162446 | SSO 2.3 m        | 27 June 2006  | 900         | 1.87         | 8.5         |
| DENIS J0230450-095305 | SSO 2.3 m        | 28 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0240121-530552 | SSO 2.3 m        | 28 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0301488-590302 | SSO 2.3 m        | 27 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J0314352-462341 | VLT              | 12 Aug. 2002  | 500         | 1.31         | 3.3         |
| DENIS J0325293-431229 | SSO 2.3 m        | 24 June 2006  | 1700        | 1.87         | 8.5         |
| DENIS J0357290-441731 | VLT              | 12 Aug. 2002  | 500         | 1.31         | 3.3         |
| DENIS J0427271-112713 | WHT              | 5 Dec. 2006   | 1200        | 1.63         | 6.5         |
| DENIS J0428510-225322 | NTT              | 29 Nov. 2003  | 2000        | 3.62         | 8.5         |
| DENIS J0436360-295947 | NTT              | 30 Dec. 2000  | 2700        | 2.73         | 10.5        |
| DENIS J0443373+000205 | NTT              | 30 Dec. 2000  | 900         | 2.73         | 10.5        |
| DENIS J0529572-200300 | NOT              | 9 March 2000  | 4800        | 3.10         | 20.0        |
|                       | WHT              | 29 Sept. 2000 | 900         | 2.90         | 6.5         |
| DENIS J0608528-275358 | WHT              | 28 Sept. 2000 | 1200        | 2.90         | 6.5         |
| DENIS J0610008-472741 | NTT              | 30 Dec. 2000  | 1800        | 2.73         | 10.5        |
| DENIS J0620165-430010 | NTT              | 30 Dec. 2000  | 2700        | 2.73         | 10.5        |
| DENIS J0719317-505141 | SSO 2.3 m        | 24 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J0921141-210445 | SSO 2.3 m        | 24 June 2006  | 600         | 3.70         | 12.5        |
| DENIS J0953213-101420 | NTT              | 30 Nov. 2003  | 1500        | 3.62         | 8.5         |
| DENIS J1004283-114648 | NOT              | 9 March 2000  | 4800        | 3.10         | 20.0        |
|                       | VLT              | 31 Dec. 2002  | 1600        | 0.73         | 2.1         |
| DENIS J1004403-131818 | NOT              | 10 March 2000 | 2400        | 3.10         | 20.0        |
| DENIS J1019245-270717 | SSO 2.3 m        | 24 June 2006  | 600         | 3.70         | 12.5        |
| DENIS J1115297-242934 | SSO 2.3 m        | 22 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J1206501-393725 | SSO 2.3 m        | 25 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1216121-125731 | NOT              | 10 March 2000 | 5400        | 3.10         | 20.0        |
| DENIS J1232183-095149 | NOT              | 10 March 2000 | 2260        | 3.10         | 20.0        |
| DENIS J1234018-112407 | SSO 2.3 m        | 29 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1256569+014616 | SSO 2.3 m        | 29 June 2006  | 1200        | 1.87         | 8.5         |



Table 2. continued.

| Name<br>(1)           | Telescope<br>(2) | Date<br>(3)   | Texp<br>(4) | Disp.<br>(5) | Res.<br>(6) |
|-----------------------|------------------|---------------|-------------|--------------|-------------|
| DENIS J1359551–403456 | SSO 2.3 m        | 24 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1411051–791536 | SSO 2.3 m        | 22 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J1555256–181748 | CTIO 4 m         | 17 July 2007  | 1200        | 2.01         | 7.5         |
| DENIS J1600256–192750 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1602043–205043 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1602553–192243 | CTIO 4 m         | 17 July 2007  | 1200        | 2.01         | 7.5         |
| DENIS J1611014–192449 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1611124–192737 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1611296–190029 | CTIO 4 m         | 17 July 2007  | 2000        | 2.01         | 7.5         |
| DENIS J1622326–120719 | SSO 2.3 m        | 24 June 2006  | 900         | 3.70         | 12.5        |
| DENIS J1633131–755322 | SSO 2.3 m        | 22 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J1703356–771520 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1707252–013809 | SSO 2.3 m        | 26 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1716352–031542 | SSO 2.3 m        | 22 June 2006  | 600         | 3.70         | 12.5        |
| DENIS J1753452–655955 | SSO 2.3 m        | 26 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1901391–370017 | SSO 2.3 m        | 27 June 2006  | 1800        | 1.87         | 8.5         |
| DENIS J1907440–282420 | SSO 2.3 m        | 27 June 2006  | 1800        | 1.87         | 8.5         |
| DENIS J1926005–650006 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1934511–184134 | SSO 2.3 m        | 25 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J1935560–284634 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J1956460–774717 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J2013108–124244 | SSO 2.3 m        | 28 June 2006  | 1800        | 1.87         | 8.5         |
| DENIS J2030412–363509 | CTIO 4 m         | 17 July 2007  | 1600        | 2.01         | 7.5         |
| DENIS J2045024–633206 | NTT              | 29 Nov. 2003  | 600         | 3.62         | 8.5         |
| DENIS J2126340–314322 | SSO 2.3 m        | 22 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J2139136–352950 | SSO 2.3 m        | 25 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J2143510–833712 | SSO 2.3 m        | 25 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J2150133–661036 | SSO 2.3 m        | 23 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J2150149–752035 | SSO 2.3 m        | 23 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J2243169–593219 | SSO 2.3 m        | 23 June 2006  | 1200        | 3.70         | 12.5        |
| DENIS J2308113–272200 | SSO 2.3 m        | 28 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J2322468–313323 | WHT              | 29 Sept. 2000 | 1800        | 2.90         | 6.5         |
| DENIS J2329343–540854 | VLT              | 18 July 2002  | 500         | 1.31         | 3.3         |
| DENIS J2330226–034717 | WHT              | 29 Sept. 2000 | 1800        | 2.90         | 6.5         |
| DENIS J2345390+005514 | SSO 2.3 m        | 25 June 2006  | 1200        | 1.87         | 8.5         |
| DENIS J2354599–185221 | WHT              | 29 Sept. 2000 | 1800        | 2.90         | 6.5         |
| GJ 406                | WHT              | 5 Dec. 2006   | 300         | 1.63         | 6.5         |
| LHS 2397a             | SSO 2.3 m        | 25 June 2006  | 400         | 1.87         | 8.5         |
| LHS 2924              | SSO 2.3 m        | 26 June 2006  | 900         | 1.87         | 8.5         |
| LP 944-20             | WHT              | 28 Sept. 2000 | 300         | 2.90         | 6.5         |
| VB 8                  | SSO 2.3 m        | 25 June 2006  | 360         | 1.87         | 8.5         |
| VB 10                 | SSO 2.3 m        | 25 June 2006  | 600         | 1.87         | 8.5         |
|                       | CTIO 4 m         | 17 July 2007  | 300         | 2.01         | 7.5         |
| DENIS J1048147–395606 | NTT              | 30 Nov. 2003  | 60          | 3.62         | 8.5         |
| DENIS J1228152–154733 | VLT              | 17 June 2002  | 500         | 1.31         | 3.3         |
| DENIS J1441373–094559 | NOT              | 10 March 2000 | 4800        | 3.10         | 20.0        |
| 2MASS 003615+182112   | WHT              | 28 Sept. 2000 | 300         | 2.90         | 6.5         |

J0301488–590302, and DENIS J1216121–125731 had spectral types estimated from  $I-J$  colors (Bouy et al. 2003). Our spectral type determination supersedes theirs, and underscores the limitations of using color-spectral class relations for ultracool dwarfs. The other two objects are DENIS J0357290–441731 and DENIS J1004283–114648. These are both binaries, and our spectra are therefore composites of 2 components of different spectral class. The spectral types of the resolved components given by Martín et al. (2006) should be more accurate than ours.

#### 4. Surface gravity

Spectroscopic surface gravity estimates have been used to identify giants and young brown dwarfs among samples of ultracool candidates (Martín et al. 1996; Luhman et al. 1998;

Gorlova et al. 2003; Martín & Zapatero Osorio 2003; McGovern et al. 2004; Allers et al. 2006). Atomic gravity-sensitive features present in our spectra include the KI resonance doublet at 766.5 nm and 766.9 nm, and the NaI subordinate doublet at 818.3 nm and 819.9 nm. We used the NaI doublet because it is located in a region of stronger pseudo continuum emission and is less affected by telluric lines than the KI doublet. The measured equivalent widths of the NaI doublet are given in Table 4. Because of the low spectral resolution of most of our spectra, we chose to measure the combined equivalent width of the two lines.

Figure 3 illustrates the dependance between NaI equivalent widths and spectral class in our sample. There is a lot of scatter in the figure and no clear trend between NaI and spectral class. Part of this spread in equivalent widths may be caused by the

**Table 3.** PC3 index and spectral type for DENIS ultracool candidates.

| DENIS or name<br>(1) | PC3<br>(2)        | SpT<br>(3) | Notes<br>(4)         |
|----------------------|-------------------|------------|----------------------|
| J0000286–124514      | 2.35              | dM9.5      | M8.5 (1)             |
| J0006579–643654      | 2.42              | dL0        | low-gravity          |
| J0014554–484417      | 3.64              | dL2.5      |                      |
| J0028554–192716      | 2.77              | dL0.5      |                      |
| J0031192–384035      | 3.70 <sup>1</sup> | dL2.5      |                      |
| J0050244–153818      | 2.65 <sup>2</sup> | dL0.5      | L1: (1)              |
| J0053189–363110      | 4.03              | dL2.5      | L3.5 (2)             |
| J0055005–545026      | 1.94              | dM8.5      |                      |
| J0116529–645557      | 2.93              | dL1        |                      |
| J0128266–554534      | 2.84              | dL1        | L1 (3)               |
| J0141582–463358      | 2.57              | L0         | L0 (4); low-gravity  |
| J0147327–495448      | 1.80              | dM8        | M8+L2 (5)            |
| J0206566–073519      | 1.98              | dM8.5      |                      |
| J0213371–134322      | 2.10              | dM9        |                      |
| J0224120–763320      | 2.55              | dL0        |                      |
| J0227102–162446      | 2.44              | dL0        | L1 (6)               |
| J0230450–095305      | 2.40              | dL0        |                      |
| J0240121–530552      | 2.22              | dM9.5      |                      |
| J0301488–590302      | 2.11              | dM9        | L0 (7)               |
| J0314352–462341      | 3.58              | dL2        | L0 (7)               |
| J0325293–431229      | 2.05              | dM8.5      |                      |
| J0357290–441731      | 3.33              | dL2        | L0 (2); M9+L1.5 (8)  |
| J0427271–112713      | 1.64              | dM7        |                      |
| J0428510–225322      | 2.78              | dL0.5      | L0.5 (9)             |
| J0436360–295947      | 1.86              | dM8        |                      |
| J0443373+000205      | 2.25              | dM9.5      | M9 (10); low-gravity |
| J0529572–200300      | 2.10 <sup>3</sup> | dM9.0      |                      |
| J0608528–275358      | 2.21              | dM9.5      | (14); low-gravity    |
| J0610008–472741      | 2.01              | dM8.5      |                      |
| J0620165–430010      | 1.75              | dM8        |                      |
| J0719317–505141      | 2.87              | dL1        |                      |
| J0921141–210445      | 4.54              | dL3        | L2 (6)               |
| J0953213–101420      | 2.45              | dL0        | L0 (1)               |
| J1004283–114648      | 1.89              | dM8        | M9.5+L0.5 (8)        |
| J1004403–131818      | 2.35              | dL0        |                      |
| J1019245–270717      | 2.74              | dL0.5      | M9.5 (3)             |
| J1115297–242934      | 1.87              | dM8        |                      |
| J1206501–393725      | 3.15              | dL2        |                      |
| J1216121–125731      | 1.76              | dM8        | L1 (7)               |
| J1232209–095102      | 0.97              | M2         | giant                |
| J1234018–112407      | 2.36              | dM9.5      |                      |
| J1256569+014616      | 2.98              | dL1.5      | L2 (6)               |
| J1359551–403456      | 3.08              | dL2        | L1 (15)              |
| J1411051–791536      | 2.02              | dM8.5      |                      |
| J1555256–181748      | 1.48              | M6         | low-gravity          |
| J1600256–192750      | 1.52              | M6.5       | low-gravity          |
| J1602043–205043      | 1.50              | M6.5       | low-gravity          |
| J1602553–192243      | 1.51              | M6.5       | low-gravity          |
| J1611014–192449      | 1.41              | M6         | low-gravity          |
| J1611124–192737      | 1.45              | M6         | low-gravity          |
| J1611296–190029      | 1.61              | M7         | low-gravity          |
| J1622326–120719      | 2.24              | dM9.5      |                      |
| J1633131–755322      | 2.28              | dM9.5      |                      |
| J1703356–771520      | 2.16              | M9         | low-gravity          |
| J1707252–013809      | 2.82              | dL0.5      |                      |
| J1716352–031542      | 1.26              | M5         | giant                |
| J1753452–655955      | 3.47              | dL2        | L4 (6)               |
| J1901391–370017      | 1.81              | M8         | low-gravity          |
| J1907440–282420      | 2.08              | dM9        |                      |
| J1926005–650006      | 2.04              | dM9        |                      |
| J1934511–184134      | 2.01              | dM8.5      |                      |
| J1935560–284634      | 2.33              | dM9.5      | M9 (6); low-gravity  |
| J1956460–774717      | 2.35              | dM9.5      |                      |
| J2013108–124244      | 3.04              | dL1.5      |                      |
| J2030412–363509      | 1.83              | dM8        |                      |

**Table 3.** continued.


| DENIS or name<br>(1) | PC3<br>(2)        | SpT<br>(3) | Notes<br>(4) |
|----------------------|-------------------|------------|--------------|
| J2045024–633206      | 2.23              | dM9.5      | M9 (6)       |
| J2126340–314322      | 2.32              | dM9.5      |              |
| J2139136–352950      | 2.40              | dL0        |              |
| J2143510–833712      | 2.21              | dM9.5      |              |
| J2150133–661036      | 2.58              | dL0        |              |
| J2150149–752035      | 2.91              | dL1        |              |
| J2243169–593219      | 2.10              | dM9        | L0 (3)       |
| J2308113–272200      | 2.97              | dL1.5      |              |
| J2322468–313323      | 2.90              | dL1        |              |
| J2329343–540854      | 4.26              | dL3        |              |
| J2330226–034717      | 2.78              | dL0.5      | L1 (1)       |
| J2345390+005514      | 2.10              | dM9        | M9 (16)      |
| J2354599–185221      | 3.18              | dL2        |              |
| GJ 406               | 1.52              | dM6        | dM6 (12)     |
| LHS 2397a            | 2.13              | dM9        | dM8.5 (12)   |
| LHS 2924             | 2.25              | dM9.5      | dM9 (12)     |
| LP 944-20            | 2.12              | dM9        |              |
| VB 8                 | 1.65              | dM7        | dM7 (12)     |
| VB 10                | 1.91 <sup>4</sup> | dM8        | dM8 (12)     |
| DENIS 104814–395606  | 2.28              | dM9.5      | M9 (11)      |
| DENIS 122815–154733  | 10.1              | dL5        | L4.5 (12)    |
| DENIS 144137–094559  | 2.63              | dL1        | dL1 (12)     |
| 2MASS 003615+182112  | 3.71              | dL2.5      | L3.5 (13)    |

**Notes.** Column 1: DENIS name. Column 2: PC3 index defined in M99. Column 3: spectral type from PC3-SpT relation in M99. Column 4: notes about specific targets found in the literature.


References: (1) = Cruz et al. (2007); (2) = Kirkpatrick et al., in preparation (DwarfArchives.org); (3) = Kendall et al. (2007); (4) = Kirkpatrick et al. (2006); (5) = Reid et al. (2006); (6) = Reid et al. (2008); (7) = Bouy et al. (2003); (8) = Martín et al. (2006); (9) = Kendall et al. (2003); (10) = Hawley et al. (2002); (11) = Delfosse et al. (2001); (12) = Martín et al. (1999); (13) = Kirkpatrick et al. (2000); (14) = Cruz et al. (2003); (15) = Reiners & Basri (2008); (16) = West et al. (2008).

<sup>(1)</sup> Average value of two independent measurements; PC3 = 3.75 (SSO) and PC3 = 3.65 (NTT). <sup>(2)</sup> Average value of two independent measurements; PC3 = 2.80 (SSO) and PC3 = 2.50 (NTT). <sup>(3)</sup> Average value of two independent measurements; PC3 = 2.22 (SSO) and PC3 = 1.98 (NOT). <sup>(4)</sup> Average value of two independent measurements; PC3 = 1.86 (SSO) and PC3 = 1.97 (Blanco).

use of different instruments in this work and to measurement uncertainties. For example, VB10 was observed at SSO with a spectral resolution of 8.5 Å, and at CTIO with a spectral resolution of 7.5 Å. The two spectra are overplotted in Fig. 4. We note that the NaI doublet appears to be wider in the lower resolution spectrum because of blending effects with other absorption features. To measure consistent equivalent widths in spectra of different resolutions, we established as a rule that the pseudo-continuum region was between 823 nm and 827 nm, and we integrated the line from 817.5 nm to 821.0 nm. The measurements were performed manually with the IRAF task *splot*, and the exact integration limits and continuum levels were judged individually for each spectrum, keeping the rule as a general guideline, but modifying it slightly as required by the shape of the observed spectrum. For our two spectra of VB10, we derived equivalent widths of  $7.3 \pm 0.6$  Å, and  $6.2 \pm 0.3$  Å, respectively. The lower value corresponds to the higher resolution spectrum. We conclude that the difference in equivalent width due to observing the same object with different instruments can be larger than the uncertainty in the equivalent width measurement.




**Fig. 1.** Full spectra for 5 UDs observed at SSO, including two of our objects with the latest spectral types. *From top to bottom*, we show the spectra of VB10 (dM8), DENIS J1633131–755322 (dM9.5), DENIS J1206501–393725 (dL2), and DENIS J0014554–484417 (dL2.5). Some of the main spectral features discussed in this paper are labeled.



**Fig. 2.** Comparison between our spectral types and those in the literature. Open symbols denote the objects from the literature observed by us as spectral type references. Six pointed skeletal symbols denote DENIS UD candidates that have published spectral classification. In general, there is a good agreement within the standard uncertainty associated with spectral type determination ( $\pm 0.5$  subclass).

From Fig. 3, we infer that the objects with the weakest NaI are likely to have low surface gravity. As a rule of thumb, we can state that *any object of spectral class between M6 and L4, and*

*with a NaI (818.3, 819.9 nm) doublet detectable but weaker than field counterparts observed with the same spectral resolution, is likely to have a low surface gravity and consequently a very*



**Fig. 3.** Equivalent widths of the NaI doublet (given in Table 4) versus spectral type (listed in Table 3) for our 65 high-gravity program field objects (six pointed skeletal symbol), our 6 low-gravity program objects (open triangles), our 7 Upper Sco candidates (solid hexagons), and our 12 reference objects (open hexagons).

young age (younger than the Pleiades cluster, *i.e.*, 100 Myr) and a substellar mass. We note that the equivalent width determination may depend on the spectral resolution of the observations, and thus it is important to compare the young UD candidates with objects observed with similar spectral resolution.

As shown in Fig. 3, all of the 7 targets in the Upper Sco OB association (solid hexagons) have weak NaI as expected for young brown dwarfs. Putting this result together with the 28 very low-mass objects confirmed by Martín et al. 2004, brings the total number of DENIS discovered Upper Sco members to 35.

Two of our candidates have relatively early M type and no detectable NaI doublet. They are classified as giants in Table 4. Such a low contamination by giants is consistent with previous results and it is expected because the faint magnitudes of our candidates would place them (if they were giants) at distances of over 300 parsecs from the Galactic disk.

The following field objects have weak NaI, indicative of lower surface gravity: DENIS-P J0141582–463358 (L0), which was suggested to be a young brown dwarf or planetary mass object by Kirkpatrick et al. (2006); DENIS-P J0006579–643654 (L0); DENIS-P J0443373+000205 (M9.5); DENIS-P J1703356–771520 (M9); DENIS-P J1901391–370017 (M8); and DENIS-P J1935560–284634 (M9.5). Figures 5 and 6 show comparisons of the spectra of some of these objects with dwarfs of the same spectral class observed with the same instrumental setup. In addition to the weak NaI doublet, the lower-gravity objects also have stronger VO bands and weaker FeH bands than their higher-gravity counterparts. Figure 7 illustrates this effect: the low-gravity objects display higher values of the VO/FeH molecular band ratio than the rest of the dwarfs in our sample. Figure 8 displays the full spectra of five of our low-gravity field objects, and of one of our Upper Sco BDs.

DENIS-P J1901391–370017 is located in the region of the Corona Australis (R-CrA) molecular cloud complex. There are 29 young objects listed in SIMBAD in an area of 2 arcmin around the DENIS source position, and one infrared source at a distance of only 3 arcsec. The infrared source reported by Wilking et al. (1997) is the same as DENIS-P J1901391–370017 because the apparent magnitudes are consistent. The DENIS object has a low surface gravity and M8 spectral type, and may be the second brown dwarf discovered with DENIS in the R-CrA star-forming region after DENIS-P J1859509–370632 (Bouy et al. 2004). On the other hand, DENIS-P J1935560–284634 (M9.5) is near this region, and could also be related to the R-CrA star-formation region. This object could be the third substellar-mass member detected by DENIS in this region and it deserves further attention.

DENIS-P J0006579–643654; DENIS-P J0443373+000205 and DENIS-P J1703356–771520 appear to be examples of a very young isolated brown dwarf or planetary-mass object that are not obviously associated with any known star-forming region. However, we note that DENIS J0608528–275358, which was identified by Cruz et al. (2003) as a young object because of enhanced VO absorption, does not have a remarkable weak NaI doublet, and thus its young brown dwarf status remains unconfirmed.

A subset of our targets have already been recognized as high proper motion objects. DENIS-P J0031192–384035, DENIS-P J0050244–153818, DENIS-P J0227102–162446, DENIS-P J0921141–210445, and DENIS-P J1019245–270717 were previously known to be high proper motion objects (Deacon et al. 2005). They are listed in Simbad with the names of: 2MASS J00311925–3840356 or SIPSJ0031–3840; 2MASS J00502444–1538184 or SIPS J0050–1538; 2MASS J02271036–1624479 or SIPS J0227–1624; 2MASS



**Table 4.** Equivalent widths and molecular band indices.

| Name<br>(1)                        | $EW\ H\alpha$<br>(2) | $EW\ NaI(8170-8200)$<br>(3) | TiO<br>(4) | VO<br>(5) | CrH<br>(6) | FeH<br>(7) |
|------------------------------------|----------------------|-----------------------------|------------|-----------|------------|------------|
| DENIS J0000286-124514              | $-4.5 \pm -1$        | $7.3 \pm 0.4$               | 3.23       | 2.40      | 0.99       | 1.04       |
| DENIS J0006579-643654              | $-15 \pm -2$         | $3.0 \pm 0.4$               | 3.61       | 2.65      | 0.92       | 0.84       |
| DENIS J0014554-484417              | $>-4$                | $8.6 \pm 0.8$               | 2.29       | 2.06      | 1.47       | 1.53       |
| DENIS J0028554-192716              | $-4 \pm -1$          | $6.6 \pm 0.9$               | 2.43       | 2.09      | 1.22       | 1.30       |
| DENIS J0031192-384035 <sup>1</sup> | $>-7$                | $7.8 \pm 0.3$               | 2.22       | 2.11      | 1.54       | 1.55       |
| DENIS J0031192-384035 <sup>2</sup> | $>-2$                | $7.5 \pm 0.4$               | 2.12       | 2.26      |            |            |
| DENIS J0050244-153818 <sup>1</sup> | $>-3$                | $8.8 \pm 0.7$               | 2.92       | 2.42      | 1.20       | 1.27       |
| DENIS J0050244-153818 <sup>2</sup> | $>-4$                | $7.6 \pm 1.2$               | 2.87       |           |            |            |
| DENIS J0053189-363110              | $>-4$                | $6.4 \pm 0.3$               | 1.94       | 1.96      | 1.51       | 1.47       |
| DENIS J0055005-545026              | $>-8$                | $6.8 \pm 0.8$               | 3.81       | 2.80      | 0.91       | 0.95       |
| DENIS J0116529-645557              | $>-5$                | $7.5 \pm 0.8$               | 2.90       | 2.24      | 1.23       | 1.28       |
| DENIS J0128266-554534              | $>-3$                | $6.6 \pm 0.4$               | 2.02       | 2.16      | 1.41       | 1.56       |
| DENIS J0141582-463358              | $>-3$                | $2.1 \pm 0.6$               | 2.48       | 2.60      | 0.97       | 0.97       |
| DENIS J0147327-495448              | $-17 \pm -1$         | $7.4 \pm 0.9$               | 3.88       | 2.64      | 0.97       | 0.94       |
| DENIS J0205294-115925              | $>-3$                | $5.2 \pm 0.2$               | 1.81       | 1.68      | 1.44       | 1.23       |
| DENIS J0206566-073519              | $-18 \pm -2$         | $8.3 \pm 0.6$               | 3.67       | 2.52      | 0.99       | 1.04       |
| DENIS J0213371-134322              | $>-5$                | $7.6 \pm 0.8$               | 3.41       | 2.65      | 0.96       | 0.98       |
| DENIS J0224120-763320              | $-11 \pm 4$          | $6.1 \pm 0.9$               | 2.63       | 2.27      |            |            |
| DENIS J0227102-162446              | $>-4$                | $7.2 \pm 0.6$               | 1.94       | 1.96      | 1.51       | 1.47       |
| DENIS J0230450-095305              | $>-7$                | $5.8 \pm 0.7$               | 2.30       | 2.01      | 1.40       | 1.41       |
| DENIS J0240121-530552              | $>-3$                | $5.5 \pm 0.8$               | 3.53       | 2.54      | 1.09       | 0.95       |
| DENIS J0301488-590302              | $>-5$                | $4.5 \pm 0.8$               | 4.10       | 2.59      | 0.92       | 0.85       |
| DENIS J0314352-462341              | -                    | $6.5 \pm 0.2$               | 2.29       | 2.44      | 1.38       | 1.49       |
| DENIS J0325293-431229              | $>-7$                | $5.1 \pm 0.8$               | 4.04       | 2.89      | 0.95       | 0.96       |
| DENIS J0357290-441731              | -                    | $4.3 \pm 0.3$               | 2.80       | 2.87      | 1.03       | 0.97       |
| DENIS J0427271-112713              | $-9.0 \pm 1.2$       | $8.6 \pm 0.8$               | 4.16       | 2.53      | 0.98       | 0.99       |
| DENIS J0428510-225322              | $-5.4 \pm 0.3$       | $7.1 \pm 0.5$               | 2.43       | 2.38      | 0.98       | 1.13       |
| DENIS J0436360-295947              | $-8.9 \pm 0.8$       | $7.7 \pm 0.5$               | 4.29       | 2.66      | 0.98       | 0.92       |
| DENIS J0443373+000205              | $-4.3 \pm 0.5$       | $3.6 \pm 0.7$               | 4.03       | 2.77      | 0.92       | 0.84       |
| DENIS J0529572-200300 <sup>3</sup> | $-10.8 \pm 1.6$      | $7.0 \pm 0.8$               | 3.46       | 2.56      | 0.99       | 1.04       |
| DENIS J0529572-200300 <sup>4</sup> | $-9.7 \pm 2.2$       | $7.3 \pm 1.0$               | 3.72       | 3.22      | 1.08       | 0.97       |
| DENIS J0608528-275358              | $-3.9 \pm 0.5$       | $5.0 \pm 0.7$               | 3.97       | 2.93      | 0.94       | 0.80       |
| DENIS J0610008-472741              | $-3.2 \pm 0.5$       | $8.8 \pm 0.8$               | 3.43       | 2.55      | 1.05       | 1.06       |
| DENIS J0620165-430010              | $-9.0 \pm 0.3$       | $7.7 \pm 0.5$               | 3.03       | 2.74      | 0.98       | 0.97       |
| DENIS J0719317-505141              | $-12:$               | $9.6 \pm 0.8$               | 2.42       | 2.50      | 0.64       | 1.02       |
| DENIS J0921141-210445              | $>-8$                | $9.4 \pm 0.8$               | 2.25       | 2.03      | 1.21       | 1.34       |
| DENIS J0953213-101420              | $>-2$                | $5.4 \pm 0.9$               | 3.24       | 2.68      | 0.96       | 0.89       |
| DENIS J1004283-114648 <sup>4</sup> | $>-10$               | -                           | 2.36       | 3.29      | 1.05       | 1.18       |
| DENIS J1004283-114648 <sup>5</sup> | $-3.3 \pm 0.2$       | -                           | -          | -         | -          | -          |
| DENIS J1004403-131818              | $>-2$                | $5.1 \pm 0.5$               | 1.86       | 1.96      | 1.03       | 1.32       |
| DENIS J1019245-270717              | $>-6$                | $7.1 \pm 1.0$               | 2.59       | 2.31      | 1.09       | 1.05       |
| DENIS J1115297-242934              | $-5.8 \pm 0.7$       | $7.9 \pm 0.4$               | 3.94       | 2.46      | 0.94       | 0.95       |
| DENIS J1206501-393725              | $>-4$                | $8.6 \pm 0.8$               | 2.26       | 2.08      | 1.38       | 1.43       |
| DENIS J1216121-125731              | $>-5$                | $8.0 \pm 0.7$               | 3.78       | 1.85      | 1.11       | 0.92       |
| DENIS J1234018-112407              | $>-6$                | $8.1 \pm 0.9$               | 2.71       | 2.65      | 0.98       | 0.93       |
| DENIS J1256569+014616              | $>-5$                | $9.0 \pm 0.3$               | 1.97       | 2.17      | 1.36       | 1.46       |
| DENIS J1359551-403456              | $>-3$                | $9.6 \pm 0.4$               | 2.45       | 2.32      | 1.19       | 1.34       |
| DENIS J1411051-791536              | $>-8$                | $6.3 \pm 0.8$               | 4.05       | 2.54      | 0.99       | 0.90       |
| DENIS J1555256-181748              | $-23.7 \pm 0.2$      | $3.5 \pm 0.1$               | 3.46       | 2.56      | 0.87       | 0.71       |
| DENIS J1600256-192750              | $-18.4 \pm 0.2$      | $3.6 \pm 0.1$               | 3.41       | 2.56      | 0.87       | 0.72       |
| DENIS J1602043-205043              | $-20.0 \pm 0.2$      | $4.1 \pm 0.1$               | 3.50       | 2.55      | 0.88       | 0.73       |
| DENIS J1602553-192243              | $-17.5 \pm 0.2$      | $3.9 \pm 0.1$               | 3.41       | 2.56      | 0.88       | 0.74       |
| DENIS J1611014-192449              | $-9.8 \pm 0.4$       | $3.9 \pm 0.1$               | 3.10       | 2.47      | 0.89       | 0.78       |
| DENIS J1611124-192737              | $-50.1 \pm 0.8$      | $2.8 \pm 0.1$               | 3.33       | 2.51      | 0.87       | 0.76       |
| DENIS J1611296-190029              | $-12.2 \pm 1.3$      | $2.6 \pm 0.2$               | 3.66       | 2.63      | 0.83       | 0.71       |
| DENIS J1622326-120719              | $>-3$                | $7.9 \pm 0.5$               | 3.49       | 2.59      | 1.05       | 1.06       |
| DENIS J1633131-755322              | $>-5$                | $9.3 \pm 0.7$               | 3.74       | 2.95      | 1.01       | 1.03       |
| DENIS J1703356-771520              | $-15.6 \pm 2.4$      | $1.5 \pm 0.6$               | 4.43       | 3.09      | 0.81       | 0.68       |
| DENIS J1707252-013809              | $>-6$                | $9.1 \pm 1.1$               | 2.42       | 2.22      | 1.45       | 1.48       |
| DENIS J1716352-031542              | $-3.3 \pm 0.2$       | $2.7 \pm 0.2$               | 4.26       | 2.50      | 0.81       | 0.66       |
| DENIS J1753452-655955              | $>-3$                | $8.0 \pm 0.2$               | 1.73       | 2.31      | 1.61       | 1.81       |
| DENIS J1901391-370017              | $>-15$               | $2.6 \pm 0.6$               | 3.92       | 2.68      | 0.86       | 0.72       |
| DENIS J1907440-282420              | $-18.5 \pm 0.6$      | $8.7 \pm 0.8$               | 3.99       | 2.56      | 0.94       | 0.93       |
| DENIS J1926005-650006              | $-7.5 \pm 1.5$       | $5.1 \pm 0.1$               | 3.55       | 2.70      | 0.97       | 0.91       |
| DENIS J1934511-184134              | $>-10$               | $7.2 \pm 0.7$               | 3.95       | 2.67      | 0.94       | 0.99       |

Table 4. continued.

| Name<br>(1)           | $EW\ H\alpha$<br>(2) | $EW\ NaI(8170-8200)$<br>(3) | TiO<br>(4) | VO<br>(5) | CrH<br>(6) | FeH<br>(7) |
|-----------------------|----------------------|-----------------------------|------------|-----------|------------|------------|
| DENIS J1935560–284634 | $42.1 \pm 1.2$       | $1.6 \pm 0.2$               | 3.67       | 2.99      | 0.89       | 0.76       |
| DENIS J1956460–774717 | $-4.3 \pm 1.0$       | $7.2 \pm 0.1$               | 3.76       | 2.66      | 1.06       | 1.09       |
| DENIS J2013108–124244 | $>-3$                | $9.3 \pm 0.6$               | 2.46       | 2.19      | 1.21       | 1.40       |
| DENIS J2030412–363509 | $-2.5 \pm 0.6$       | $5.3 \pm 0.4$               | 4.00       | 2.89      | 0.92       | 0.80       |
| DENIS J2045024–633206 | $-2.3 \pm 0.5$       | $5.9 \pm 0.6$               | 3.54       | 2.76      | 0.95       | 0.87       |
| DENIS J2126340–314322 | $-12.9 \pm 0.8$      | $9.7 \pm 0.8$               | 4.39       | 2.75      | 1.04       | 1.06       |
| DENIS J2139136–352950 | $>-2$                | $8.1 \pm 0.8$               | 3.29       | 2.32      | 1.10       | 1.06       |
| DENIS J2143510–833712 | $>-1$                | $6.9 \pm 0.6$               | 3.71       | 2.54      | 0.90       | 0.84       |
| DENIS J2150133–661036 | $>-1$                | $6.4 \pm 0.5$               | 3.62       | 2.53      | 0.99       | 0.97       |
| DENIS J2150149–752035 | $>-2$                | $7.3 \pm 0.2$               | 2.28       | 2.37      | 1.18       | 1.19       |
| DENIS J2243169–593219 | $>-7$                | $8.8 \pm 0.3$               | 2.92       | 2.35      | 0.99       | 1.02       |
| DENIS J2308113–272200 | $>-4$                | $9.4 \pm 0.7$               | 1.88       | 2.26      | 1.21       | 1.29       |
| DENIS J2322468–313323 | $>-4$                | $6.4 \pm 0.4$               | 2.33       | 2.35      | 1.08       | 1.23       |
| DENIS J2329343–540854 | –                    | $6.9 \pm 0.3$               | 2.16       | 2.30      | 1.31       | 1.40       |
| DENIS J2330226–034717 | $>-2$                | $6.8 \pm 0.4$               | 2.64       | 2.37      | 1.20       | 1.22       |
| DENIS J2345390+005514 | $-13.4 \pm 0.7$      | $5.9 \pm 0.6$               | 3.87       | 2.54      | 0.99       | 0.97       |
| DENIS J2354599–185221 | $>-2$                | $7.0 \pm 0.4$               | 2.21       | 2.27      | 1.26       | 1.48       |
| GJ 406                | $-9.4 \pm 0.4$       | $9.7 \pm 0.5$               |            |           |            |            |
| LHS 2397a             | $-17.6 \pm 0.2$      | $8.0 \pm 0.6$               | 3.61       | 2.52      | 1.04       | 1.06       |
| LHS 2924              | $-4.5 \pm 0.3$       | $6.1 \pm 0.7$               | 3.05       | 2.46      | 1.01       | 1.00       |
| LP 944-20             | $-1.5 \pm 0.2$       | $7.3 \pm 0.8$               | 2.90       | 2.52      | 1.00       | 0.93       |
| VB 8                  | $-8.9 \pm 0.3$       | $8.9 \pm 0.6$               | 3.85       | 2.55      | 0.96       | 0.99       |
| VB 10 <sup>1</sup>    | $-7.1 \pm 0.2$       | $7.3 \pm 0.6$               | 3.88       | 2.61      | 0.96       | 0.93       |
| VB 10 <sup>6</sup>    | $-8.8 \pm 0.1$       | $6.2 \pm 0.3$               | 4.01       | 2.71      | 0.95       | 0.91       |
| DENIS J1048147–395606 | $-2.1 \pm 0.2$       | $8.6 \pm 0.6$               | 4.03       | 2.75      | 1.05       | 1.07       |
| DENIS J1228152–154733 | –                    | $5.4 \pm 0.3$               | 1.73       | 2.33      | 2.07       | 1.78       |
| DENIS J1441373–094559 | $>-7$                | $6 \pm 2$                   | 2.32       | 2.68      | 1.03       | 1.26       |
| 2MASS 003615+182112   | $>-2$                | $6.8 \pm 0.3$               | 2.01       | 2.18      | 1.74       | 1.66       |

**Notes.** Column 2:  $H\alpha$  equivalent width in Å. Column 3: NaI 818.3, 819.5 nm doublet equivalent width in Å. Column 4: sum of TiO indices defined in M99. Column 5: sum of VO indices defined in M99. Column 6: CrH index defined in M99. Column 7: FeH index defined in M99.

<sup>(1)</sup> Measurements from SSO spectrum. <sup>(2)</sup> Measurements from NTT spectrum. <sup>(3)</sup> Measurements from WHT spectrum. <sup>(4)</sup> Measurements from NOT spectrum. <sup>(5)</sup> Measurements from VLT spectrum. <sup>(6)</sup> Measurements from CTIO Blanco spectrum.

J09211410–2104446 or SIPS J0921–2104; and 2MASS J10192447–2707171 or SIPS J1019–2707, respectively. We confirm that all of them are higher-gravity, old nearby UD on the basis of their strong NaI doublet and late spectral type. Their spectrophotometric distances, and those of all other old UDs in our sample, are given in Table 5. We used our adopted spectral types, the photometry given in Table 1, and the absolute  $J$ -band magnitude estimated from the absolute magnitude versus  $I - J$  color relationship given in Phan-Bao et al. (2008). This relationship is not valid for young BDs, and thus we do not provide spectrophotometric distances from them.

The fraction of young BDs identified in our field sample (not including Upper Sco) is 6/71 (8.5%). Additional work to observe these young BDs with higher spectral resolution is needed to detect lithium, an indicator of youth and substellar mass for UDs (Magazzù et al. 1993), and to compare with theoretical models to derive surface gravities.

## 5. A search for dusty disks in young BD candidates


We searched the *Spitzer* archive for complementary mid-IR data of our young BD candidates. Three targets (DENIS-P J0141582–463358, J1611296–190029 and J1901391–370017) were observed with IRAC and MIPS. Table 6 gives the details of the observations. We retrieved the pipeline processed images and extracted the photometry using standard PSF photometry routines within the Interactive Data Language (IDL). Table 7 shows the photometry of the three

sources. DENIS-P J1611296–190029 and J1901391–370017 do not have any counterpart in the MIPS1 image. We derived upper limits by adding a scaled PSF at the expected position of the target until the  $3-\sigma$  detection algorithm identified it. Uncertainties, including instrumental, calibration, and measurement errors, are estimated to be 10%. Figure 8 shows the spectral energy distribution of the three young BDs with *Spitzer* data. Comparison with known dwarfs of similar spectral class does not reveal any significant infrared excess in the three objects as seen in young M dwarfs (e.g., Young et al. 2004) and BDs (e.g., Riaz et al. 2006). We therefore conclude that there is no evidence of dusty disks in these young BD candidates in our current data.


## 6. Chromospheric activity

$H\alpha$  emission equivalent widths were determined in our spectra using the line integration option in the *splot* IRAF task. Error bars were assessed object by object by repeated measurements using visual judgement of the continuum level and the line integration limits. The equivalent width values or upper limits are given in Table 4.


Gizis et al. (2000) reported low-resolution optical spectra for 53 M7–M9 dwarfs and 7 L dwarfs selected from the 2MASS survey. They found that all of their M7–M8 dwarfs displayed  $H\alpha$  emission, but the frequency of  $H\alpha$  emitters dropped abruptly for cooler dwarfs. Similar results were reported by West et al. (2004) in spectroscopic follow-up of a large photometrically selected




**Fig. 4.** Comparison of our two spectra of VB10 in the region around the NaI subordinate doublet. The solid line is the SSO spectrum (spectral resolution  $8.5 \text{ \AA}$ ) and the dashed line is the CTIO spectrum (spectral resolution  $7.5 \text{ \AA}$ ). The NaI doublet appears to be wider in the SSO spectrum because of blending effects with other absorption features.



**Fig. 5.** Comparison of the SSO spectrum of DENIS J0006579-643654 (solid line) with the SSO spectrum of DENIS J2150133-661036 (dotted line), which was observed with the same instrumental setup and has the same spectral class (dL0). A zoom of the NaI spectral region is displayed in the upper left corner.




**Fig. 6.** Comparison of the SSO spectrum of DENIS J1901391-370017 (solid) with the spectrum of VB10 (dotted) obtained with the same instrumental setup. Both objects have the same spectral class (M8) but display different NaI subordinate doublet absorption.




**Fig. 7.** Ratio of the VO to FeH molecular band indices versus spectral subclass. The low-gravity objects are denoted with open hexagons and tend to display higher values than the rest of the sample.





**Fig. 8.** Full spectra of five of our low-gravity UDs and one of our Upper Sco BDs.



**Fig. 9.** Spectral energy distribution of our three young BDs that have been observed with Spitzer. Shown for comparison (dotted lines) are the spectral energy distributions of three normal dwarfs of similar spectral class.

sample from the SDSS. In a sample of 152 late-M and L dwarfs, Schmidt et al. (2007) found a slightly lower frequency of  $H\alpha$  emitters among the M8 dwarfs and confirmed the decline of  $H\alpha$  emission in L dwarfs. Our data indicates a frequency of  $H\alpha$  emitters that is consistent with that of Schmidt et al. (2007) in the range M8–M9, but is significantly lower for the L dwarfs. We do not attach high significance to our results because it is possible that our lower fraction of  $H\alpha$  emitters in the L dwarfs is caused by the low spectral resolution and modest signal-to-noise ratio of our spectra. For example, we observed DENIS J1004283–114648 with the NOT and the VLT (Table 2).  $H\alpha$  emission is detected only in the VLT spectrum, which has a resolution that is superior by a factor of 10 than the NOT spectrum.


In Fig. 10, we show the dependence of  $H\alpha$  emission equivalent width on spectral class in our sample. The upper envelope of chromospheric  $H\alpha$  emission given by Barrado y Navascués & Martín (2003) is shown as a dotted line. Only one object lies above this threshold and thus it is a strong candidate to harbor an active accretion disk. This object belongs to the Upper Sco sample. Our finding of 1 accretor among 7 members in Upper Sco is consistent with the fraction of accretors (5/28) reported by Martín et al. (2004) using the same criterion.

All of our 7 objects in Upper Sco and 4 out of 6 of our field lower-gravity objects have detected  $H\alpha$  emission. The frequency  $H\alpha$  emitters is higher among the very young objects than for the rest of our sample, but  $H\alpha$  emission is not observed in all young

**Table 5.** Absolute magnitudes and spectrophotometric distances for confirmed nearby dwarfs not known to be binaries.

| DENIS name<br>(1) | SpT<br>(2) | $M_J$<br>(3) | Distance (pc)<br>(4) | Distance error<br>(5) |
|-------------------|------------|--------------|----------------------|-----------------------|
| J0000286–124514   | dM9.5      | 11.65        | 19.2                 | 3.6                   |
| J0006579–643654   | dL0        | 11.83        | 20.9                 | 3.8                   |
| J0014554–484417   | dL2.5      | 12.74        | 17.7                 | 3.1                   |
| J0028554–192716   | dL0.5      | 12.01        | 24.4                 | 5.4                   |
| J0031192–384035   | dL2.5      | 12.74        | 18.7                 | 3.4                   |
| J0050244–153818   | dL0.5      | 12.01        | 21.4                 | 3.9                   |
| J0053189–363110   | dL2.5      | 12.74        | 19.7                 | 3.8                   |
| J0055005–545026   | dM8.5      | 11.28        | 31.0                 | 7.1                   |
| J0116529–645557   | dL1        | 12.19        | 28.1                 | 5.2                   |
| J0128266–554534   | dL1        | 12.19        | 21.0                 | 4.1                   |
| J0206566–073519   | dM8.5      | 11.28        | 40.9                 | 7.7                   |
| J0213371–134322   | dM9        | 11.47        | 36.5                 | 7.7                   |
| J0224120–763320   | dL0        | 11.83        | 50.8                 | 11.2                  |
| J0227102–162446   | dL0        | 11.83        | 23.3                 | 4.5                   |
| J0230450–095305   | dL0        | 11.83        | 37.2                 | 8.2                   |
| J0240121–530552   | dM9.5      | 11.65        | 34.7                 | 6.4                   |
| J0301488–590302   | dM9        | 11.47        | 24.7                 | 4.3                   |
| J0314352–462341   | dL2        | 12.56        | 28.9                 | 6.0                   |
| J0325293–431229   | dM8.5      | 11.28        | 37.6                 | 6.9                   |
| J0427271–112713   | dM7        | 10.92        | 33.3                 | 5.8                   |
| J0428510–225322   | dL0.5      | 12.01        | 19.4                 | 3.4                   |
| J0436360–295947   | dM8        | 11.10        | 55.2                 | 11.2                  |
| J0443373+000205   | dM9.5      | 11.65        | 15.0                 | 2.8                   |
| J0529572–200300   | dM9        | 11.47        | 39.9                 | 6.0                   |
| J0608528–275358   | dM9.5      | 11.65        | 25.5                 | 4.6                   |
| J0610008–472741   | dM8.5      | 11.28        | 43.2                 | 8.5                   |
| J0620165–430010   | dM8        | 11.10        | 59.1                 | 11.7                  |
| J0719317–505141   | dL1        | 12.19        | 23.0                 | 4.1                   |
| J0921141–210445   | dL3        | 12.92        | 9.7                  | 1.7                   |
| J0953213–101420   | dL0        | 11.83        | 21.8                 | 3.8                   |
| J1004283–114648   | dM8        | 11.10        | 56.2                 | 11.6                  |
| J1004403–131818   | dL0        | 11.83        | 36.8                 | 9.2                   |
| J1019245–270717   | dL0.5      | 12.01        | 20.5                 | 3.6                   |
| J1115297–242934   | dM8        | 11.10        | 28.5                 | 4.9                   |
| J1206501–393725   | dL2        | 12.56        | 22.4                 | 4.1                   |
| J1216121–125731   | dM8        | 11.10        | 63.6                 | 16.4                  |
| J1234018–112407   | dM9.5      | 11.65        | 39.5                 | 7.8                   |
| J1256569+014616   | dL1.5      | 12.38        | 25.8                 | 4.6                   |
| J1359551–403456   | dL2        | 12.56        | 17.6                 | 3.2                   |
| J1411051–791536   | dM8.5      | 11.28        | 23.4                 | 4.1                   |
| J1622326–120719   | dM9.5      | 11.65        | 22.0                 | 3.8                   |
| J1633131–755322   | dM9.5      | 11.65        | 19.5                 | 3.3                   |
| J1707252–013809   | dL0.5      | 11.47        | 54.8                 | 10.1                  |
| J1753452–655955   | dL2        | 12.56        | 21.4                 | 3.9                   |
| J1907440–282420   | dM9        | 11.47        | 37.7                 | 7.3                   |
| J1926005–650006   | dM9        | 11.47        | 41.4                 | 8.0                   |
| J1934511–184134   | dM8.5      | 11.28        | 39.7                 | 7.5                   |
| J1956460–774717   | dM9.5      | 11.65        | 32.1                 | 6.1                   |
| J2013108–124244   | dL1.5      | 12.38        | 26.8                 | 5.6                   |
| J2030412–363509   | dM8        | 11.10        | 43.8                 | 7.9                   |
| J2045024–633206   | dM9.5      | 11.65        | 15.9                 | 3.1                   |
| J2126340–314322   | dM9.5      | 11.65        | 20.4                 | 4.0                   |
| J2139136–352950   | dL0        | 11.83        | 33.7                 | 6.4                   |
| J2143510–833712   | dM9.5      | 11.65        | 20.4                 | 3.4                   |
| J2150133–661036   | dL0        | 11.83        | 23.4                 | 4.1                   |
| J2150149–752035   | dL1        | 12.19        | 22.3                 | 4.0                   |
| J2243169–593219   | dM9        | 11.47        | 33.3                 | 6.1                   |
| J2308113–272200   | dL1.5      | 12.38        | 27.6                 | 6.0                   |
| J2322468–313323   | dL1        | 12.19        | 18.7                 | 3.7                   |
| J2329343–540854   | dL3        | 12.92        | 25.6                 | 4.9                   |
| J2330226–034717   | dL0.5      | 12.01        | 30.2                 | 6.3                   |
| J2345390+005514   | dM9        | 11.47        | 28.2                 | 5.6                   |
| J2354599–185221   | dL2        | 12.56        | 21.5                 | 3.9                   |

**Notes.** Column 1: DENIS name. Column 2: spectral type adopted in this paper. Column 3: absolute  $J$ -band magnitude estimated from the absolute magnitude vs.  $I - J$  color relationship given in Phan-Bao et al. (2008). Column 4: spectrophotometric distance in parsecs.



**Fig. 10.**  $H\alpha$  equivalent width versus spectral class in our sample. Lower-gravity objects are denoted with open hexagons. Higher-gravity objects with  $H\alpha$  detection are denoted with 6-pointed skeleton symbols. Objects for which  $H\alpha$  was not detected in our spectra are shown as 3-pointed skeletons (upper limits). The dotted line is the boundary between accretors and non-accretors defined by Barrado y Navascués & Martín (2003).

**Table 6.** *Spitzer* observation log.

| Object          | Program ID | P.I.        | Obs. Date  | Instrument |
|-----------------|------------|-------------|------------|------------|
| J0141582-463358 | 30540      | Houck       | 2006-08-12 | IRAC1-4    |
| J0141582-463358 | 284        | Cruz        | 2007-07-16 | MIPS1      |
| J1611296-190029 | 20103      | Hillenbrand | 2005-08-24 | IRAC1-4    |
| J1611296-190029 | 20103      | Hillenbrand | 2006-04-06 | MIPS1      |
| J1901391-370017 | 6          | Fazio       | 2004-04-20 | IRAC1-4    |
| J1901391-370017 | 6          | Fazio       | 2004-04-11 | MIPS1      |

**Table 7.** *Spitzer* mid-IR photometry.

| Object          | 3.6 $\mu\text{m}$<br>[mJy] | 4.5 $\mu\text{m}$<br>[mJy] | 5.8 $\mu\text{m}$<br>[mJy] | 8.0 $\mu\text{m}$<br>[mJy] | 24 $\mu\text{m}$<br>[mJy] |
|-----------------|----------------------------|----------------------------|----------------------------|----------------------------|---------------------------|
| J0141582-463358 | 3.29                       | 2.47                       | 1.86                       | 1.61                       | 0.20                      |
| J1611296-190029 | 4.81                       | 3.40                       | 2.34                       | 1.46                       | <0.25                     |
| J1901391-370017 | 6.48                       | 5.02                       | 3.53                       | 2.07                       | <2.27                     |

VLM objects. As a rule of thumb, we can state that  $H\alpha$  emission may be an indicator of youth, but its detection is not required for an object with a spectral class between M6 and L4 to be classified as young.

We did not detect any obvious flares in our observations. Schmidt et al. (2007) estimated a flare cycle of 5% for late-M dwarfs and of 2% for L dwarfs. Those numbers may need to be revised slightly downwards. We plan to make a comprehensive study of the flare statistics in UDs in a future paper.

## 7. Candidate wide binaries

Using Simbad, we checked for objects within 2 arcmin of our targets. DENIS J0000286–124514 has an X-ray source named 1RXS J000025.0–124519. No additional information is available about this X-ray source, so it is not possible to assess the probability that the DENIS source and the X-ray source are related.

DENIS J1115297–242934 has a star named TYC 6653-245-1 with  $B = 11.7$  and  $V = 11.1$ . The proper motion of this star is  $-83.7$  and  $41.3$   $\text{mas yr}^{-1}$  in RA and Dec, respectively. According to the NOMAD catalog, the proper motion of DENIS J1115297–242934 is  $14.0$  and  $-138.0$   $\text{mas yr}^{-1}$  in RA and Dec, respectively. Hence, the proper motions of the two sources are not consistent with a physical connection.

## 8. Summary

We presented our first spectroscopic classification of 42 nearby ultracool dwarfs with spectral types from M7 to L3 and distances from 17 to 65 pc. We identified 7 new members of the Upper Sco OB association and 2 new members of the R Cr-A star forming region using our rule-of-thumb criterion, which is based on measurements of the NaI doublet equivalent width. Our ultracool dwarfs are additional targets for studying physical properties of substellar objects.

*Acknowledgements.* E.L.M. acknowledges financial support from NSF grant AST 0440520 and Spanish MEC grant AYA 2007-67458. N.P.-B. has been aided in this work by a Henri Chretien International Research Grant administered by the American Astronomical Society. X.D. and T.F. acknowledge financial support from the “Programme National de Physique Stellaire” (PNPS) of CNRS/INSU, France. We thank the referee, John Gizis, for his useful comments on our manuscript. DENIS is the result of a joint effort involving human

and financial contributions of several Institutes mostly located in Europe. It has been supported financially mainly by the French Institut National des Sciences de l'Univers, CNRS, and French Education Ministry, the European Southern Observatory, the State of Baden-Wuerttemberg, and the European Commission under networks of the SCIENCE and Human Capital and Mobility programs, the Landessternwarte, Heidelberg and Institut d'Astrophysique de Paris.

## References

- Allard, F., Hauschildt, P., Alexander, D., Tamanai, A., & Schweitzer, A. 2001, *ApJ*, 556, 357
- Allers, K. N., Kesser-Silacci, J. E., Cieza, L. A., & Jaffe, D. T. 2006, *ApJ*, 644, 364
- Barrado y Navascués, D., & Martín, E. L. 2003, *AJ*, 126, 2997
- Bouy, H., Brandner, W., Martín, E. L., et al. 2003, *AJ*, 126, 1526
- Bouy, H., Brandner, W., Martín, E. L., et al. 2004, *A&A*, 424, 213
- Burgasser, A. J., Geballe, T. R., Leggett, S. K., Kirkpatrick, J. D., & Golimowski, D. A. 2006, *ApJ*, 637, 1067
- Burningham, B., Pinfield, D. J., Leggett, S. K., et al. 2008, *MNRAS*, 391, 320
- Costa, E., Méndez, R. A., Jao, W.-C., et al. 2006, *AJ*, 132, 123
- Crifo, F., Phan-Bao, N., Delfosse, X., et al. 2005, *A&A*, 441, 653
- Cruz, K. L., Reid, I. N., Liebert, J., Kirkpatrick, J. D., & Lowrance, P. J. 2003, *AJ*, 126, 2421
- Cruz, K. L., Reid, I. N., Kirkpatrick, J. D., et al. 2007, *AJ*, 133, 439
- Deacon, N. R., Hambly, N. C., & Cooke, J. A. 2005, *A&A*, 435, 363
- Delfosse, X., Tinney, C. G., Forveille, T., et al. 1997, *A&A*, 327, L25
- Delfosse, X., Tinney, C. G., Forveille, T., et al. 1999, *A&AS*, 135, 41
- Delfosse, X., Forveille, T., Martín, E. L., et al. 2001, *A&A*, 366, L13
- Delfosse, X., Martín, E. L., Guieu, S., et al. 2003, *SF2A*, 585
- Delorme, P., Delfosse, X., Albert, L., et al. 2008, *A&A*, 482, 961
- Epchtein, N. 1997, in *The Impact of Large Scale Near-IR Sky Surveys*, ed. F. Garzon et al. (Dordrecht: Kluwer Academic), 15
- Fan, X., Knapp, G. R., Strauss, M. A., et al. 2000, *AJ*, 119, 928
- Gizis, J. E., Monet, D., Reid, I. N., et al. 2000, *AJ*, 120, 1085
- Gorlova, N. I., Meyer, M. R., Rieke, G. H., & Liebert, J. 2003, *ApJ*, 593, 1074
- Jameson, R. F., Casewell, S. L., Bannister, N. P., et al. 2008, *MNRAS*, 384, 1399
- Hawley, S. L., Covey, K. R., Knapp, G. R., et al. 2002, *AJ*, 123, 3409
- Henry, T. J., Walcovicz, L. M., Barto, T. C., & Golimowski, D. A. 2002, *AJ*, 123, 2002
- Henry, T. J., Wei-Chun, J., Subasavage, J. P., et al. 2006, *AJ*, 132, 2360
- Kendall, T. R., Mauron, N., Azzopardi, M., & Gigoyan, K. 2003, *A&A*, 403, 929
- Kendall, T. R., Delfosse, X., Martín, E. L., & Forveille, T. 2004, *A&A*, 416, L17
- Kendall, T. R., Jones, H. R. A., Pinfield, D. J., et al. 2007, *MNRAS*, 374, 445
- Kirkpatrick, J. D. 2005, *ARA&A*, 43, 195
- Kirkpatrick, J. D., Reid, I. N., Liebert, J., et al. 1999, *ApJ*, 519, 802
- Kirkpatrick, J. D., Reid, I. N., Liebert, J., et al. 2000, *AJ*, 120, 447
- Kirkpatrick, J. D., Barman, T. S., Burgasser, A. J., et al. 2006, *ApJ*, 639, 1120
- Knapp, G. R., Leggett, S. K., Fan, X., et al. 2004, *AJ*, 127, 3553
- Luhman, K. L., Rieke, G. H., Lada, C. J., & Lada, E. A. 1998, *ApJ*, 508, 347
- Magazzù, A., Martín, E. L., & Rebolo, R. 1993, *ApJ*, 404, L17
- Marley, M. S., Seager, S., Saumon, D., et al. 2002, *ApJ*, 568, 335
- Martín, E. L., & Zapatero Osorio, M. R. 2003, *ApJ*, 593, L113
- Martín, E. L., Rebolo, R., & Zapatero Osorio, M. R. 1996, *ApJ*, 469, 706
- Martín, E. L., Basri, G., Delfosse, X., & Forveille, T. 1997, *A&A*, 327, L29
- Martín, E. L., Delfosse, X., Basri, G., et al. 1999, *AJ*, 118, 2466
- Martín, E. L., Delfosse, X., & Guieu, S. 2004, *AJ*, 127, 449
- Martín, E. L., Brandner, W., Bouy, H., et al. 2006, *A&A*, 456, 253
- McGovern, M. R., Kirkpatrick, J. D., McLean, I. S., et al. 2004, *ApJ*, 600, 1020
- Phan-Bao, N., & Bessell, M. S. 2006, *A&A*, 446, 515
- Phan-Bao, N., Guibert, J., Crifo, F., et al. 2001, *A&A*, 380, 590
- Phan-Bao, N., Crifo, F., Delfosse, X., et al. 2003, *A&A*, 401, 959
- Phan-Bao, N., Bessell, M. S., Martín, E. L., et al. 2008, *MNRAS*, 383, 831
- Riaz, B., Gizis, J. E., & Hmiel, A. 2006, *ApJ*, 639, L79
- Reid, I. N., Lewitus, E., Allen, P. R., Cruz, K. L., & Burgasser, A. J. 2006, *AJ*, 132, 891
- Reid, I. N., Cruz, K. L., Kirkpatrick, J. D., et al. 2008, *AJ*, 136, 1290
- Reiners, A., & Basri, G. 2008, *ApJ*, 684, 1390
- Reylé, C., Scholz, R. D., Schultheis, M., Robin, A. C., & Irwin, M. 2006, *MNRAS*, 373, 705
- Schmidt, S. J., Cruz, K. L., Bongiorno, B. J., Liebert, J., & Reid, I. N. 2007, *AJ*, 133, 2258
- Skrutskie, M. F., Cutri, R. M., Stiening, R., et al. 2006, *AJ*, 131, 1163
- Tsuji, T. 2005, *ApJ*, 621, 1033
- Warren, S. J., Mortlock, D. J., Leggett, S. K., et al. 2007, *MNRAS*, 381, 1400
- West, A. A., Hawley, S. L., Walkowicz, L. M., et al. 2004, *AJ*, 128, 426
- West, A. A., Hawley, S. L., Bochanski, J. J., et al. 2008, *AJ*, 135, 785
- Wilking, B. A., McCaughrean, M. J., Burton, M. G., et al. 1997, *AJ*, 114, 2029
- York, D. G., Adelman, J., Anderson, J. E., Jr., et al. 2000, *AJ*, 120, 1579
- Young, E. T., Lada, C. J., Teixeira, P., et al. 2004, *ApJS*, 154, 428