

New Fe II energy levels from stellar spectra[★]

F. Castelli¹ and R. L. Kurucz²

¹ Istituto Nazionale di Astrofisica – Osservatorio Astronomico di Trieste, via Tiepolo 11, 34131 Trieste, Italy
e-mail: castelli@oats.inaf.it

² Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, USA

Received 1 June 2010 / Accepted 29 June 2010

ABSTRACT

Aims. The spectra of B-type and early A-type stars show numerous unidentified lines in the whole optical range, especially in the 5100–5400 Å interval. Because Fe II transitions to high energy levels should be observed in this region, we used semiempirical predicted wavelengths and gf -values of Fe II to identify unknown lines.

Methods. Semiempirical line data for Fe II computed by Kurucz are used to synthesize the spectrum of the slow-rotating, Fe-overabundant CP star HR 6000.

Results. We determined a total of 109 new 4f levels for Fe II with energies ranging from 122 324 cm⁻¹ to 128 110 cm⁻¹. They belong to the Fe II subconfigurations 3d⁶(³P)4f (10 levels), 3d⁶(³H)4f (36 levels), 3d⁶(³F)4f (37 levels), and 3d⁶(³G)4f (26 levels). We also found 14 even levels from 4d (3 levels), 5d (7 levels), and 6d (4 levels) configurations. The new levels have allowed us to identify more than 50% of the previously unidentified lines of HR 6000 in the wavelength region 3800–8000 Å. Tables listing the new energy levels are given in the paper; tables listing the spectral lines with $\log gf \geq -1.5$ that are transitions to the 4f energy levels are given in the Online Material. These new levels produce 18 000 lines throughout the spectrum from the ultraviolet to the infrared.

Key words. line: identification – atomic data – stars: atmospheres – stars: chemically peculiar – stars: individual: HR 6000

1. Introduction

In a previous paper (Castelli et al. 2009) (Paper I) we have determined 21 new 3d⁶(³H)4f high energy levels of Fe II on the basis of predicted energy levels, computed $\log gf$ values for Fe II, and unidentified lines in UVES high resolution, high signal-to-noise spectra of HR 6000 and 46 Aql. Both stars are iron overabundant CP stars and have rotational velocity $v \sin i$ of the order of 1.5 km s⁻¹ and 1.0 km s⁻¹, respectively.

In this paper we continue the effort to determine new high-energy levels of Fe II. We used the same spectra and models for HR 6000 that we adopted in Paper I, together with Fe II line lists which include transitions between observed-observed, observed-predicted, and predicted-predicted energy levels. In this paper we increase the number of the new energy levels from the 21 listed in Paper I, to a total of 109 energy levels, which belong to the Fe II subconfigurations: 3d⁶(³P)4f (10 levels), 3d⁶(³H)4f (36 levels), 3d⁶(³F)4f (37 levels), and 3d⁶(³G)4f (26 levels), and 14 levels from the even configurations 4d (3 levels), 5d (7 levels), and 6d (4 levels). The new levels have allowed us to identify more than the 50% of the previously unidentified lines in the wavelength region 3800–8000 Å of HR 6000 (Castelli & Hubrig 2007). The method that we adopted to determine the new energy levels is the same as described in Paper I. It is recalled here in Sect. 3. The comparison of the observed spectrum of HR 6000 with the synthetic spectrum which includes the new Fe II lines is available on the Castelli web site¹.

2. The star HR 6000

According to Paper I, the CP star HR 6000 (HD 144667) has an estimated rotational velocity of 1.5 km s⁻¹. The model stellar parameters for an individual abundance ATLAS12 (Kurucz 2005) model are $T_{\text{eff}} = 13\,450$ K, $\log g = 4.3$. In addition to the large iron overabundance [+0.9], overabundances of Xe ([+4.6]), P (>[+1.5]), Ti ([+0.55]), Cr ([+0.2]), Mn ([+1.5]), Y ([+1.2]), and Hg ([+2.7]) were observed. This peculiar chemical composition, together with the underabundances of He, C, N, O, Al, Mg, Si, S, Cl, Sc, V, Co, Ni, and Sr gives rise to an optical line spectrum very rich in Fe II lines, with transitions involving upper energy levels close to the ionization limit (Johansson 2009). Also numerous Fe I and Fe III lines are observable in the spectrum.

3. The method

To determine the new energy levels we used high-resolution UVES spectra of HR 6000 (see Paper I), the corresponding synthetic spectrum, and the list of the computed transitions with predicted values for levels with no experimentally available energies. Predicted energy levels and $\log gf$ values were computed by Kurucz with his version of the Cowan (1981) code (Kurucz 2009). The calculation included 46 even configurations d⁷, d⁶4s–9s, d⁶4d–9d, d⁶5g–9g, d⁶7i–9i, d⁶9l, d⁵4s², d⁵4s5s–9s, d⁵4s4d–9d, d⁵4s5g–9g, d⁵4s7i–9i, d⁵4s9l, d⁴4s²4d, and d⁵4p² with 19 771 levels least-squares fitted to 418 known levels. The 39 odd configurations included d⁶4p–9p, d⁶4f–9f, d⁶6h–9h, d⁶8k–9k, d⁵4s4p–9p, d⁵4s4f–9f, d⁵4s6h–9h, d⁵4s8k–9k, d⁴4s²4p–5p, and d⁴4s²4f with 19 652 levels least-squares fitted to 596 known levels. The calculations were done in LS coupling with all configuration interactions included, with scaled Hartree-Fock starting

[★] Tables 6–9 are also available in electronic form at the CDS via anonymous ftp to cdsarc.u-strasbg.fr (130.79.128.5) or via <http://cdsarc.u-strasbg.fr/viz-bin/qcat?J/A+A/520/A57>

¹ <http://wwwuser.oat.ts.astro.it/castelli/hr6000new/hr6000.html>

Table 1. Fe II energy levels for the $3d^6(^3P)4f$ subconfiguration.

| Designation | J | Energy cm ⁻¹ | c-o cm ⁻¹ | Designation | J | Energy cm ⁻¹ | c-o cm ⁻¹ | Designation | J | Energy cm ⁻¹ | c-o cm ⁻¹ |
|-------------|------|----------------------------|-------------------------|-------------|-----|----------------------------|-------------------------|-------------|-----|----------------------------|-------------------------|
| 2[5] | 11/2 | 122 351.810 | -20.236 | | | | | | | | |
| | 9/2 | 122 324.142 | -18.980 | | | | | | | | |
| 2[4] | 9/2 | 122 355.116 | -6.685 | 1[4] | 9/2 | 123 629.520 | -4.606 | | | | |
| | 7/2 | 122 355.553 | -6.801 | | 7/2 | 123 637.833 | -6.417 | | | | |
| 2[3] | 7/2 | 122 351.488 | -18.489 | 1[3] | 7/2 | 123 615.875 | -2.642 | 0[3] | 7/2 | (124 167.229) | |
| | 5/2 | (122 353.541) | | | 5/2 | 123 649.493 | -5.687 | | 5/2 | 124 157.060 | +15.841 |
| 2[2] | 5/2 | (122 342.921) | | 1[2] | 5/2 | (123 637.063) | | | | | |
| | 3/2 | (122 336.098) | | | 3/2 | (123 646.360) | | | | | |
| 2[1] | 3/2 | (122 358.405) | | | | | | | | | |
| | 1/2 | (122 332.608) | | | | | | | | | |

Notes. Energies between parentheses are predicted values.

guesses, and with Hartree-Fock transition integrals. A total of 7 080 169 lines were saved from the transition array of which 102 833 lines are between known levels and have good wavelengths.

The computed line list was sorted into tables of all the strong lines connected to every predicted level. When a given predicted level gives rise to at least two Fe II lines having $\log gf \geq -1.0$, we selected one of these transitions and searched in the spectrum for those unidentified lines which have wavelength within $\pm 50 \text{ \AA}$ and residual flux within about $\pm 5\%$ of those of the selected predicted line. From the observed wavelength of one of these unidentified lines and from the known energy of the lower or upper level of the predicted transition, we derived a possible energy for the predicted level. If most of transitions obtained with this energy correspond to lines observed in the spectrum, we kept the tentative energy value as a real value, otherwise we repeated the procedure using another line taken from the unidentified ones, and continued the searching until we found that energy for which most of the predicted lines correspond to the observed lines. Whenever one or more new levels were found, the whole semiempirical calculation was repeated to produce improved predicted wavelengths and $\log gf$ -values. Because all configuration interactions were included, and because the mixing is exceptionally strong in the 4d and 5d configurations, every new level changed the predictions. Mixing between close levels can produce large uncertainties in the $\log gf$ values for lines that involve those levels.

This procedure is very successful for levels which produce two or more transitions with $\log gf > 0.0$, but becomes more and more difficult as the intensity of the predicted lines decreases. In fact, weak lines are usually blended with stronger components, so that the method may fail in these cases.

4. The new energy levels

The new energy levels of the $3d^6(^3P)4f$, $3d^6(^3H)4f$, $3d^6(^3F)4f$, and $3d^6(^3G)4f$ subconfigurations and from the even configurations $3d^64d$, $3d^65d$, and $3d^66d$ are listed in Tables 1–5. Because the $3d^64f$ states of Fe II tend to appear in pairs we have used the $j_c[K]_j$ notation of jK coupling for them, where j_c is the total angular momentum of the core and $K = j_c + l$ is the coupling of j_c with the orbital angular momentum l of the active electron. The level pairs correspond to the two separate values of

the total angular momentum J obtained when the spin $s = \pm 1/2$ of the active electron is added to K . The positive energies are those obtained by comparing observed and predicted line profiles, as described in Sect. 3 and shown in Fig. 2. The energies between parentheses in Tables 1–4 are predicted values for which we have been not able to find the corresponding observed level. The reason for the failure is that either all the lines from the energy level are weak or, even if some of the transitions are predicted as moderately strong ($\log gf > 0.0$), they are blended with other stronger components, so that their identification is uncertain. The columns with label “c-o” in Tables 1–5 show the difference between the predicted and observed energy levels.

The 4d even energy levels listed in Table 5 give rise to some of the transitions listed in the Online Material. The strongest transitions related with the 5d, and 6d even energy levels occur in the 6000–8000 Å region and in the 4000–5000 Å region, respectively. The transitions to the odd energy levels are discussed in Sect. 5.

The observed energy levels, the least squares fits, the predicted energy levels, and the line lists can be found on the Kurucz web site². The observed levels come from the following sources: Johansson (1978), Sugar & Corliss (1985), Adam et al. (1987), Johansson & Baschek (1988), Johansson (1988, private comm.), Rosberg & Johansson (1992), Castelli et al. (2008), Castelli et al. (2009), and this work. The calculations on the web site are updated whenever there are improvements to the energy levels.

5. The new Fe II lines

The new Fe II lines in the 3800–8000 Å region, produced by transitions to the Fe II subconfigurations $(^3P)4f$, $(^3H)4f$, $(^3F)4f$, and $(^3G)4f$, are shown in Tables 6–9, respectively. Only lines with $\log gf \geq -1.50$ are listed, because lines with lower $\log gf$ values are not observable in this wavelength region of HR 6000. The new Fe II lines are mostly concentrated in the 5100–5400 Å interval. The upper energy levels (Cols. 1–4) were derived as described in Sect. 3, the lower energy levels (Cols. 5–6) are those described in Sect. 4, the calculated wavelength (Col. 7) is the Ritz wavelength in air, the $\log gf$ values (Col. 8) were computed by Kurucz, the observed wavelengths (Col. 9) are the wavelengths of lines well observable in the HR 6000 spectrum.

² <http://kurucz.harvard.edu/atoms/2601>

Table 2. Fe II energy levels for the $3d^6 ({}^3H)4f$ subconfiguration.

| Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} |
|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|
| 6[9] | 19/2 | 122 954.180 | +14.465 | | | | | | | | |
| | 17/2 | 122 952.730 | +20.251 | | | | | | | | |
| 6[8] | 17/2 | 123 007.910 | +26.752 | 5[8] | 17/2 | 123 219.200 | -10.198 | | | | |
| | 15/2 | 122 910.920 | -16.531 | | 15/2 | 123 193.090 | -17.864 | | | | |
| 6[7] | 15/2 | 123 018.430 | +34.439 | 5[7] | 15/2 | 123 238.440 | -6.653 | 4[7] | 15/2 | 123 396.250 | -33.027 |
| | 13/2 | 123 015.400 | +40.333 | | 13/2 | 123 168.680 | -33.645 | | 13/2 | 123 355.490 | -36.436 |
| 6[6] | 13/2 | 122 990.620 | -2.720 | 5[6] | 13/2 | 123 249.650 | -6.519 | 4[6] | 13/2 | 123 414.730 | -32.244 |
| | 11/2 | 123 037.430 | +26.878 | | 11/2 | 123 270.340 | +0.899 | | 11/2 | 123 427.119 | -33.418 |
| 6[5] | 11/2 | 123 002.288 | +33.455 | 5[5] | 11/2 | 123 251.470 | -1.320 | 4[5] | 11/2 | 123 441.100 | -26.889 |
| | 9/2 | 123 026.350 | +18.587 | | 9/2 | 123 269.378 | +2.937 | | 9/2 | 123 435.468 | -17.705 |
| 6[4] | 9/2 | 122 988.215 | +30.836 | 5[4] | 9/2 | 123 258.994 | -1.556 | 4[4] | 9/2 | 123 460.690 | -26.898 |
| | 7/2 | 122 980.408 | +26.752 | | 7/2 | 123 258.021 | -1.362 | | 7/2 | 123 435.277 | -16.103 |
| 6[3] | 7/2 | 122 946.419 | +21.403 | 5[3] | 7/2 | 123 235.165 | +3.471 | 4[3] | 7/2 | 123 451.449 | -21.115 |
| | 5/2 | (122 967.896) | | | 5/2 | (123 248.017) | | | 5/2 | 123 430.181 | -16.906 |
| | | | | 5[2] | 5/2 | 123 211.159 | -1.017 | 4[2] | 5/2 | (123 401.927) | |
| | | | | | 3/2 | 123 213.323 | -12.585 | | 3/2 | (123 384.857) | |
| | | | | | | | | 4[1] | 3/2 | (123 356.410) | |
| | | | | | | | | | 1/2 | (123 343.705) | |

Notes. Energies between parentheses are predicted values.

Table 3. Fe II energy levels for the $3d^6 ({}^3F)4f$ subconfiguration. Energies between parentheses are predicted values.

| Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} |
|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|
| 4[7] | 15/2 | 124 421.468 | +12.238 | | | | | | | | |
| | 13/2 | 124 436.436 | +36.895 | | | | | | | | |
| 4[6] | 13/2 | 124 400.107 | +4.567 | 3[6] | 13/2 | 124 661.274 | +15.827 | | | | |
| | 11/2 | 124 402.557 | -3.593 | | 11/2 | 124 656.535 | +7.092 | | | | |
| 4[5] | 11/2 | 124 388.840 | +3.174 | 3[5] | 11/2 | 124 626.900 | +3.179 | 2[5] | 11/2 | 124 803.873 | +20.054 |
| | 9/2 | 124 385.706 | +2.938 | | 9/2 | 124 636.116 | +3.120 | | 9/2 | 124 809.727 | +15.721 |
| 4[4] | 9/2 | 124 401.939 | +4.674 | 3[4] | 9/2 | 124 623.120 | +3.085 | 2[4] | 9/2 | 124 793.905 | +12.624 |
| | 7/2 | 124 385.010 | +0.698 | | 7/2 | 124 620.914 | +7.289 | | 7/2 | 124 783.748 | +15.272 |
| 4[3] | 7/2 | 124 416.110 | +13.187 | 3[3] | 7/2 | 124 641.989 | +9.092 | 2[3] | 7/2 | (124 814.025) | |
| | 5/2 | 124 403.474 | +1.243 | | 5/2 | 124 653.022 | -8.651 | | 5/2 | (124 808.178) | |
| 4[2] | 5/2 | 124 434.563 | +23.142 | 3[2] | 5/2 | (124 670.316) | | 2[2] | 5/2 | (124 835.676) | |
| | 3/2 | 124 460.410 | -11.802 | | 3/2 | (124 678.325) | | | 3/2 | (124 833.418) | |
| 4[1] | 3/2 | (124 487.989) | | 3[1] | 3/2 | (124 697.077) | | 2[1] | 3/2 | (124 876.972) | |
| | 1/2 | (124 484.721) | | | 1/2 | (124 708.453) | | | 1/2 | (124 874.375) | |
| | | | | 3[0] | 1/2 | 124 731.762 | -4.875 | | | | |

Notes. Energies between parentheses are predicted values.

Most of them were listed as unidentified lines in Castelli & Hubrig (2007)³. In the last column, comments derived from the comparison of the observed and computed spectra are added for

³ <http://wwwuser.oat.ts.astro.it/castelli/hr6000/unidentified.txt>

most lines. In a few cases, both computed and observed stellar lines correspond to lines measured by Johansson in laboratory works (Johansson 1978; Castelli et al. 2008). The notes “J78” and “lab” are added for these lines. When lines are computed weaker than the observed ones the disagreement can be due

Table 4. Fe II energy levels for the $3d^6(^3G)4f$ subconfiguration. Energies between parentheses are predicted values.

| Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} | Designation | J | Energy cm^{-1} | c-o cm^{-1} |
|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|-------------|------|----------------------------|-------------------------|
| 5[8] | 17/2 | 127 507.241 | -5.657 | | | | | | | | |
| | 15/2 | 127 524.1227 | +14.501 | | | | | | | | |
| 5[7] | 15/2 | 127 484.653 | -1.445 | 4[7] | 15/2 | 127 892.981 | +4.313 | | | | |
| | 13/2 | 127 515.235 | +2.816 | | 13/2 | 127 895.260 | +3.367 | | | | |
| 5[6] | 13/2 | 127 489.429 | -4.823 | 4[6] | 13/2 | 127 875.000 | +2.236 | 3[6] | 13/2 | 128 110.214 | -2.182 |
| | 11/2 | 127 489.977 | -0.294 | | 11/2 | 127 880.436 | +1.216 | | 11/2 | (128 076.012) | |
| 5[5] | 11/2 | 127 482.748 | +3.147 | 4[5] | 11/2 | 127 869.158 | +0.993 | 3[5] | 11/2 | 128 071.171 | -10.517 |
| | 9/2 | (127 484.561) | | | 9/2 | 127 855.952 | -16.898 | | 9/2 | 128 055.658 | -16.898 |
| 5[4] | 9/2 | 127 485.362 | -15.194 | 4[4] | 9/2 | 127 869.892 | -4.920 | 3[4] | 9/2 | 128 062.710 | -15.669 |
| | 7/2 | 127 485.699 | +9.404 | | 7/2 | (127 871.098) | | | 7/2 | 128 066.823 | -22.228 |
| 5[3] | 7/2 | (127 476.624) | | 4[3] | 7/2 | (127 877.776) | | 3[3] | 7/2 | (128 047.849) | |
| | 5/2 | 127 510.913 | +9.552 | | 5/2 | 127 874.745 | +5.549 | | 5/2 | 128 063.103 | -8.192 |
| 5[2] | 5/2 | (127 499.343) | | 4[2] | 5/2 | (127 868.807) | | 3[2] | 5/2 | 128 089.313 | +10.032 |
| | 3/2 | 127 487.681 | -0.341 | | 3/2 | (127 895.930) | | | 3/2 | (128 069.044) | |
| | | | | 4[1] | 3/2 | (127 876.787) | | 3[1] | 3/2 | (128 099.051) | |
| | | | | | 1/2 | (127 898.510) | | | 1/2 | (128 099.237) | |
| | | | | | | | | 3[0] | 1/2 | (128 161.312) | |

Notes. Energies between parentheses are predicted values.

Table 5. Fe II new levels from $3d^64d$, $3d^65d$, and $3d^66d$ configurations.

| Designation | J | Energy cm^{-1} | c-o cm^{-1} |
|---------------|-------|----------------------------|-------------------------|
| $3d^6(^3P)4d$ | 2F | 7/2 | 103 191.917 +27.014 |
| $3d^6(^3P)4d$ | 2D | 5/2 | 103 597.402 -5.701 |
| $3d^6(^3F)4d$ | 2F | 7/2 | 105 775.491 -42.697 |
| $3d^6(^3H)5d$ | 4H | 13/2 | 124 208.725 +47.495 |
| $3d^6(^3H)5d$ | 4G | 11/2 | 124 251.805 +44.041 |
| $3d^6(^3H)5d$ | 4K | 15/2 | 124 297.017 -5.220 |
| $3d^6(^3H)5d$ | 4I | 15/2 | 124 357.304 +12.292 |
| $3d^6(^3H)5d$ | 4K | 13/2 | 124 415.353 -14.256 |
| $3d^6(^3H)5d$ | 2I | 11/2 | 124 976.008 -38.096 |
| $3d^6(^3F)5d$ | 4H | 13/2 | 125 732.991 +9.243 |
| $3d^6(^5D)6d$ | 6D | 5/2 | 113 934.466 -58.836 |
| $3d^6(^5D)6d$ | 4D | 7/2 | 114 009.934 -3.477 |
| $3d^6(^5D)6d$ | 6G | 7/2 | 114 428.399 +51.787 |
| $3d^6(^5D)6d$ | 6G | 5/2 | 114 619.007 +22.415 |

either to a too low $\log gf$ value or to some unknown component which increases the line intensity. When lines are computed much stronger than the observed ones, some problem with the energy levels or/and $\log gf$ computations is very probably present. When we observed a very good agreement between the observed and computed lines, either isolated or blends, we added the note “good agreement”.

Figure 1 shows the Fe II spectrum in the 5185–5196 Å interval, computed before and after the determination of the new energy levels. Figure 2 compares the observed spectrum of

HR 6000 with the synthetic spectrum computed with the line list including the new Fe II lines. When the two figures are considered together, the improvement in the comparison between the observed and computed spectra is evident.

6. Conclusions

Computed atomic data and stellar spectra observed at high resolution and high signal-to-noise ratio of the iron-overabundant, slow-rotating star HR 6000 were used to extend laboratory studies on Fe II energy levels and line transitions. We identified as Fe II about 500 unidentified spectral lines in the 3800–8000 Å region. A few of these lines were already identified as iron from laboratory analyses (Johansson 2007, private communication), but they were never classified. Because numerous other new lines are components of blends they contribute to improve the agreement between observed and computed spectra. On the other hand, there is a small number of new lines which are not observed in the spectrum. We believe that they are due to computational problems related with the mixing of the even energy levels rather than to incorrect energy values for the new 4f odd levels.

In spite of the large number of the new identified lines, several medium-strong lines and a conspicuous number of weak lines remain still unidentified in the spectral region we analyzed. If we examine the list of the Fe II lines which correspond to transitions from predicted energy levels, we can count about 4600 lines with $\log gf \geq -1.0$, where about 400 of them have $\log gf \geq 0.0$. Because the transitions producing these lines occur between high-excitation energy levels that are not strongly populated, most of the lines are weak in a star like HR 6000. This




Fig. 1. Upper panel shows the Fe II synthetic spectrum for the parameters of HR 6000 ($T_{\text{eff}} = 13\,450\text{ K}$, $\log g = 4.3$, $v \sin i = 1.5\text{ km}^{-1}$, $[\text{Fe}/\text{H}] = +0.9$) computed with the line list available before this work. The lower panel is the same, but with the new Fe II lines added in the line list.




Fig. 2. Comparison of the UVES spectrum of HR 6000 (black line) with a synthetic spectrum (red line) computed with a line list including the new Fe II lines. The line identification can be decoded as follows: for the first line, 150 last 3 digits of wavelength 518.5150 nm; 26 atomic number of iron; .01 charge/100, i.e. 26.01 identifies the line as Fe II; 105 123 is the energy of the lower level in cm^{-1} ; 970 is the residual central intensity in per mil.

large number of weak predicted lines could explain the spectrum of HR 6000 longward of about 5800 Å. The spectrum looks like it is affected by a noise larger than that due to the instrumental effects. Castelli & Hubrig (2007) explained this “noise” with the presence of a T-Tauri star affecting the HR 6000 spectrum. After this study, we prefer to state that the spectrum shows the presence of numerous weak Fe II lines from high-excitation levels, probably 4d, 5d, 6d – 4f, 5f, 6f transitions, which still have to be identified. The hypothesis of the presence of the T-Tauri star affecting the HR 6000 spectrum is an example of an incorrect conclusion that can be drawn owing to the use of incomplete line lists. We will extend this study of the Fe II spectrum to the near infrared region in the near future using CRIRES (CRYogenic high-resolution InfraRed Echelle Spectrograph) observations of HR 6000 and 46 Aql. The observations are scheduled in summer 2010 (ESO proposal 41380, P.I. S. Hubrig).

References

- Adam, J., Baschek, B., Johansson, S., Nilsson, A. E., & Brage, T. 1987, *ApJ*, 312, 337
- Biémont, E., Johansson, S., & Palmeri, P. 1997, *Phys. Scr.*, 55, 559
- Castelli, F., Kurucz, R., & Hubrig, S. 2009, *A&A*, 508, 401, Paper I
- Castelli, F., & Hubrig, S. 2007, *A&A*, 475, 1041
- Castelli, F., Johansson, S., & Hubrig, S. 2008, *J. Phys. Conf. Ser.*, 130, 012003
- Cowan, R. D. 1981, *The Theory of Atomic Structure and Spectra* (Berkeley: Univ. California Press)
- Johansson, S. 1978, *Phys. Scr.*, 18, 217
- Johansson, S., & Baschek, B. 1988, *Nucl. Instr. Meth. Phys. Res. B*, 31, 222
- Johansson, S. 2009, *Phys. Scr. T*, 134, 014013
- Kurucz, R. L. 2005, *Mem. Soc. Astron. Ital. Supp.*, 8, 14
- Kurucz, R. L. 2009, *Am. Inst. Phys. Conf. Ser.*, 1171, 43
- Rosberg, M., & Johansson, S. 1992, *Phys. Scr.*, 45, 590
- Sugar, J., & Corliss, C. 1985, *J. Phys. Chem. Ref. Data*, 14, Supp., 2

Table 6. Fe II lines in the 3800–8000 Å region with $\log gf \geq -1.5$ and $3d^6(^3P)4f$ energy levels as upper levels.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|----------------------|------------------|--------|------------------------|----------------------|-----------------------|--------|-------------|----------------------------|
| cm^{-1} | J | cm^{-1} | | Å | KUR | Å | | | |
| 122 351.810 | $(^3P)4f$ | 2[5] | 11/2 | 103 165.320 | $(^3P)4d\ ^4F_{9/2}$ | 5210.550 | +0.795 | 5210.55 | good agreement |
| | | | | 103 683.070 | $(^3D)5d\ ^4F_{9/2}$ | 5355.059 | +0.164 | 5355.06 | computed too strong |
| | | | | 103 771.320 | $(^3H)4d\ ^4G_{9/2}$ | 5380.493 | -1.047 | | at the noise level |
| | | | | 104 807.210 | $(^3H)4d\ ^2G_{9/2}$ | 5698.178 | -0.539 | | blend with a telluric line |
| | | | | 104 916.550 | $(^3H)4d\ ^4F_{9/2}$ | 5733.913 | -0.635 | 5733.90 | computed too weak |
| | | | | 106 722.170 | $(^3F)4d\ ^4F_{9/2}$ | 6396.332 | -0.741 | 6396.32 | computed too weak |
| | | | | 109 811.920 | $(^3G)4d\ ^4F_{9/2}$ | 7972.359 | -0.985 | | at the noise level |
| 122 324.142 | $(^3P)4f$ | 2[5] | 9/2 | 103 102.860 | $(^3P)4d\ ^4D_{7/2}$ | 5201.118 | -0.056 | | wrong, not observed |
| | | | | 103 191.917 | $(^3P)4d\ ^2F_{7/2}$ | 5225.329 | +0.634 | | blend, good agreement |
| | | | | 103 986.330 | $(^3H)4d\ ^4H_{7/2}$ | 5451.698 | -1.133 | | blend, good agreement |
| | | | | 104 107.950 | $(^3P)4d\ ^4F_{7/2}$ | 5488.097 | -0.362 | | blend, good agreement |
| | | | | 104 481.590 | $(^3H)4d\ ^2F_{7/2}$ | 5603.024 | -0.170 | 5603.05 | |
| | | | | 105 123.000 | $(^3H)4d\ ^2G_{7/2}$ | 5811.956 | -1.441 | | blend, good agreement |
| 105 775.491 | $(^3F)4d\ ^2F_{7/2}$ | 6041.116 | -0.837 | 6041.1 | weak, good agreement | | | | |
| 122 355.116 | $(^3P)4f$ | 2[4] | 9/2 | 102 394.718 | $(^5D)6s\ ^4D_{7/2}$ | 5008.523 | -0.809 | | weak, computed too strong |
| | | | | 103 102.860 | $(^3P)4d\ ^4D_{7/2}$ | 5192.750 | +0.657 | 5192.75 | lab, good agreement |
| | | | | 103 165.320 | $(^3P)4d\ ^4F_{9/2}$ | 5209.652 | -0.035 | 5209.66 | lab, good agreement |
| | | | | 103 191.917 | $(^3P)4d\ ^2F_{7/2}$ | 5216.883 | -0.404 | | blend |
| | | | | 103 683.070 | $(^3D)5d\ ^4F_{9/2}$ | 5354.110 | -0.637 | 5354.1 | weak |
| | | | | 104 107.950 | $(^3P)4d\ ^4F_{7/2}$ | 5478.781 | -1.319 | | at the continuum level |
| | | | | 104 807.210 | $(^3H)4d\ ^2G_{9/2}$ | 5697.105 | -1.443 | | at the continuum level |
| | | | | 106 767.210 | $(^3F)4d\ ^4F_{7/2}$ | 6413.457 | -1.407 | | blend |
| 122 355.550 | $(^3P)4f$ | 2[4] | 7/2 | 102 394.718 | $(^5D)6s\ ^4D_{7/2}$ | 5008.414 | -1.258 | | good agreement |
| | | | | 102 802.312 | $(^5D)6s\ ^4D_{5/2}$ | 5112.818 | -0.959 | 5112.82 | computed too weak |
| | | | | 103 002.670 | $(^3P)4d\ ^4D_{5/2}$ | 5165.751 | +0.441 | 5165.75 | lab, good agreement |
| | | | | 103 102.860 | $(^3P)4d\ ^4D_{7/2}$ | 5192.633 | +0.155 | 5192.62 | lab, computed too weak |
| | | | | 103 165.320 | $(^3P)4d\ ^4F_{9/2}$ | 5209.534 | -1.105 | | blend, good agreement |
| | | | | 103 191.917 | $(^3P)4d\ ^2F_{7/2}$ | 5216.765 | -0.764 | | blend |
| | | | | 106 796.660 | $(^3F)4d\ ^4P_{5/2}$ | 6425.418 | -1.436 | | at the continuum level |
| | | | | 122 351.488 | $(^3P)4f$ | 2[3] | 7/2 | 103 102.860 | $(^3P)4d\ ^4D_{7/2}$ |
| 103 191.917 | $(^3P)4d\ ^2F_{7/2}$ | 5217.871 | -0.250 | | | | | 5217.870 | lab |
| 103 597.402 | $(^3P)4d\ ^2D_{5/2}$ | 5330.689 | +0.525 | | | | | 5330.680 | lab |
| 104 023.910 | $(^3H)4d\ ^4G_{5/2}$ | 5454.742 | -1.327 | | | | | | at the continuum level |
| 104 107.950 | $(^3P)4d\ ^4F_{7/2}$ | 5479.870 | -1.320 | | | | | | at the continuum level |
| 104 481.590 | $(^3H)4d\ ^2F_{7/2}$ | 5594.450 | -1.116 | | | | | 5594.42 | computed too weak? |
| 104 569.230 | $(^3P)4d\ ^4F_{5/2}$ | 5622.022 | -0.573 | | | | | 5622.02 | computed too weak? |
| 105 234.237 | $(^3H)4d\ ^4F_{5/2}$ | 5840.440 | -1.282 | | | | | | at the continuum level |
| 107 407.800 | $(^3F)4d\ ^2D_{5/2}$ | 6689.941 | -0.330 | | | | | 6689.91 | |
| 123 629.520 | $(^3P)4f$ | 1[4] | 9/2 | 103 102.860 | $(^3P)4d\ ^4D_{7/2}$ | 4870.353 | -1.402 | | at the continuum level |
| | | | | 104 000.810 | $(^3D)5d\ ^6P_{7/2}$ | 5093.159 | -0.981 | | blend |
| | | | | 104 107.950 | $(^3P)4d\ ^4F_{7/2}$ | 5121.112 | +0.327 | 5121.1 | lab, good agreement |
| | | | | 104 481.590 | $(^3H)4d\ ^2F_{7/2}$ | 5221.043 | +0.408 | 5221.04 | lab, good agreement |
| | | | | 104 873.230 | $(^3D)5d\ ^4D_{7/2}$ | 5330.062 | -1.183 | | blend |
| | | | | 104 993.860 | $(^3F)4d\ ^4D_{7/2}$ | 5364.564 | -0.118 | 5364.55 | computed too strong |
| | | | | 105 123.000 | $(^3H)4d\ ^2G_{7/2}$ | 5401.999 | -0.418 | | blend |
| | | | | 105 220.600 | $(^3H)4d\ ^4F_{7/2}$ | 5430.640 | -1.066 | 5430.64 | computed too weak |
| | | | | 105 775.491 | $(^3F)4d\ ^2F_{7/2}$ | 5599.422 | -0.624 | 5599.42 | good agreement |
| | | | | 106 767.210 | $(^3F)4d\ ^4F_{7/2}$ | 5928.743 | -0.677 | 5928.72 | at the noise level |
| | | | | 110 167.280 | $(^3G)4d\ ^4F_{7/2}$ | 7426.139 | -1.173 | | |

Table 6. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|------------------------------------|-------------|------------------|------------------------|------------------------------------|-----------------------|--------|----------|-----------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 123 637.833 | $(^3\text{P})4f$ | 1[4] | 7/2 | 102 802.312 | $(^5\text{D})6s\ ^4\text{D}_{5/2}$ | 4798.155 | -1.297 | | at the continuum level |
| | | | | 103 002.670 | $(^3\text{P})4d\ ^4\text{D}_{5/2}$ | 4844.743 | -0.954 | | computed too strong |
| | | | | 103 597.402 | $(^3\text{P})4d\ ^2\text{D}_{5/2}$ | 4988.521 | -0.339 | 4988.51 | lab |
| | | | | 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 5118.932 | -0.819 | 5118.95 | lab, computed too weak |
| | | | | 104 120.270 | $(^5\text{D})5d\ ^6\text{P}_{5/2}$ | 5122.163 | -1.282 | | |
| | | | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 5218.777 | -0.644 | | blend |
| | | | | 104 569.230 | $(^3\text{P})4d\ ^4\text{F}_{5/2}$ | 5242.763 | +0.180 | 5242.775 | lab |
| | | | | 104 993.860 | $(^3\text{F})4d\ ^4\text{D}_{7/2}$ | 5362.172 | -1.268 | | at the continuum level |
| | | | | 105 127.770 | $(^5\text{D})5d\ ^4\text{D}_{5/2}$ | 5400.965 | -1.143 | | at the continuum level |
| | | | | 105 234.237 | $(^3\text{H})4d\ ^4\text{F}_{5/2}$ | 5432.211 | -0.531 | | wrong, not observed |
| | | | | 105 379.430 | $(^3\text{F})4d\ ^4\text{D}_{5/2}$ | 5475.409 | -0.552 | 5475.42 | computed too strong |
| | | | | 105 711.730 | $(^5\text{D})5d\ ^6\text{S}_{5/2}$ | 5576.909 | -1.432 | | at the continuum level |
| | | | | 106 208.560 | $(^3\text{F})4d\ ^2\text{F}_{5/2}$ | 5735.883 | -1.221 | | at the continuum level |
| | | | | 106 796.660 | $(^3\text{F})4d\ ^4\text{P}_{5/2}$ | 5936.184 | -1.317 | | at the level of the noise |
| | | | | 106 866.760 | $(^3\text{F})4d\ ^4\text{F}_{5/2}$ | 5960.996 | -0.565 | 5961.00 | |
| | | | | 107 407.800 | $(^3\text{F})4d\ ^2\text{D}_{5/2}$ | 6159.712 | -0.665 | 6179.75 | blend? |
| | | | | 110 428.280 | $(^3\text{G})4d\ ^4\text{F}_{5/2}$ | 7568.195 | -1.229 | | no spectrum |
| 123 615.875 | $(^3\text{P})4f$ | 1[3] | 7/2 | 103 597.402 | $(^3\text{P})4d\ ^2\text{D}_{5/2}$ | 4993.993 | -1.435 | | |
| | | | | 104 023.910 | $(^3\text{H})4d\ ^4\text{G}_{5/2}$ | 5102.711 | -0.526 | 5102.7 | lab, good agreement |
| | | | | 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 5124.694 | -1.046 | 5124.69 | good agreement |
| | | | | 104 120.270 | $(^5\text{D})5d\ ^6\text{P}_{5/2}$ | 5127.932 | -0.244 | | wrong, not obs |
| | | | | 104 209.610 | $(^3\text{H})4d\ ^2\text{F}_{5/2}$ | 5151.540 | -0.081 | 5151.52 | J78, lab, computed too weak |
| | | | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 5224.766 | -0.973 | 5227.77 | good agreement |
| | | | | 104 569.230 | $(^3\text{P})4d\ ^4\text{F}_{5/2}$ | 5248.807 | -0.232 | 5248.801 | computed too strong |
| | | | | 105 127.770 | $(^5\text{D})5d\ ^4\text{D}_{5/2}$ | 5407.380 | -1.391 | 5407.37 | computed too weak |
| | | | | 105 234.237 | $(^3\text{H})4d\ ^4\text{F}_{5/2}$ | 5438.700 | -0.416 | 5438.70 | computed too strong |
| | | | | 106 208.560 | $(^3\text{F})4d\ ^2\text{F}_{5/2}$ | 5743.118 | -0.454 | 5743.10 | good agreement |
| 123 649.493 | $(^3\text{P})4f$ | 1[3] | 5/2 | 104 209.610 | $(^3\text{H})4d\ ^2\text{F}_{5/2}$ | 5142.631 | -1.288 | | at the continuum level |
| | | | | 104 569.230 | $(^3\text{P})4d\ ^4\text{F}_{5/2}$ | 5239.559 | -1.150 | 5239.56 | good agreement |
| | | | | 104 572.920 | $(^3\text{P})4d\ ^4\text{F}_{3/2}$ | 5240.573 | +0.071 | 5240.587 | lab, good agreement |
| | | | | 104 588.710 | $(^5\text{D})5d\ ^6\text{D}_{3/2}$ | 5244.914 | -1.288 | | blend |
| | | | | 104 839.998 | $(^3\text{P})4d\ ^2\text{D}_{3/2}$ | 5314.985 | -0.441 | | blend, computed too strong |
| | | | | 105 234.237 | $(^3\text{H})4d\ ^4\text{F}_{5/2}$ | 5428.771 | -1.471 | | blend |
| | | | | 105 317.440 | $(^3\text{P})4d\ ^2\text{P}_{3/2}$ | 5453.411 | +0.082 | 5453.42 | lab, computed too strong |
| | | | | 105 518.140 | $(^3\text{H})4d\ ^4\text{F}_{3/2}$ | 5513.777 | -0.591 | | wrong, not observed |
| | | | | 106 846.650 | $(^3\text{F})4d\ ^4\text{F}_{3/2}$ | 5949.725 | -1.358 | | at the continuum level |
| | | | | 107 430.250 | $(^3\text{F})4d\ ^2\text{D}_{3/2}$ | 6163.810 | -0.253 | | wrong, not observed |
| 108 105.900 | $(^3\text{F})4d\ ^2\text{P}_{3/2}$ | 6431.741 | -0.724 | | blend | | | | |
| 124 157.060 | $(^3\text{P})4f$ | 0[3] | 5/2 | 104 569.230 | $(^3\text{P})4d\ ^4\text{F}_{5/2}$ | 5103.788 | -1.191 | 5103.8 | good agreement |
| | | | | 104 572.920 | $(^3\text{P})4d\ ^4\text{F}_{3/2}$ | 5104.750 | +0.094 | 5104.75 | lab, good agreement |
| | | | | 104 588.710 | $(^5\text{D})5d\ ^6\text{D}_{3/2}$ | 5108.869 | -1.369 | | |
| | | | | 104 839.998 | $(^3\text{P})4d\ ^2\text{D}_{3/2}$ | 5175.329 | -1.125 | | blend |
| | | | | 105 234.237 | $(^3\text{H})4d\ ^4\text{F}_{5/2}$ | 5283.154 | -0.937 | | blend |
| | | | | 105 317.440 | $(^3\text{P})4d\ ^2\text{P}_{3/2}$ | 5306.486 | -1.020 | 5306.49 | computed too weak |
| | | | | 105 460.230 | $(^3\text{F})4d\ ^4\text{D}_{3/2}$ | 5347.013 | -0.482 | 5347.05 | blend |
| | | | | 105 518.140 | $(^3\text{H})4d\ ^4\text{F}_{3/2}$ | 5363.626 | +0.082 | 5363.61 | computed too strong |
| | | | | 106 846.650 | $(^3\text{F})4d\ ^4\text{F}_{3/2}$ | 5775.269 | -0.286 | 5775.25 | good agreement |
| | | | | 107 430.250 | $(^3\text{F})4d\ ^2\text{D}_{3/2}$ | 5976.771 | -0.922 | | blend |
| | | | | 108 105.900 | $(^3\text{F})4d\ ^2\text{P}_{3/2}$ | 6228.356 | -0.686 | 6228.34 | good agreement |
| 110 609.540 | $(^3\text{G})4d\ ^4\text{F}_{3/2}$ | 7379.392 | -1.370 | | at the continuum level | | | | |

Table 7. Fe II lines in the 3800–8000 Å region with $\log gf \geq -1.5$ and $3d^6(^3H)4f$ energy level as upper levels.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|------------------|--------------------------|------------------|-------------|--|-----------|-----------------------|----------|-----------------------------|
| cm^{-1} | J | cm^{-1} | | Å | KUR | Å | | |
| 122 954.180 | (³ H)4f 6[9] | 19/2 | 103 644.800 | (³ H)4d ⁴ K _{17/2} | 5177.388 | +1.169 | 5177.394 | J78, lab, good agreement |
| 122 952.730 | (³ H)4f 6[9] | 17/2 | 103 644.800 | (³ H)4d ⁴ K _{17/2} | 5177.777 | -0.930 | | blend |
| | | | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5194.384 | +0.798 | 5194.387 | lab, good agreement |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5241.181 | +0.558 | 5241.183 | J78, lab, good agreement |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5308.346 | +0.518 | 5308.350 | J78,lab, good agreement |
| 123 007.910 | (³ H)4f 6[8] | 17/2 | 103 644.800 | (³ H)4d ⁴ K _{17/2} | 5163.021 | +0.498 | 5163.018 | J78,lab, good agreement |
| | | | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5179.534 | +0.534 | 5179.540 | J78, lab, good agreement |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5226.062 | +0.820 | 5226.070 | lab, good agreement |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5292.838 | -1.419 | | |
| | | | 108 337.860 | (³ G)4d ⁴ I _{15/2} | 6814.729 | -1.183 | | at the noise level |
| 122 910.920 | (³ H)4f 6[8] | 15/2 | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5205.693 | -0.207 | 5205.70 | blend |
| | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5239.942 | +0.015 | 5239.948 | J78, lab, computed too weak |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5252.695 | -0.107 | 5252.702 | lab, computed too weak |
| | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5304.620 | -0.357 | 5304.60 | lab, computed too weak |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5320.157 | +0.082 | 5320.18 | lab, good agreement |
| | | | 104 315.370 | (³ H)4d ² K _{13/2} | 5376.136 | +0.132 | 5376.12 | lab, computed too weak |
| | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5466.362 | +0.698 | 5466.38 | good agreement |
| | | | 108 463.910 | (³ G)4d ⁴ I _{13/2} | 6919.939 | -0.887 | | at the continuum level |
| | | | 108 648.695 | (¹ I)5s e ² I _{13/2} | 7009.596 | -1.436 | 7009.6? | computed too weak? |
| | | | 109 049.600 | (³ G)4d ² I _{13/2} | 7212.332 | -1.456 | 7212.33? | computed too weak? |
| 123 018.430 | (³ H)4f 6[7] | 15/2 | 103 617.580 | (³ H)4d ⁴ H _{13/2} | 5152.978 | +0.761 | 5152.985 | lab, good agreement |
| | | | 103 644.800 | (³ H)4d ⁴ K _{17/2} | 5160.218 | -0.354 | 5160.213 | lab, good agreement |
| | | | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5176.713 | +0.364 | 5176.722 | J78,lab, good agreement |
| | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5210.580 | -1.104 | 5210.65? | computed too weak? |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5223.190 | +0.447 | 5223.25 | blend, good agreement |
| | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5274.530 | -1.138 | 5274.53 | good agreement |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5289.892 | -0.894 | 5289.899 | lab, good agreement |
| | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5434.415 | -1.378 | | at the noise level |
| | | | 108 337.860 | (³ G)4d ⁴ I _{15/2} | 6809.845 | -1.228 | | at the noise level |
| 123 015.400 | (³ H)4f 6[7] | 13/2 | 103 600.430 | (³ H)4d ⁴ G _{11/2} | 5149.230 | +0.424 | 5149.243 | lab, good agreement |
| | | | 103 617.580 | (³ H)4d ⁴ H _{13/2} | 5153.783 | +0.761 | 5153.786 | lab, good agreement |
| | | | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5177.525 | -0.341 | | blend |
| | | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5189.655 | -0.783 | | blend, good agreement |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5224.017 | -0.132 | 5224.025 | lab, good agreement |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5290.740 | -1.258 | 5290.730 | computed too weak |
| | | | 104 765.450 | (³ H)4d ² I _{11/2} | 5477.945 | -1.275 | 5477.95 | good agreement |
| | | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5568.910 | -1.164 | 5568.92 | good agreement |
| | | | 105 288.850 | (³ F)4d ⁴ H _{13/2} | 5639.690 | -1.357 | | blend |
| | | | 106 045.690 | (³ H)4d ² H _{11/2} | 5891.220 | -1.302 | | blend |
| | | | 108 181.550 | (³ G)4d ⁴ G _{11/2} | 6739.478 | -1.459 | | at the noise level |
| 122 990.620 | (³ H)4f 6[6] | 13/2 | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5184.178 | -0.976 | | blend |
| | | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5196.339 | -0.126 | 5196.32 | computed too weak |
| | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5218.143 | -0.028 | 5218.149 | lab, good agreement |
| | | | 103 878.370 | (³ H)4d ⁴ I _{15/2} | 5230.790 | -1.208 | 5230.80 | good agreement |
| | | | 103 973.780 | (³ H)4d ⁴ K _{11/2} | 5257.034 | -0.940 | | blend |
| | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5282.281 | -1.039 | 5282.29 | blend,computed too weak |
| | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5297.687 | -1.010 | 5297.7 | blend |
| | | | 104 174.270 | (³ H)4d ⁴ I _{11/2} | 5313.049 | -0.954 | | blend |
| | | | 104 315.370 | (³ H)4d ² K _{13/2} | 5353.192 | +0.205 | 5353.22 | blend, computed too strong |
| | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5442.643 | +0.049 | 5442.65 | J78, lab, good agreement |
| | | | 104 765.450 | (³ H)4d ² I _{11/2} | 5485.393 | +0.141 | 5485.40 | computed too strong |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|------------------|--|------------------|--|--|-----------|-----------------------|---------------------------|-----------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | | |
| 122 990.620 | cont. | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5576.608 | -0.487 | 5576.60 | computed too strong | |
| | | 105 763.270 | (³ F)4d ² H _{11/2} | 5803.114 | -0.380 | 5803.12 | computed too weak | |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5899.835 | +0.277 | 5899.82 | good agreement | |
| | | 108 630.429 | (¹ I)5s e ² I _{11/2} | 6961.775 | -1.168 | | at the continuum level | |
| | | 109 049.600 | (³ G)4d ² I _{13/2} | 7171.100 | -1.477 | | at the continuum level | |
| | | 109 389.880 | (³ G)4d ² I _{11/2} | 7350.516 | -1.297 | 7350.49? | computed too weak? | |
| | | 109 683.280 | (³ G)4d ² H _{11/2} | 7512.581 | -0.706 | | blend, computed too weak? | |
| 123 037.430 | ³ H)4f 6[6] | 11/2 | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5183.727 | +0.242 | 5183.713 | J78, lab, blend |
| | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5189.016 | -0.187 | 5189.013 | lab | |
| | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5205.425 | -0.558 | 5205.427 | lab, blend | |
| | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5216.891 | -0.503 | | blend | |
| | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5269.248 | -0.797 | 5269.235 | | |
| | | 104 315.370 | (³ H)4d ² K _{13/2} | 5339.807 | -0.759 | | | |
| | | 104 622.300 | (³ H)4d ² I _{13/2} | 5428.808 | -0.405 | 5428.80 | lab | |
| | | 104 765.450 | (³ H)4d ² I _{11/2} | 5471.340 | -0.934 | | | |
| | | 104 807.210 | (³ H)4d ² G _{9/2} | 5483.874 | -0.019 | 5483.85 | lab | |
| | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5516.963 | -0.234 | | wrong, not obs | |
| | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5562.084 | -1.223 | | | |
| | | 105 398.850 | (³ F)4d ⁴ H _{11/2} | 5667.818 | -1.176 | | | |
| | | 105 763.270 | (³ F)4d ² H _{11/2} | 5787.389 | -0.146 | 5787.35 | | |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5883.582 | +0.287 | 5883.58 | J78 | |
| | | 106 097.520 | (³ H)4d ² H _{9/2} | 5901.584 | -0.581 | | blend | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 6204.452 | -1.391 | | | |
| 109 683.280 | (³ G)4d ² H _{11/2} | 7486.247 | -0.596 | | | | | |
| 123 002.288 | ³ H)4f 6[5] | 11/2 | 103 165.320 | (³ P)4d ⁴ F _{9/2} | 5039.690 | -0.526 | | |
| | | 103 600.430 | (³ H)4d ⁴ G _{11/2} | 5152.712 | +0.662 | 5152.70 | lab | |
| | | 103 617.580 | (³ H)4d ⁴ H _{13/2} | 5157.271 | +0.380 | | blend | |
| | | 103 683.070 | (³ H)4d ⁴ F _{9/2} | 5174.754 | -0.491 | 5174.75 | lab | |
| | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5193.192 | -0.719 | 5193.191 | blend | |
| | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5198.501 | -1.338 | | | |
| | | 104 765.450 | (³ H)4d ² I _{11/2} | 5481.886 | -1.256 | | | |
| | | 104 807.210 | (³ H)4d ² G _{9/2} | 5494.468 | -0.835 | | | |
| | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5527.686 | -1.221 | 5527.68 | computed too weak | |
| | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5572.983 | -0.697 | 5572.98 | | |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5895.778 | -1.407 | | | |
| | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6140.765 | -0.940 | | | |
| | | 108 181.550 | (³ G)4d ⁴ G _{11/2} | 6745.444 | -1.310 | | | |
| | | 109 811.920 | (³ G)4d ⁴ F _{9/2} | 7579.208 | -1.201 | | | |
| 123 026.350 | ³ H)4f 6[5] | 9/2 | 103 102.860 | (³ P)4d ⁴ D _{7/2} | 5017.801 | -1.092 | | |
| | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5186.706 | -0.152 | 5186.722 | lab | |
| | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5192.002 | +0.073 | 5192.010 | lab | |
| | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5219.909 | -0.488 | | blend | |
| | | 104 107.950 | (³ P)4d ⁴ F _{7/2} | 5284.389 | -0.355 | | | |
| | | 104 481.590 | (³ H)4d ² F _{7/2} | 5390.860 | -1.184 | | | |
| | | 104 807.210 | (³ H)4d ² G _{9/2} | 5487.209 | +0.186 | 5487.21 | lab | |
| | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5520.339 | -0.063 | | wrong, not observed | |
| | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5544.006 | -1.091 | | | |
| | | 105 763.270 | (³ F)4d ² H _{11/2} | 5791.103 | -0.522 | 5791.05 | | |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5887.421 | -0.109 | 5887.42 | | |
| | | 106 097.520 | (³ H)4d ² H _{9/2} | 5905.446 | -0.710 | | | |
| | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6131.699 | -1.253 | | | |
| | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 6148.685 | -1.351 | | | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 6208.722 | -0.916 | | | |
| | | 109 683.280 | (³ G)4d ² H _{11/2} | 7492.464 | -1.002 | | | |

Table 7. continued.

| Upper level | | | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | | | |
|------------------|-------------------------------------|----------|------------------|-------------|-------------------------------------|------------------------|--------------|-----------------------|-------------------------------------|----------|--------|---------|-----|
| cm^{-1} | | J | cm^{-1} | | \AA | KUR | \AA | | | | | | |
| 122 988.215 | $(^3\text{H})4f$ | 6[4] | 9/2 | 103 165.320 | $(^3\text{P})4d\ ^4\text{F}_{9/2}$ | 5043.266 | -0.030 | | | | | | |
| | | | | 103 600.430 | $(^3\text{H})4d\ ^4\text{G}_{11/2}$ | 5156.450 | +0.529 | 5156.45 | lab | | | | |
| | | | | 103 683.070 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5178.524 | -0.018 | 5178.53 | lab | | | | |
| | | | | 103 751.660 | $(^3\text{H})4d\ ^4\text{H}_{11/2}$ | 5196.989 | -0.773 | | | | | | |
| | | | | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5202.306 | -0.787 | | | | | | |
| | | | | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 5486.117 | -1.286 | | | | | | |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 5498.718 | -0.382 | 5498.72 | | | | | |
| | | | | 104 916.550 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5531.988 | -1.028 | | | | | | |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5577.356 | -0.785 | 5577.35 | | | | | |
| | | | | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 5900.673 | -1.342 | | | | | | |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 6146.075 | -0.412 | 6146.08 | | | | | |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 6223.461 | -1.178 | | | | | | |
| | | | | 108 181.550 | $(^3\text{G})4d\ ^4\text{G}_{11/2}$ | 6751.852 | -1.421 | | | | | | |
| | | | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 7587.298 | -0.695 | | | | | | |
| 122 980.408 | $(^3\text{H})4f$ | 6[4] | 7/2 | 103 102.860 | $(^3\text{P})4d\ ^4\text{D}_{7/2}$ | 5029.399 | -0.735 | | | | | | |
| | | | | 103 165.320 | $(^3\text{P})4d\ ^4\text{F}_{9/2}$ | 5045.253 | -0.962 | | | | | | |
| | | | | 103 683.070 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5180.619 | -1.116 | | | | | | |
| | | | | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5204.420 | -0.034 | 5204.419 | | | | | |
| | | | | 103 874.260 | $(^3\text{H})4d\ ^4\text{H}_{9/2}$ | 5232.461 | -0.656 | | | | | | |
| | | | | 103 921.630 | $(^3\text{H})4d\ ^4\text{G}_{7/2}$ | 5245.466 | -1.235 | | | | | | |
| | | | | 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 5297.253 | +0.049 | 5297.26 | | | | | |
| | | | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 5404.248 | -0.598 | | | | | | |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 5501.081 | -0.147 | | | | | | |
| | | | | 104 916.550 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5534.379 | -0.071 | | | | | | |
| | | | | 104 993.860 | $(^3\text{F})4d\ ^4\text{D}_{7/2}$ | 5558.167 | -0.731 | | | | | | |
| | | | | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 5921.516 | -0.986 | | | | | | |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 6149.026 | -0.728 | | | | | | |
| | | | | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 6166.108 | -1.069 | | | | | | |
| 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 6226.487 | -1.380 | | | | | | | | | | |
| 122 946.419 | $(^3\text{H})4f$ | 6[3] | 7/2 | 103 102.860 | $(^3\text{P})4d\ ^4\text{D}_{7/2}$ | 5038.014 | -1.413 | | | | | | |
| | | | | 103 165.320 | $(^3\text{P})4d\ ^4\text{F}_{9/2}$ | 5053.922 | +0.160 | | | | | | |
| | | | | 103 683.070 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5189.760 | +0.167 | 5189.763 | lab. | | | | |
| | | | | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5213.645 | -0.746 | | | | | | |
| | | | | 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 5306.811 | -0.814 | | | | | | |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 5511.388 | -0.043 | 5511.40 | | | | | |
| | | | | 105 155.090 | $(^3\text{F})4d\ ^4\text{G}_{9/2}$ | 5619.156 | -1.229 | | | | | | |
| | | | | 105 211.062 | $(^5\text{D})5d\ ^4\text{G}_{9/2}$ | 5636.890 | -1.411 | | | | | | |
| | | | | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 5933.462 | -1.332 | | | | | | |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 6161.908 | -0.227 | 6161.90 | | | | | |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 6239.696 | -0.856 | | | | | | |
| | | | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 7611.442 | -0.504 | | | | | | |
| | | | | 123 219.200 | $(^3\text{H})4f$ | 5[8] | 17/2 | 103 644.800 | $(^3\text{H})4d\ ^4\text{K}_{17/2}$ | 5107.290 | -0.983 | | |
| | | | | | | | | 103 706.530 | $(^3\text{H})4d\ ^4\text{K}_{15/2}$ | 5123.448 | +0.347 | 5123.45 | lab |
| 103 878.370 | $(^3\text{H})4d\ ^4\text{I}_{15/2}$ | 5168.969 | +0.064 | | | | | | blend | | | | |
| 104 119.710 | $(^3\text{H})4d\ ^2\text{K}_{15/2}$ | 5234.285 | +0.991 | | | | | 5234.283 | lab | | | | |
| 123 193.090 | $(^3\text{H})4f$ | 5[8] | 15/2 | 103 706.530 | $(^3\text{H})4d\ ^4\text{K}_{15/2}$ | 5130.313 | -0.507 | | | | | | |
| | | | | 103 832.050 | $(^3\text{H})4d\ ^4\text{K}_{13/2}$ | 5163.574 | +0.908 | 5163.55 | lab | | | | |
| | | | | 103 878.370 | $(^3\text{H})4d\ ^4\text{I}_{15/2}$ | 5175.957 | -0.540 | 5175.95 | | | | | |
| | | | | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 5226.368 | -0.216 | | blend | | | | |
| | | | | 104 119.710 | $(^3\text{H})4d\ ^2\text{K}_{15/2}$ | 5241.450 | -0.301 | 5241.465 | lab | | | | |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5295.776 | -0.452 | 5295.773 | | | | | |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 5383.304 | +0.146 | 5383.32 | blend | | | | |

Table 7. continued.

| Upper level | | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|------------------|--------------------------------------|----------|------------------|-------------|-------------------------------------|-----------|-----------------------|----------|---------------------|
| cm^{-1} | | J | cm^{-1} | | \AA | KUR | \AA | | |
| 123 238.440 | $(^3\text{H})4f$ | 5[7] | 15/2 | 103 617.580 | $(^3\text{H})4d\ ^4\text{H}_{13/2}$ | 5095.196 | -0.836 | 5095.19 | |
| | | | | 103 706.530 | $(^3\text{H})4d\ ^4\text{K}_{15/2}$ | 5118.401 | -0.254 | 5118.40 | lab |
| | | | | 103 832.050 | $(^3\text{H})4d\ ^4\text{K}_{13/2}$ | 5151.507 | -0.716 | | blend |
| | | | | 103 878.370 | $(^3\text{H})4d\ ^4\text{I}_{15/2}$ | 5163.831 | -0.599 | 5163.82 | lab |
| | | | | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 5214.007 | +0.873 | 5214.99 | blend |
| | | | | 104 119.710 | $(^3\text{H})4d\ ^2\text{K}_{15/2}$ | 5229.017 | -0.045 | 5229.030 | lab |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5283.085 | +0.323 | 5283.093 | lab |
| | | | | 105 288.850 | $(^3\text{F})4d\ ^4\text{H}_{13/2}$ | 5569.611 | -1.005 | | blend |
| 123 168.680 | $(^3\text{H})4f$ | 5[7] | 13/2 | 103 600.430 | $(^3\text{H})4d\ ^4\text{G}_{11/2}$ | 5108.895 | -1.165 | | |
| | | | | 103 706.530 | $(^3\text{H})4d\ ^4\text{K}_{15/2}$ | 5136.747 | -1.256 | | |
| | | | | 103 751.660 | $(^3\text{H})4d\ ^4\text{H}_{11/2}$ | 5148.687 | +0.010 | 5148.7 | lab |
| | | | | 103 832.050 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5170.092 | -1.170 | | |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5208.267 | -0.275 | 5208.268 | computed too weak |
| | | | | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 5233.046 | +0.138 | 5233.041 | |
| | | | | 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5263.242 | -0.600 | | |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5302.633 | -0.581 | | |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 5390.389 | +0.010 | 5390.38 | computed too strong |
| | | | | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 5432.319 | +0.495 | 5432.31 | lab |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5521.763 | -0.481 | 5521.78 | |
| | | | | 105 398.850 | $(^3\text{F})4d\ ^4\text{H}_{11/2}$ | 5625.954 | -1.425 | | |
| | | | | 105 763.270 | $(^3\text{F})4d\ ^2\text{H}_{11/2}$ | 5743.747 | -0.321 | 5743.75 | computed too strong |
| | | | | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 5838.483 | -0.311 | | |
| 108 630.429 | $(^1\text{I})5s\ e^2\text{I}_{11/2}$ | 6876.509 | -1.228 | | | | | | |
| 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 7413.385 | -0.848 | | | | | | |
| 123 249.650 | $(^3\text{H})4f$ | 5[6] | 13/2 | 103 600.430 | $(^3\text{H})4d\ ^4\text{G}_{11/2}$ | 5087.842 | -0.510 | 5087.85 | lab |
| | | | | 103 706.530 | $(^3\text{H})4d\ ^4\text{K}_{15/2}$ | 5115.465 | -1.027 | | |
| | | | | 103 751.660 | $(^3\text{H})4d\ ^4\text{H}_{11/2}$ | 5127.305 | +0.392 | 5127.32 | lab, blend |
| | | | | 103 832.050 | $(^3\text{H})4d\ ^4\text{K}_{13/2}$ | 5148.533 | +0.357 | 5148.52 | lab |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5186.389 | +0.210 | 5186.396 | lab |
| | | | | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 5210.960 | -0.403 | 5210.964 | |
| | | | | 104 119.710 | $(^3\text{H})4d\ ^2\text{K}_{15/2}$ | 5225.953 | -0.742 | | blend |
| | | | | 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5240.901 | -0.464 | 5240.911 | |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5279.957 | -0.647 | | blend |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 5366.958 | +0.032 | 5366.95 | lab |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5497.178 | -1.156 | | |
| | | | | 105 288.850 | $(^3\text{F})4d\ ^4\text{H}_{13/2}$ | 5566.135 | -1.260 | | |
| | | | | 105 763.270 | $(^3\text{F})4d\ ^2\text{H}_{11/2}$ | 5717.150 | -0.553 | 5717.18 | |
| | | | | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 5811.004 | -0.182 | 5811.00 | |
| 109 049.600 | $(^3\text{G})4d\ ^2\text{I}_{13/2}$ | 7040.287 | -1.496 | | | | | | |
| 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 7369.139 | -1.023 | | | | | | |
| 123 270.340 | $(^3\text{H})4f$ | 5[6] | 11/2 | 103 600.430 | $(^3\text{H})4d\ ^4\text{G}_{11/2}$ | 5082.491 | -0.827 | | blend |
| | | | | 103 683.070 | $(^3\text{H})4d\ ^4\text{F}_{9/2}$ | 5103.934 | -1.365 | | |
| | | | | 103 751.660 | $(^3\text{H})4d\ ^4\text{H}_{11/2}$ | 5121.871 | +0.373 | 5121.89 | lab |
| | | | | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5127.035 | -0.542 | 5127.05 | |
| | | | | 103 832.050 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5143.054 | -0.456 | 5143.05 | |
| | | | | 103 874.260 | $(^3\text{H})4d\ ^4\text{H}_{9/2}$ | 5154.246 | +0.127 | 5154.25 | lab |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5180.829 | -0.529 | 5180.84 | lab |
| | | | | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 5205.347 | -0.844 | 5235.225 | |
| | | | | 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5235.223 | -0.536 | | |
| | | | | 104 192.480 | $(^3\text{H})4d\ ^4\text{I}_{9/2}$ | 5240.220 | -1.229 | | |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5274.195 | -1.310 | | |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 5361.004 | -0.422 | 5361.00 | lab |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes |
|------------------|--|------------------|--|------------------------|-----------|-----------------------|--------------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | |
| 123 270.340 | cont. | 104 807.210 | (³ H)4d ² G _{9/2} | 5414.696 | -0.589 | 5414.7 | blend |
| | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5446.953 | -0.182 | 5446.95 | |
| | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5490.931 | -1.162 | | wrong, not observed |
| | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5518.678 | -0.927 | | |
| | | 105 763.270 | (³ F)4d ² H _{11/2} | 5710.394 | -0.287 | 5710.40 | |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5804.025 | -0.029 | 5804.02 | |
| | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6041.291 | -1.018 | | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 6116.045 | -1.092 | | |
| 109 683.280 | (³ G)4d ² H _{11/2} | 7357.917 | -0.867 | | | | |
| 123 251.470 | (³ H)4f 5[5] 11/2 | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5126.827 | -0.236 | | blend |
| | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5132.001 | +0.078 | 5132.0 | lab |
| | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5159.265 | +0.007 | 5159.29 | lab, blend |
| | | 103 973.780 | (³ H)4d ⁴ K _{11/2} | 5185.899 | +0.058 | 5185.901 | lab |
| | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5210.466 | -0.583 | | |
| | | 104 174.270 | (³ H)4d ⁴ I _{11/2} | 5240.401 | -0.177 | 5240.405 | lab |
| | | 104 192.480 | (³ H)4d ⁴ I _{9/2} | 5245.408 | -1.139 | | blend |
| | | 104 315.370 | (³ H)4d ² K _{13/2} | 5279.449 | -1.308 | | |
| | | 104 765.450 | (³ H)4d ² I _{11/2} | 5407.990 | +0.040 | 5407.99 | lab |
| | | 104 807.210 | (³ H)4d ² G _{9/2} | 5420.234 | -1.131 | | |
| | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5452.558 | -0.967 | 5452.55 | |
| | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5496.628 | -0.739 | 5496.62 | |
| | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5524.433 | -1.032 | | |
| | | 105 524.460 | (³ F)4d ⁴ H _{9/2} | 5639.544 | -1.347 | | |
| | | 106 018.640 | (³ F)4d ² H _{9/2} | 5801.269 | -0.770 | | computed too strong |
| | | 106 045.690 | (³ H)4d ² H _{11/2} | 5810.389 | -1.328 | | |
| | | 106 097.520 | (³ H)4d ² H _{9/2} | 5827.945 | -0.015 | 5827.95 | computed too weak |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 6123.114 | -0.236 | | |
| | | 109 625.200 | (³ G)4d ² G _{9/2} | 7336.744 | -1.064 | | |
| | | 110 008.300 | (³ G)4d ² H _{9/2} | 7548.984 | -1.185 | | |
| 123 269.378 | (³ H)4f 5[5] 9/2 | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5122.123 | -1.173 | | blend |
| | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5127.287 | -0.734 | | blend |
| | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5154.501 | +0.418 | 5154.50 | lab |
| | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5167.121 | -0.470 | 5167.1 | computed too weak |
| | | 103 973.780 | (³ H)4d ⁴ K _{11/2} | 5181.086 | -0.545 | 5181.1 | blend, computed too weak |
| | | 103 983.510 | (³ G)5s ² G _{7/2} | 5183.700 | -0.079 | | blend |
| | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5184.458 | -0.485 | 5184.463 | computed too strong |
| | | 104 107.950 | (³ P)4d ⁴ F _{7/2} | 5217.365 | -1.017 | | |
| | | 104 174.270 | (³ H)4d ⁴ I _{11/2} | 5235.486 | -0.560 | | |
| | | 104 765.450 | (³ H)4d ² I _{11/2} | 5402.756 | -0.812 | | |
| | | 104 807.210 | (³ H)4d ² G _{9/2} | 5414.977 | -0.955 | | |
| | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5470.281 | -1.409 | | |
| | | 105 123.000 | (³ H)4d ² G _{7/2} | 5509.211 | -0.290 | 5509.2 | |
| | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5539.003 | -1.382 | | |
| | | 105 524.460 | (³ F)4d ⁴ H _{9/2} | 5633.853 | -1.381 | | |
| | | 106 018.640 | (³ F)4d ² H _{9/2} | 5795.246 | -0.974 | | |
| | | 106 097.520 | (³ H)4d ² H _{9/2} | 5821.868 | -0.325 | 5821.88 | |
| | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6041.643 | -1.431 | | |
| | | 106 900.370 | (³ F)4d ² G _{7/2} | 6107.415 | -0.980 | | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 6116.405 | -0.472 | | blend |
| 109 625.200 | (³ G)4d ² G _{9/2} | 7327.115 | -1.238 | | | | |
| 123 258.994 | (³ H)4f 5[4] 9/2 | 103 165.320 | (³ P)4d ⁴ F _{9/2} | 4975.303 | -1.479 | | |
| | | 103 191.917 | (³ P)4d ² F _{7/2} | 4981.898 | -0.587 | | |
| | | 103 600.430 | (³ H)4d ⁴ G _{11/2} | 5085.425 | -1.404 | | |
| | | 103 683.070 | (³ H)4d ⁴ F _{9/2} | 5106.894 | -0.960 | | |
| | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5124.850 | +0.047 | 5124.82 | lab |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|---------------------|-------------|------------------|--|---|-----------------------|---------|----------------------------|----------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 123 258.994 | cont. | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5130.020 | +0.269 | 5130.0 | lab | |
| | | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5157.263 | -0.663 | | blend | |
| | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5324.070 | -0.506 | | blend | |
| | | | 104 807.210 | (³ H)4d ² G _{9/2} | 5418.025 | -0.657 | 5418.02 | lab | |
| | | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5450.323 | +0.051 | 5450.30 | wrong, computed too strong | |
| | | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5494.356 | -1.301 | | | |
| | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5512.367 | -0.848 | | | |
| | | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5522.138 | -0.450 | 5522.10 | computed too strong | |
| | | | 105 211.062 | (³ D)5d ⁴ G _{9/2} | 5539.264 | -1.434 | | | |
| | | | 105 763.270 | (³ F)4d ² H _{11/2} | 5714.098 | -0.740 | 5714.10 | | |
| | | | 106 045.690 | (³ H)4d ² H _{11/2} | 5807.851 | -0.440 | 5807.85 | blend | |
| | | | 106 097.520 | (³ H)4d ² H _{9/2} | 5825.392 | -0.814 | | | |
| | | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6045.483 | -0.970 | | | |
| | | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 6061.948 | -1.148 | | | |
| | | | 106 900.370 | (³ F)4d ² G _{7/2} | 6111.293 | -1.488 | | | |
| | | | 108 391.500 | (³ G)4d ⁴ G _{9/2} | 6724.229 | -1.436 | | | |
| | | | 109 683.280 | (³ G)4d ² H _{11/2} | 7364.069 | -1.370 | | | |
| | | | 110 167.280 | (³ G)4d ⁴ F _{7/2} | 7636.319 | -1.343 | | | |
| 123 258.021 | (³ H)4f | 5[4] | 7/2 | 102 802.312 | (⁵ D)6s ⁴ D _{5/2} | 4887.246 | -1.497 | | blend |
| | | | | 103 002.670 | (³ P)4d ⁴ D _{5/2} | 4935.589 | -1.223 | | blend |
| | | | | 103 102.860 | (³ P)4d ⁴ D _{7/2} | 4960.124 | -1.397 | | at the continuum level |
| | | | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5130.276 | -0.633 | | blend |
| | | | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5157.521 | -0.254 | | blend |
| | | | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5170.156 | -0.375 | | blend |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 5186.755 | -0.078 | | blend |
| | | | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5187.514 | -0.396 | 5187.52 | |
| | | | | 104 107.950 | (³ P)4d ⁴ F _{7/2} | 5220.459 | -1.202 | | computed too strong |
| | | | | 104 120.270 | (³ D)5d ⁶ P _{5/2} | 5223.820 | -0.829 | | blend |
| | | | | 104 209.610 | (³ H)4d ² F _{5/2} | 5248.321 | -0.898 | | blend |
| | | | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 5349.313 | -0.940 | | wrong, not observed |
| | | | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5450.611 | -1.412 | | blend |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5473.683 | -0.926 | | blend |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5512.661 | +0.003 | 5512.65 | |
| | | | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5542.490 | -1.205 | | blend |
| | | | | 106 018.640 | (³ F)4d ² H _{9/2} | 5799.064 | -1.320 | | blend |
| | | | | 106 097.520 | (³ H)4d ² H _{9/2} | 5825.721 | -0.559 | 5825.73 | |
| | | | | 106 866.760 | (³ F)4d ⁴ F _{5/2} | 6099.124 | -1.189 | | blend |
| | | | | 106 900.370 | (³ F)4d ² G _{7/2} | 6111.655 | -0.698 | | blend |
| | | | | 106 924.430 | (³ F)4d ² G _{9/2} | 6120.658 | -0.942 | | at the continuum level |
| | | | | 110 167.280 | (³ G)4d ⁴ F _{7/2} | 7636.885 | -1.434 | | no spectrum |
| 123 235.165 | (³ H)4f | 5[3] | 7/2 | 103 191.917 | (³ P)4d ² F _{7/2} | 4987.820 | -0.173 | | |
| | | | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5136.300 | -0.037 | 5136.30 | |
| | | | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5163.610 | -0.154 | | blend |
| | | | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5176.274 | -0.716 | 5176.25 | |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 5192.913 | -0.799 | | blend |
| | | | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5193.673 | -0.887 | | blend |
| | | | | 104 107.950 | (³ P)4d ⁴ F _{7/2} | 5226.698 | -1.309 | | |
| | | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5330.834 | -0.226 | 5330.81 | computed too strong |
| | | | | 104 807.210 | (³ H)4d ² G _{9/2} | 5425.030 | -0.825 | 5425.01 | |
| | | | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5457.411 | -0.238 | 5457.40 | |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5519.618 | -1.438 | | |
| | | | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5529.415 | -0.668 | 5529.40 | wrong, computed too strong |
| | | | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5549.523 | -1.242 | | |
| | | | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5571.298 | -1.482 | | |
| | | | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 6054.160 | -1.224 | | |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|--|------------------|---|------------------------|--|-----------------------|--------|----------|-----------------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | | | |
| 123 235.165 | cont. | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 6070.719 | -0.626 | 6070.71 | | | |
| | | 110 167.280 | (³ G)4d ⁴ F _{7/2} | 7650.242 | -0.970 | | | | |
| | | 110 570.300 | (³ G)4d ² F _{7/2} | 7893.688 | -1.448 | | | | |
| 123 211.159 | (³ H)4f | 5[2] | 5/2 | 103 193.917 | (³ P)4d ² F _{7/2} | 4993.801 | -0.145 | 4993.80 | computed too strong |
| | | | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5182.716 | -1.163 | 5182.707 | good agreement |
| | | | | 103 986.330 | (³ G)5s ² G _{7/2} | 5200.159 | -1.442 | | |
| | | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5337.666 | -0.236 | | blend |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5487.763 | -1.396 | | blend |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5526.943 | -0.560 | 5526.92 | computed too strong |
| | | | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5578.762 | -1.365 | | at the level of the noise |
| | | | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 6079.581 | -0.532 | 6709.60 | good agreement |
| | | | | 106 900.370 | (³ F)4d ² G _{7/2} | 6129.215 | -1.126 | | blend |
| | | | | 110 167.280 | (³ G)4d ⁴ F _{7/2} | 7664.321 | -0.703 | | in telluric |
| 110 570.300 | (³ G)4d ² F _{7/2} | 7908.679 | -1.384 | | in telluric | | | | |
| 123 213.323 | (³ H)4f | 5[2] | 3/2 | 102 802.312 | (⁵ D)6s ⁴ D _{5/2} | 4897.949 | -1.090 | 4897.90 | at the level of the noise |
| | | | | 103 597.402 | (³ P)4d ² D _{5/2} | 5096.480 | -1.325 | | at the level of the noise |
| | | | | 104 120.270 | (⁵ D)5d ⁶ P _{5/2} | 5236.050 | -0.269 | 5236.046 | computed too strong |
| | | | | 104 209.610 | (³ H)4d ² F _{5/2} | 5260.666 | -0.338 | 5260.682 | lab, good agreement |
| | | | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 5362.139 | -0.684 | | wrong, not observed |
| | | | | 105 234.237 | (³ H)4d ⁴ F _{5/2} | 5560.475 | -1.142 | | |
| | | | | 105 414.180 | (³ F)4d ⁴ G _{5/2} | 5616.690 | -1.055 | | blend |
| | | | | 106 796.660 | (³ F)4d ⁴ P _{5/2} | 6089.687 | -1.322 | | blend |
| | | | | 106 866.760 | (³ F)4d ⁴ F _{5/2} | 6115.802 | -0.758 | 6115.80 | good agreement |
| | | | | 110 428.280 | (³ G)4d ⁴ F _{5/2} | 7819.490 | -1.269 | | at the continuum level |
| 123 396.250 | (³ H)4f | 4[7] | 15/2 | 103 706.530 | (³ H)4d ⁴ K _{15/2} | 5077.377 | -1.404 | | |
| | | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5109.953 | -0.102 | 5109.95 | lab |
| | | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5171.443 | +0.259 | 5171.45 | lab |
| | | | | 104 315.370 | (³ H)4d ² K _{13/2} | 5239.390 | +0.861 | 5239.394 | J78 |
| | | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5325.048 | +0.257 | 5325.05 | J78, lab |
| 123 355.490 | (³ H)4f | 4[7] | 13/2 | 103 600.430 | (³ H)4d ⁴ G _{11/2} | 5060.583 | -1.409 | | |
| | | | | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5099.623 | -0.221 | 5099.6 | lab |
| | | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5120.621 | -1.170 | 5120.62 | lab, computed too weak |
| | | | | 103 973.780 | (³ H)4d ⁴ K _{11/2} | 5158.067 | +0.788 | 5158.05 | J78, lab |
| | | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5182.370 | +0.034 | 5182.371 | lab |
| | | | | 104 119.710 | (³ H)4d ² K _{15/2} | 5197.198 | -1.475 | | |
| | | | | 104 315.370 | (³ H)4d ² K _{13/2} | 5250.606 | -0.778 | 5250.609 | computed too weak |
| | | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5336.635 | -0.215 | 5336.62 | |
| | | | | 104 765.450 | (³ H)4d ² I _{11/2} | 5377.729 | -0.165 | 5377.71 | J78, lab, computed too weak |
| | | | | 105 763.270 | (³ F)4d ² H _{11/2} | 5682.754 | -0.574 | 5682.75 | |
| 106 045.690 | (³ H)4d ² H _{11/2} | 5775.473 | -0.674 | | | | | | |
| 109 683.280 | (³ G)4d ² H _{11/2} | 7312.092 | -1.277 | | | | | | |
| 123 414.730 | (³ H)4f | 4[6] | 13/2 | 103 751.660 | (³ H)4d ⁴ H _{11/2} | 5084.259 | -0.750 | | |
| | | | | 103 832.050 | (³ H)4d ⁴ K _{13/2} | 5105.131 | -0.704 | | |
| | | | | 103 973.780 | (³ H)4d ⁴ K _{11/2} | 5142.349 | -0.245 | 5142.35 | lab |
| | | | | 104 064.670 | (³ H)4d ⁴ I _{13/2} | 5166.504 | -0.525 | | blend |
| | | | | 104 174.270 | (³ H)4d ⁴ I _{11/2} | 5195.934 | +0.922 | 5195.942 | lab |
| | | | | 104 315.370 | (³ H)4d ² K _{13/2} | 5234.320 | -0.791 | | blend |
| | | | | 104 622.300 | (³ H)4d ² I _{13/2} | 5319.812 | -1.134 | | |
| | | | | 104 765.450 | (³ H)4d ² I _{11/2} | 5360.646 | -0.638 | 5360.65 | computed too weak |
| | | | | 105 063.550 | (³ F)4d ⁴ G _{11/2} | 5447.727 | -1.416 | | |
| | | | | 105 398.850 | (³ F)4d ⁴ H _{11/2} | 5549.118 | -1.185 | | |
| 106 045.690 | (³ H)4d ² H _{11/2} | 5755.774 | -1.242 | | | | | | |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|-------------------------------------|-------------|------------------|------------------------|-------------------------------------|-----------------------|--------|-------------|------------------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 123 427.119 | $(^3\text{H})4f$ | 4[6] | 11/2 | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5086.139 | -0.441 | 5086.15 | |
| | | | | 103 874.260 | $(^3\text{H})4d\ ^4\text{H}_{9/2}$ | 5112.917 | -0.423 | | blend |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5139.074 | +0.124 | 5139.10 | |
| | | | | 104 192.480 | $(^3\text{H})4d\ ^4\text{I}_{9/2}$ | 5197.506 | +0.465 | 5197.56 | blend |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5230.927 | -1.051 | | |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 5316.307 | -1.253 | | |
| | | | | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 5357.088 | +0.165 | 5357.10 | J78,lab |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 5369.102 | -1.260 | | |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5444.051 | -0.902 | | |
| | | | | 105 763.270 | $(^3\text{F})4d\ ^2\text{H}_{11/2}$ | 5659.712 | -0.911 | | |
| | | | | 106 018.640 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5742.735 | -0.704 | | computed too strong |
| | | | | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 5751.672 | -1.454 | | |
| | | | | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 5768.874 | -0.115 | 5768.90 | J78, computed too weak |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 5984.595 | -1.089 | | |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 6057.941 | -0.358 | 6057.92 | blend |
| | | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 7243.378 | -1.142 | | |
| | | | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 7450.174 | -1.329 | | |
| 123 441.100 | $(^3\text{H})4f$ | 4[5] | 11/2 | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5082.524 | -0.439 | 5082.51 | computed too strong |
| | | | | 103 874.260 | $(^3\text{H})4d\ ^4\text{H}_{9/2}$ | 5109.263 | +0.037 | 5109.29 | lab |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5135.383 | -1.089 | | |
| | | | | 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5188.822 | +0.224 | 5188.831 | lab |
| | | | | 104 192.480 | $(^3\text{H})4d\ ^4\text{I}_{9/2}$ | 5193.731 | +0.573 | 5193.74 | J78, lab |
| | | | | 104 315.370 | $(^3\text{H})4d\ ^2\text{K}_{13/2}$ | 5227.103 | -1.390 | | |
| | | | | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 5353.077 | -0.299 | | blend |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5439.910 | -1.230 | | |
| | | | | 105 524.460 | $(^3\text{F})4d\ ^4\text{H}_{9/2}$ | 5579.854 | -1.306 | | |
| | | | | 106 018.640 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5738.126 | -1.011 | | computed too strong, not obs |
| | | | | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 5764.224 | -0.455 | 5764.20 | |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 5979.588 | -1.109 | | |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 6052.813 | -0.460 | 6052.8 | |
| | | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 7236.043 | -1.361 | | |
| | | | | 123 435.468 | $(^3\text{H})4f$ | 4[5] | 9/2 | 103 921.630 | $(^3\text{H})4d\ ^4\text{G}_{7/2}$ |
| 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5136.869 | -0.836 | | | | | | blend |
| 103 983.510 | $(^3\text{G})5s\ ^2\text{G}_{7/2}$ | 5139.439 | +0.314 | | | | | | blend |
| 103 986.330 | $(^3\text{H})4d\ ^4\text{H}_{7/2}$ | 5140.184 | -0.208 | | | | | 5140.2 | lab |
| 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 5172.529 | -1.242 | | | | | | |
| 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5190.340 | -1.319 | | | | | | |
| 104 192.480 | $(^3\text{H})4d\ ^4\text{I}_{9/2}$ | 5195.251 | +0.450 | | | | | 5195.26 | lab |
| 105 589.670 | $(^3\text{F})4d\ ^4\text{H}_{7/2}$ | 5602.005 | -1.242 | | | | | | |
| 123 460.690 | $(^3\text{H})4f$ | 4[4] | 9/2 | | | | | 103 191.917 | $(^3\text{P})4d\ ^2\text{F}_{7/2}$ |
| | | | | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 5077.467 | -0.602 | 5077.5 | lab |
| | | | | 103 874.260 | $(^3\text{H})4d\ ^4\text{H}_{9/2}$ | 5104.153 | -0.047 | 5104.15 | |
| | | | | 103 921.630 | $(^3\text{H})4d\ ^4\text{G}_{7/2}$ | 5116.528 | -0.613 | 5116.52 | |
| | | | | 103 973.780 | $(^3\text{H})4d\ ^4\text{K}_{11/2}$ | 5130.220 | -1.289 | | |
| | | | | 103 983.510 | $(^3\text{G})5s\ ^2\text{G}_{7/2}$ | 5132.783 | -0.961 | | |
| | | | | 103 986.330 | $(^3\text{H})4d\ ^4\text{H}_{7/2}$ | 5133.527 | -0.989 | | |
| | | | | 104 174.27 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 5183.552 | -0.937 | | |
| | | | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 5267.488 | -0.494 | 5267.47 | |
| | | | | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 5347.468 | -0.307 | 5347.45 | lab |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 5359.439 | -1.442 | | |
| | | | | 104 993.860 | $(^3\text{F})4d\ ^4\text{D}_{7/2}$ | 5413.610 | -0.234 | 5413.60 | lab |
| | | | | 105 063.550 | $(^3\text{F})4d\ ^4\text{G}_{11/2}$ | 5434.117 | -1.217 | | |
| | | | | 105 123.000 | $(^3\text{H})4d\ ^2\text{G}_{7/2}$ | 5451.734 | -0.292 | 5451.72 | |
| | | | | 105 220.600 | $(^3\text{H})4d\ ^4\text{F}_{7/2}$ | 5480.906 | -0.700 | | blend |
| | | | | 105 291.010 | $(^3\text{F})4d\ ^4\text{G}_{7/2}$ | 5502.146 | -0.769 | | |
| | | | | 105 449.540 | $(^3\text{D})5d\ ^4\text{G}_{7/2}$ | 5550.575 | -1.270 | | |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|---|-------------|------------------|---|---|-----------------------|---------|-----------------------|----------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 123 460.690 | cont. | | 106 018.640 | (³ F)4d ² H _{9/2} | 5731.681 | -0.446 | | wrong, not observed | |
| | | | 106 097.520 | (³ H)4d ² H _{9/2} | 5757.720 | +0.118 | 5757.72 | J78, computed too low | |
| | | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 5972.589 | -0.946 | | | |
| | | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 5988.704 | -1.212 | | | |
| | | | 106 900.370 | (³ F)4d ² G _{7/2} | 6036.859 | -0.912 | | | |
| | | | 106 924.430 | (³ F)4d ² G _{9/2} | 6045.643 | -0.124 | 6045.65 | | |
| | | | 109 625.200 | (³ G)4d ² G _{9/2} | 7225.797 | -0.960 | | | |
| | | | 110 008.300 | (³ G)4d ² H _{9/2} | 7431.576 | -1.109 | | | |
| 123 435.277 | (³ H)4f | 4[4] | 7/2 | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5123.191 | -0.068 | | blend |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 5139.489 | +0.217 | 5139.45 | lab, blend |
| | | | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5140.234 | -0.435 | 5140.20 | blend |
| | | | | 104 023.910 | (³ H)4d ⁴ G _{5/2} | 5150.186 | +0.144 | 5150.15 | lab |
| | | | | 104 120.270 | (⁵ D)5d ⁶ P _{5/2} | 5175.880 | -1.206 | | blend |
| | | | | 104 192.480 | (³ H)4d ⁴ I _{9/2} | 5195.303 | -0.325 | | blend |
| | | | | 104 209.610 | (³ H)4d ² F _{5/2} | 5199.932 | -1.066 | 5199.95 | computed too weak |
| | | | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 5299.053 | -0.753 | | computed too strong |
| | | | | 105 414.180 | (³ F)4d ⁴ G _{5/2} | 5547.511 | -1.009 | | at the level of the noise |
| | | | | 105 589.670 | (³ F)4d ⁴ H _{7/2} | 5602.065 | -1.328 | | blend |
| | | | | 105 630.750 | (⁵ D)5d ⁴ G _{5/2} | 5614.990 | -1.423 | | at the continuum level |
| | | | | 107 407.800 | (³ F)4d ² D _{5/2} | 6237.560 | -1.471 | | at the continuum level |
| 123 451.449 | (³ H)4f | 4[3] | 7/2 | 103 191.917 | (³ P)4d ² F _{7/2} | 4934.571 | -1.453 | | |
| | | | | 103 597.402 | (³ P)4d ² D _{5/2} | 5035.352 | -0.856 | | |
| | | | | 103 771.320 | (³ H)4d ⁴ G _{9/2} | 5079.851 | -1.218 | | |
| | | | | 103 874.260 | (³ H)4d ⁴ H _{9/2} | 5106.563 | -0.583 | 5106.55 | |
| | | | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5118.949 | -1.061 | | |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 5135.220 | -0.335 | | |
| | | | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5135.964 | -1.420 | 5135.95 | |
| | | | | 104 023.910 | (³ H)4d ⁴ G _{5/2} | 5145.899 | -0.764 | | |
| | | | | 104 107.950 | (³ P)4d ⁴ F _{7/2} | 5168.256 | -1.230 | | |
| | | | | 104 120.270 | (⁵ D)5d ⁶ P _{5/2} | 5171.550 | -1.408 | | |
| | | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5270.054 | -0.654 | | blend |
| | | | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 5294.515 | -1.314 | | |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5416.320 | -0.276 | 5416.32 | lab |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5454.483 | -0.324 | 5454.50 | blend |
| | | | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5483.684 | -0.695 | | |
| | | | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5504.945 | -0.792 | 5504.95 | |
| | | | | 105 449.540 | (⁵ D)5d ⁴ G _{7/2} | 5553.424 | -1.292 | | |
| | | | | 106 018.640 | (³ F)4d ² H _{9/2} | 5734.719 | -1.053 | | |
| 106 097.520 | (³ H)4d ² H _{9/2} | 5760.786 | -0.536 | 5760.78 | computed too weak | | | | |
| 106 767.210 | (³ F)4d ⁴ F _{7/2} | 5992.021 | -1.212 | | | | | | |
| 106 900.370 | (³ F)4d ² G _{7/2} | 6040.230 | -1.110 | | | | | | |
| 106 924.430 | (³ F)4d ² G _{9/2} | 6049.023 | -0.751 | | | | | | |
| 123 430.181 | (³ H)4f | 4[3] | 5/2 | 103 597.402 | (³ P)4d ² D _{5/2} | 5040.752 | -1.238 | | blend |
| | | | | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 5124.529 | -0.535 | 5124.52 | |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 5140.836 | -0.648 | 5140.83 | |
| | | | | 103 986.330 | (³ H)4d ⁴ H _{7/2} | 5141.582 | -0.884 | | blend |
| | | | | 104 023.910 | (³ H)4d ⁴ G _{5/2} | 5151.538 | +0.030 | 5151.52 | J78, lab |
| | | | | 104 120.270 | (⁵ D)5d ⁶ P _{5/2} | 5177.246 | -0.906 | | blend |
| | | | | 104 209.610 | (³ H)4d ² F _{5/2} | 5201.311 | -0.851 | | blend, wrong? |
| | | | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 5300.485 | -0.786 | | blend, computed too strong |
| | | | | 104 572.920 | (³ P)4d ⁴ F _{3/2} | 5301.522 | -0.742 | | wrong, not observed |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5422.568 | -1.395 | | at the continuum level |
| | | | | 105 317.440 | (³ P)4d ² P _{3/2} | 5519.442 | -1.271 | 5519.43 | at the level of the noise |

Table 7. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes |
|------------------|-------|------------------|---|------------------------|-----------|-----------------------|---------------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | |
| 123 430.181 | cont. | 105 379.430 | $(^3\text{F})4\text{d } ^4\text{D}_{5/2}$ | 5538.397 | -1.442 | | at the level of the noise |
| | | 105 414.180 | $(^3\text{F})4\text{d } ^4\text{G}_{5/2}$ | 5549.080 | -0.905 | | blend |
| | | 105 630.750 | $(^5\text{D})5\text{d } ^4\text{G}_{5/2}$ | 5616.598 | -1.451 | | blend |
| | | 106 846.650 | $(^3\text{F})4\text{d } ^4\text{F}_{3/2}$ | 6028.409 | -1.085 | 6028.40 | at the level of the noise |
| | | 106 866.760 | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 6035.729 | -1.269 | | |
| | | 107 407.800 | $(^3\text{F})4\text{d } ^2\text{D}_{5/2}$ | 6239.544 | -1.446 | | |
| | | 110 428.280 | $(^3\text{G})4\text{d } ^4\text{F}_{5/2}$ | 7689.067 | -1.409 | | |
| | | 110 609.540 | $(^3\text{G})4\text{d } ^4\text{F}_{3/2}$ | 7797.776 | -1.406 | | |

Table 8. Fe II lines in the 3800–8000 Å region with $\log gf \geq -1.5$ and $3d^6(^3F)4f$ energy levels as upper levels.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|-------------|----------------------|----------|------------------------|------------------------|------------------------|--------|----------|-----------------------------|
| cm^{-1} | J | cm^{-1} | | Å | KUR | Å | | | |
| 124 421.468 | $(^3F)4f$ | 4[7] | 15/2 | 103 617.580 | $(^3H)4d\ ^4H_{13/2}$ | 4805.451 | -0.972 | 4805.42 | |
| | | | | 104 064.670 | $(^3H)4d\ ^4I_{13/2}$ | 4910.993 | -1.090 | | at the continuum level |
| | | | | 104 119.710 | $(^3H)4d\ ^2K_{15/2}$ | 4924.307 | -1.174 | | not obs |
| | | | | 104 622.300 | $(^3H)4d\ ^2I_{13/2}$ | 5049.309 | -1.258 | 5049.3 | very weak |
| | | | | 105 288.847 | $(^3F)4d\ ^4H_{13/2}$ | 5225.221 | +0.974 | 5225.229 | lab, J78 |
| 124 436.436 | $(^3F)4f$ | 4[7] | 13/2 | 103 600.430 | $(^3H)4d\ ^4G_{11/2}$ | 4798.043 | -1.190 | | at the continuum level |
| | | | | 103 751.660 | $(^3H)4d\ ^4H_{11/2}$ | 4833.123 | -1.441 | | |
| | | | | 104 315.370 | $(^3H)4d\ ^2K_{13/2}$ | 4968.529 | -1.078 | 4968.53 | very weak |
| | | | | 104 765.450 | $(^3H)4d\ ^2I_{11/2}$ | 5082.213 | -1.265 | | blend |
| | | | | 105 063.550 | $(^3F)4d\ ^4G_{11/2}$ | 5160.416 | -0.003 | 5160.4 | lab |
| | | | | 105 288.847 | $(^3F)4d\ ^4H_{13/2}$ | 5221.136 | -0.831 | | blend, weak component |
| | | | | 105 398.852 | $(^3F)4d\ ^4H_{11/2}$ | 5251.306 | +0.664 | 5251.321 | blend |
| | | | | 105 763.270 | $(^3F)4d\ ^2H_{11/2}$ | 5353.789 | +0.076 | 5353.80 | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 5436.006 | -0.154 | 5436.12 | |
| | | | | 108 630.429 | $(^1I)5s\ e^2I_{11/2}$ | 6324.960 | -1.433 | | at the continuum level |
| 124 400.107 | $(^3F)4f$ | 4[6] | 13/2 | 103 600.430 | $(^3H)4d\ ^4G_{11/2}$ | 4806.424 | -0.542 | 4806.4 | |
| | | | | 104 174.270 | $(^3H)4d\ ^4I_{11/2}$ | 4942.792 | -1.458 | | very weak |
| | | | | 104 765.450 | $(^3H)4d\ ^2I_{11/2}$ | 5091.616 | -0.517 | 5091.6 | |
| | | | | 105 063.550 | $(^3F)4d\ ^4G_{11/2}$ | 5170.111 | +0.742 | 5170.10 | J78, lab, blended |
| | | | | 105 288.850 | $(^3F)4d\ ^4H_{13/2}$ | 5231.062 | +0.278 | 5231.067 | lab |
| | | | | 105 398.850 | $(^3F)4d\ ^4H_{11/2}$ | 5261.345 | +0.080 | 5261.339 | shifted? |
| | | | | 105 763.270 | $(^3F)4d\ ^2H_{11/2}$ | 5364.226 | -0.538 | 5364.22 | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 5446.766 | -0.314 | 5446.75 | blend |
| 124 402.557 | $(^3F)4f$ | 4[6] | 11/2 | 103 683.070 | $(^5D)5d\ ^4F_{9/2}$ | 4825.028 | -1.407 | | |
| | | | | 104 765.450 | $(^3H)4d\ ^2I_{11/2}$ | 5090.983 | -1.256 | | blend |
| | | | | 104 807.210 | $(^3H)4d\ ^2G_{9/2}$ | 5101.830 | -1.382 | 5101.82 | |
| | | | | 104 916.550 | $(^3H)4d\ ^4F_{9/2}$ | 5130.460 | +0.158 | | |
| | | | | 105 063.550 | $(^3F)4d\ ^4G_{11/2}$ | 5169.456 | -0.871 | | computed too strong |
| | | | | 105 155.090 | $(^3F)4d\ ^4G_{9/2}$ | 5194.042 | -0.084 | 5194.047 | |
| | | | | 105 211.062 | $(^5D)5d\ ^4G_{9/2}$ | 5209.193 | -0.494 | 5209.199 | |
| | | | | 105 398.852 | $(^3F)4d\ ^4H_{11/2}$ | 5260.668 | -0.049 | 5260.682 | |
| | | | | 105 524.461 | $(^3F)4d\ ^4H_{9/2}$ | 5295.671 | -1.274 | 5295.662 | computed too weak |
| | | | | 105 763.270 | $(^3F)4d\ ^2H_{11/2}$ | 5363.520 | -0.269 | 5363.51 | |
| | | | | 106 018.643 | $(^3F)4d\ ^2H_{9/2}$ | 5438.027 | -0.914 | | blend |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 5446.039 | -0.626 | 5446.05 | |
| | | | | 106 097.520 | $(^3H)4d\ ^2H_{9/2}$ | 5461.459 | +0.179 | 5461.48 | |
| | | | | 106 722.170 | $(^3F)4d\ ^4F_{9/2}$ | 5654.418 | -0.044 | | computed too strong |
| | | | | 106 924.430 | $(^3F)4d\ ^2G_{9/2}$ | 5719.850 | +0.097 | 5719.85 | lab, J78 |
| | 109 925.200 | $(^3G)4d\ ^2G_{9/2}$ | 6765.246 | -1.049 | | | | | |
| | 110 008.300 | $(^3G)4d\ ^2H_{9/2}$ | 6945.303 | -1.190 | | | | | |
| 124 388.840 | $(^3F)4f$ | 4[5] | 11/2 | 103 600.430 | $(^3H)4d\ ^4G_{11/2}$ | 4809.029 | -0.852 | 4809.02 | |
| | | | | 103 683.070 | $(^5D)5d\ ^4F_{9/2}$ | 4828.222 | -0.829 | | |
| | | | | 103 771.320 | $(^3H)4d\ ^4G_{9/2}$ | 4848.889 | -0.699 | | weak, on the H_β wing |
| | | | | 104 765.450 | $(^3H)4d\ ^2I_{11/2}$ | 5094.540 | -0.517 | 5094.55 | lab |
| | | | | 104 807.210 | $(^3H)4d\ ^2G_{9/2}$ | 5105.404 | +0.158 | 5105.4 | |
| | | | | 104 868.500 | $(^5D)5d\ ^6G_{9/2}$ | 5121.435 | -0.968 | 5121.45 | weak |
| | | | | 104 916.550 | $(^3H)4d\ ^4F_{9/2}$ | 5134.072 | -0.161 | | blend |
| | | | | 105 063.550 | $(^3F)4d\ ^4G_{11/2}$ | 5173.126 | +0.425 | 5173.12 | lab |
| | | | | 105 155.090 | $(^3F)4d\ ^4G_{9/2}$ | 5197.747 | -0.166 | 5197.756 | |
| | | | | 105 211.062 | $(^5D)5d\ ^4G_{9/2}$ | 5212.916 | -0.199 | | blend |
| | | | | 105 288.847 | $(^3F)4d\ ^4H_{13/2}$ | 5234.147 | -0.630 | | blend |
| | | | | 105 398.852 | $(^3F)4d\ ^4H_{11/2}$ | 5264.468 | -0.717 | 5264.45 | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 5450.112 | -1.282 | | blend |
| | | | | 106 722.170 | $(^3F)4d\ ^4F_{9/2}$ | 5658.806 | -0.643 | | blend |
| | | | | 106 924.430 | $(^3F)4d\ ^2G_{9/2}$ | 5724.343 | -0.429 | | blend, computed too strong |
| | 109 811.920 | $(^3G)4d\ ^4F_{9/2}$ | 6858.267 | -0.903 | | at the continuum level | | | |

Table 8. continued.

| Upper level | | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | | |
|------------------|---|----------|------------------|-------------|--|-----------|-----------------------|-------------|---|---|---------------------------|
| cm^{-1} | | J | cm^{-1} | | \AA | KUR | \AA | | | | |
| 124 385.706 | $(^3\text{F})4\text{f}$ | 4[5] | 9/2 | 103 771.320 | $(^3\text{H})4\text{d } ^4\text{G}_{9/2}$ | 4849.626 | -1.159 | | H_β wing, not obs. at the continuum level | | |
| | | | | 103 986.330 | $(^3\text{H})4\text{d } ^4\text{H}_{7/2}$ | 4900.742 | -1.404 | | | | |
| | | | | 104 807.210 | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 5106.222 | -0.305 | | | | |
| | | | | 104 993.860 | $(^3\text{F})4\text{d } ^4\text{D}_{7/2}$ | 5155.371 | -0.195 | 5155.37 | | | computed too strong |
| | | | | 105 063.550 | $(^3\text{F})4\text{d } ^4\text{G}_{11/2}$ | 5173.965 | -0.955 | 5173.98 | | | computed too weak |
| | | | | 105 123.000 | $(^3\text{H})4\text{d } ^2\text{G}_{7/2}$ | 5189.933 | -0.112 | | | | blend |
| | | | | 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5198.594 | -0.154 | 5198.596 | | | |
| | | | | 105 211.062 | $(^5\text{D})5\text{d } ^4\text{G}_{9/2}$ | 5213.769 | -0.389 | 5213.78 | | | |
| | | | | 105 220.600 | $(^3\text{H})4\text{d } ^4\text{F}_{7/2}$ | 5216.634 | -1.420 | | | | |
| | | | | 105 291.010 | $(^3\text{F})4\text{d } ^4\text{G}_{7/2}$ | 5235.599 | -0.769 | | | | blend |
| | | | | 105 398.852 | $(^3\text{F})4\text{d } ^4\text{H}_{11/2}$ | 5265.337 | -0.986 | 5265.323 | | | |
| | | | | 105 775.491 | $(^3\text{F})4\text{d } ^2\text{F}_{7/2}$ | 5371.899 | +0.199 | 5371.90 | | | |
| | | | | 106 018.640 | $(^3\text{F})4\text{d } ^2\text{H}_{9/2}$ | 5443.015 | -1.240 | | | | |
| | | | | 106 097.520 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 5466.492 | -0.492 | 5466.49 | | | blend |
| | | | | 106 722.170 | $(^3\text{F})4\text{d } ^4\text{F}_{9/2}$ | 5659.810 | -1.436 | | | | blend |
| | | | | 106 767.210 | $(^3\text{F})4\text{d } ^4\text{F}_{7/2}$ | 5674.279 | -1.037 | 5674.30 | | | |
| | | | | 106 900.370 | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 5717.492 | -1.080 | | | | blend |
| | | | | 106 924.430 | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 5725.370 | -0.147 | 5725.35 | | | |
| | | | | 110 167.280 | $(^3\text{G})4\text{d } ^4\text{F}_{7/2}$ | 7031.188 | -1.480 | | | | not observed |
| | | | | 110 570.300 | $(^3\text{G})4\text{d } ^2\text{F}_{7/2}$ | 7236.302 | -1.125 | | | | not observed |
| 124 401.939 | $(^3\text{F})4\text{f}$ | 4[4] | 9/2 | 103 683.070 | $(^5\text{D})5\text{d } ^4\text{F}_{9/2}$ | 4825.170 | -0.851 | | on the H_β wing blend Fe II 5018.440 | | |
| | | | | 103 771.320 | $(^3\text{H})4\text{d } ^4\text{G}_{9/2}$ | 4845.810 | -1.216 | | | | |
| | | | | 104 481.590 | $(^3\text{H})4\text{d } ^2\text{F}_{7/2}$ | 5018.593 | -0.782 | | | | |
| | | | | 104 765.450 | $(^3\text{H})4\text{d } ^2\text{I}_{11/2}$ | 5091.141 | -1.199 | 5091.15 | | | |
| | | | | 104 807.210 | $(^3\text{H})4\text{d } ^2\text{G}_{9/2}$ | 5101.991 | -0.285 | | | | wrong, not observed |
| | | | | 104 868.500 | $(^5\text{D})5\text{d } ^6\text{G}_{9/2}$ | 5118.000 | -0.871 | 5117.98 | | | |
| | | | | 104 916.550 | $(^3\text{H})4\text{d } ^4\text{F}_{9/2}$ | 5130.621 | +0.114 | 5130.60 | | | lab |
| | | | | 104 993.860 | $(^3\text{F})4\text{d } ^4\text{D}_{7/2}$ | 5151.058 | -0.280 | 5151.07 | | | lab |
| | | | | 105 063.550 | $(^3\text{F})4\text{d } ^4\text{G}_{11/2}$ | 5169.622 | -0.361 | 5169.6 | | | |
| | | | | 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5194.209 | -1.245 | | | | blend Fe III |
| | | | | 105 211.062 | $(^5\text{D})5\text{d } ^4\text{G}_{9/2}$ | 5209.359 | -1.260 | | | | |
| | | | | 105 220.600 | $(^3\text{H})4\text{d } ^4\text{F}_{7/2}$ | 5211.949 | +0.055 | 5211.953 | | | lab |
| | | | | 105 291.010 | $(^3\text{F})4\text{d } ^4\text{G}_{7/2}$ | 5231.152 | -0.836 | | | | blend |
| | | | | 105 763.270 | $(^3\text{F})4\text{d } ^2\text{H}_{11/2}$ | 5363.698 | -1.391 | | | | blend |
| | | | | 105 775.491 | $(^3\text{F})4\text{d } ^2\text{F}_{7/2}$ | 5367.218 | -0.182 | 5367.22 | | | |
| | | | | 106 097.520 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 5461.644 | -0.455 | 5461.65 | | | |
| | | | | 106 722.170 | $(^3\text{F})4\text{d } ^4\text{F}_{9/2}$ | 5654.613 | -0.197 | 5654.62 | | | |
| | | | | 106 900.370 | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 5712.189 | -1.361 | | | | at the level of the noise |
| | | | | 109 811.920 | $(^3\text{G})4\text{d } ^4\text{F}_{9/2}$ | 6852.110 | -0.955 | | | | at the level of the noise |
| | | | | 124 385.010 | $(^3\text{F})4\text{f}$ | 4[4] | 7/2 | 103 191.917 | | $(^3\text{P})4\text{d } ^2\text{F}_{7/2}$ | 4717.199 |
| 103 597.402 | $(^3\text{P})4\text{d } ^2\text{D}_{5/2}$ | 4809.214 | -1.233 | | | | | | | | |
| 104 807.210 | $(^3\text{H})4\text{d } ^2\text{G}_{9/2}$ | 5106.403 | -1.091 | | | | | | | | |
| 104 993.860 | $(^3\text{F})4\text{d } ^4\text{D}_{7/2}$ | 5155.556 | -0.412 | | | | | 5155.56 | | | |
| 105 123.000 | $(^3\text{H})4\text{d } ^2\text{G}_{7/2}$ | 5190.121 | -0.246 | | | | | 5190.123 | | | |
| 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5198.782 | -0.950 | | | | | | | blend | |
| 105 211.062 | $(^5\text{D})5\text{d } ^4\text{G}_{9/2}$ | 5213.958 | -1.188 | | | | | | | blend | |
| 105 220.600 | $(^3\text{H})4\text{d } ^4\text{F}_{7/2}$ | 5216.553 | -1.332 | | | | | | | blend | |
| 105 234.237 | $(^3\text{H})4\text{d } ^4\text{F}_{5/2}$ | 5220.268 | -1.463 | | | | | | | | |
| 105 291.010 | $(^3\text{F})4\text{d } ^4\text{G}_{7/2}$ | 5235.790 | -0.829 | | | | | | | blend | |
| 105 775.836 | $(^3\text{F})4\text{d } ^2\text{F}_{7/2}$ | 5372.100 | +0.165 | | | | | 5372.10 | | lab | |
| 106 097.520 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 5466.700 | -1.095 | | | | | | | at the level of the noise | |
| 106 208.560 | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 5500.096 | -0.922 | | | | | | | blend | |
| 106 767.210 | $(^3\text{F})4\text{d } ^4\text{F}_{7/2}$ | 5674.503 | -1.298 | | | | | 5674.50 | | computed too weak | |
| 106 796.660 | $(^3\text{F})4\text{d } ^4\text{P}_{5/2}$ | 5684.004 | -0.895 | | | | | | | | |
| 106 866.760 | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 5706.743 | -0.920 | | | | | | | | |
| 106 900.370 | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 5717.719 | -1.023 | | | | | | | not observed | |

Table 8. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|---|------------------|---|------------------------|---|-----------------------|---------------------------|----------|---|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | | | |
| 124 385.010 | cont. | 106 924.430 | (³ F)4d ² G _{9/2} | 5725.598 | -0.824 | 5725.60 | | | |
| | | 107 407.800 | (³ F)4d ² D _{5/2} | 5888.617 | -0.044 | 5888.61 | | | |
| | | 110 570.300 | (³ G)4d ² F _{7/2} | 7236.667 | -1.221 | | at the level of the noise | | |
| 124 416.110 | (³ F)4f | 4[3] | 7/2 | 103 683.070 | (⁵ D)5d ⁴ F _{9/2} | 4821.172 | -1.273 | | |
| | | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5015.025 | -0.607 | 5015.02 | |
| | | | | 104 807.210 | (³ H)4d ² G _{9/2} | 5098.304 | -0.623 | | |
| | | | | 104 868.500 | (⁵ D)5d ⁶ G _{9/2} | 5114.290 | -1.355 | | computed too strong |
| | | | | 104 916.550 | (³ H)4d ⁴ F _{9/2} | 5126.892 | -0.477 | 5126.84 | lab, blend |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5147.300 | +0.051 | 5147.25 | blend,lab |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5181.754 | -1.028 | 5181.75 | computed too weak |
| | | | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5190.388 | -1.077 | | blend |
| | | | | 105 211.062 | (⁵ D)5d ⁴ G _{9/2} | 5205.515 | -1.184 | | blend |
| | | | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5208.101 | +0.031 | 5208.99 | |
| | | | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5227.276 | -1.201 | | blend |
| | | | | 105 379.430 | (³ F)4d ⁴ D _{5/2} | 5251.555 | -1.289 | | at the continuum level |
| | | | | 105 775.491 | (³ F)4d ² F _{7/2} | 5363.137 | -0.687 | 5363.15 | |
| | | | | 106 097.520 | (³ H)4d ² H _{9/2} | 5457.419 | -1.335 | | blend |
| | | | | 106 722.170 | (³ F)4d ⁴ F _{9/2} | 5650.084 | -0.819 | | blend |
| | | | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 5664.504 | -1.029 | | at the level of the noise |
| | | | | 106 796.660 | (³ F)4d ⁴ P _{5/2} | 5673.972 | -0.486 | 5673.93 | blend |
| | | | | 107 407.800 | (³ F)4d ² D _{5/2} | 5877.850 | -1.281 | | at the level of the noise |
| | | | | 109 811.920 | (³ G)4d ⁴ F _{9/2} | 6845.461 | -1.364 | | not observed |
| 124 403.474 | (³ F)4f | 4[3] | 5/2 | 103 597.402 | (³ P)4d ² D _{5/2} | 4804.946 | -1.146 | 4804.93 | computed too weak |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5150.651 | -0.855 | | |
| | | | | 105 123.000 | (³ H)4d ² G _{7/2} | 5185.150 | -0.746 | 5185.141 | lab,blend |
| | | | | 105 234.237 | (³ H)4d ⁴ F _{5/2} | 5215.240 | -1.455 | | blend |
| | | | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5230.732 | -1.416 | | blend |
| | | | | 105 317.440 | (³ P)4d ² P _{3/2} | 5237.975 | -1.304 | | blend |
| | | | | 105 460.230 | (³ F)4d ⁴ D _{3/2} | 5277.458 | -0.778 | | wrong, not observed |
| | | | | 105 518.140 | (³ H)4d ⁴ F _{3/2} | 5293.641 | -1.294 | 5293.627 | computed too low? |
| | | | | 105 775.491 | (³ F)4d ² F _{7/2} | 5366.775 | -0.450 | 5366.78 | |
| | | | | 106 208.560 | (³ F)4d ² F _{5/2} | 5494.515 | -0.721 | 5494.51 | |
| | | | | 106 796.660 | (³ F)4d ⁴ P _{5/2} | 5678.044 | -1.006 | | computed too strong |
| | | | | 106 866.760 | (³ F)4d ⁴ F _{5/2} | 5700.741 | -0.790 | 5700.76 | |
| | | | | 107 065.900 | (³ F)4d ⁴ P _{3/2} | 5766.220 | -1.192 | | at the level of the noise |
| | | | | 107 407.800 | (³ F)4d ² D _{5/2} | 5882.220 | -0.040 | 5882.22 | |
| | | | | 107 430.250 | (³ F)4d ² D _{3/2} | 5890.000 | -0.918 | | blend Na I |
| | | | | 108 105.900 | (³ F)4d ² P _{3/2} | 6134.185 | -0.702 | 6134.2 | |
| 110 611.800 | (³ G)4d ² F _{5/2} | 7248.754 | -1.434 | | blend with telluric | | | | |
| 124 434.563 | (³ F)4f | 4[2] | 5/2 | 103 597.402 | (³ P)4d ² D _{5/2} | 4797.777 | -1.440 | | |
| | | | | 104 120.270 | (⁵ D)5d ⁶ P _{5/2} | 4921.269 | -0.982 | | blend |
| | | | | 104 209.610 | (³ H)4d ² F _{5/2} | 4943.008 | -1.371 | 4943.0 | |
| | | | | 104 481.590 | (³ H)4d ² F _{7/2} | 5010.387 | -0.817 | 5010.4 | |
| | | | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5142.414 | -0.113 | 5142.42 | lab |
| | | | | 105 213.000 | (³ H)4d ² G _{7/2} | 5176.803 | -1.156 | | blend |
| | | | | 105 127.770 | (⁵ D)5d ⁴ D _{5/2} | 5178.082 | -1.132 | 5178.08 | computed too weak |
| | | | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5203.100 | -0.191 | 5203.10 | |
| | | | | 105 379.430 | (³ F)4d ⁴ D _{5/2} | 5246.469 | -0.830 | | at the noise level, computed too strong |
| | | | | 105 775.491 | (³ F)4d ² F _{7/2} | 5357.833 | -1.105 | | |
| | | | | 106 208.560 | (³ F)4d ² F _{5/2} | 5485.142 | -1.413 | | |
| | | | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 5658.587 | -1.147 | | blend |
| | | | | 106 796.660 | (³ F)4d ⁴ P _{5/2} | 5668.035 | -0.132 | 5668.05 | computed too strong |
| | | | | 106 866.760 | (³ F)4d ⁴ F _{5/2} | 5690.652 | -1.300 | 5690.68 | computed too weak |
| 107 407.800 | (³ F)4d ² D _{5/2} | 5871.480 | -1.133 | | | | | | |

Table 8. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|---|-------------|------------------|------------------------|--|-----------------------|--------|----------|----------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 124 460.410 | $(^3\text{F})4\text{f}$ | 4[2] | 3/2 | 104 120.270 | $(^5\text{D})5\text{d } ^6\text{P}_{5/2}$ | 4915.015 | -1.449 | | |
| | | | | 104 189.380 | $(^5\text{D})5\text{d } ^4\text{P}_{3/2}$ | 4931.772 | -1.122 | | wrong, not observed |
| | | | | 105 234.060 | $(^3\text{H})4\text{d } ^4\text{F}_{5/2}$ | 5199.747 | -1.496 | | |
| | | | | 105 317.440 | $(^3\text{P})4\text{d } ^2\text{P}_{3/2}$ | 5222.396 | -0.923 | | blend |
| | | | | 105 379.430 | $(^3\text{F})4\text{d } ^4\text{D}_{5/2}$ | 5239.362 | -1.350 | | blend |
| | | | | 105 460.230 | $(^3\text{F})4\text{d } ^4\text{D}_{3/2}$ | 5261.644 | -0.436 | | wrong, not observed |
| | | | | 105 518.140 | $(^3\text{H})4\text{d } ^4\text{F}_{3/2}$ | 5277.730 | -1.098 | | blend |
| | | | | 106 208.560 | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 5477.375 | -1.153 | | at the level of the noise |
| | | | | 106 846.650 | $(^3\text{F})4\text{d } ^4\text{F}_{3/2}$ | 5675.805 | -1.332 | | at the level of the noise |
| | | | | 106 866.760 | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 5682.292 | -0.926 | | at the level of the noise |
| | | | | 107 065.930 | $(^3\text{F})4\text{d } ^4\text{P}_{3/2}$ | 5747.356 | -0.824 | | at the level of the noise |
| | | | | 107 407.800 | $(^3\text{F})4\text{d } ^2\text{D}_{5/2}$ | 5862.580 | -0.452 | 5862.58 | at the level of the noise |
| | | | | 107 430.250 | $(^3\text{F})4\text{d } ^2\text{D}_{3/2}$ | 5870.308 | -0.663 | 5870.30 | computed too weak |
| 108 105.900 | $(^3\text{F})4\text{d } ^2\text{P}_{3/2}$ | 6112.829 | -0.452 | | EMISSION? | | | | |
| 124 661.274 | $(^3\text{F})4\text{f}$ | 3[6] | 13/2 | 103 751.660 | $(^3\text{H})4\text{d } ^4\text{H}_{11/2}$ | 4781.152 | -1.241 | 4781.15 | computed too weak |
| | | | | 105 063.550 | $(^3\text{F})4\text{d } ^4\text{G}_{11/2}$ | 5101.212 | -1.511 | 5101.2 | computed too weak |
| | | | | 105 398.852 | $(^3\text{F})4\text{d } ^4\text{H}_{11/2}$ | 5190.010 | +0.482 | 5190.012 | |
| | | | | 105 763.270 | $(^3\text{F})4\text{d } ^2\text{H}_{11/2}$ | 5290.092 | +0.589 | 5290.094 | |
| | | | | 106 045.690 | $(^3\text{H})4\text{d } ^2\text{H}_{11/2}$ | 5370.350 | +0.111 | 5370.3 | Fe II, 5270.284 main comp. |
| 124 656.535 | $(^3\text{F})4\text{f}$ | 3[6] | 11/2 | 103 874.260 | $(^3\text{H})4\text{d } ^4\text{H}_{9/2}$ | 4810.449 | -1.268 | 4810.45 | weak |
| | | | | 104 192.480 | $(^3\text{H})4\text{d } ^4\text{I}_{9/2}$ | 4885.254 | -1.238 | | blend |
| | | | | 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5126.398 | -0.847 | | very weak |
| | | | | 105 398.852 | $(^3\text{F})4\text{d } ^4\text{H}_{11/2}$ | 5191.288 | -1.025 | | blend |
| | | | | 105 524.461 | $(^3\text{F})4\text{d } ^4\text{H}_{9/2}$ | 5225.371 | +0.768 | 5225.364 | lab + unid |
| | | | | 105 763.270 | $(^3\text{F})4\text{d } ^2\text{H}_{11/2}$ | 5291.420 | -1.047 | | very weak |
| | | | | 106 018.643 | $(^3\text{F})4\text{d } ^2\text{H}_{9/2}$ | 5363.923 | +0.201 | 5363.92 | lab |
| | | | | 106 722.170 | $(^3\text{F})4\text{d } ^4\text{F}_{9/2}$ | 5574.341 | -1.111 | 5574.25 | |
| | | | | 106 924.430 | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 5637.925 | -0.160 | 5637.92 | |
| | | | | 109 625.200 | $(^3\text{G})4\text{d } ^2\text{G}_{9/2}$ | 6650.935 | -1.387 | | blend |
| 124 626.900 | $(^3\text{F})4\text{f}$ | 3[5] | 11/2 | 103 683.070 | $(^5\text{D})5\text{d } ^4\text{F}_{9/2}$ | 4773.341 | -1.317 | | |
| | | | | 103 771.320 | $(^3\text{H})4\text{d } ^4\text{G}_{9/2}$ | 4793.540 | -0.748 | 4793.55 | |
| | | | | 104 807.210 | $(^3\text{H})4\text{d } ^2\text{G}_{9/2}$ | 5044.081 | -0.396 | | wrong, not observed |
| | | | | 104 916.550 | $(^3\text{H})4\text{d } ^4\text{F}_{9/2}$ | 5072.063 | -0.515 | 5072.05 | |
| | | | | 105 063.550 | $(^3\text{F})4\text{d } ^4\text{G}_{11/2}$ | 5110.175 | -1.355 | | blend |
| | | | | 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5134.199 | +0.353 | 5134.20 | blend |
| | | | | 105 211.062 | $(^5\text{D})5\text{d } ^4\text{G}_{9/2}$ | 5149.000 | -0.004 | | blend |
| | | | | 105 398.852 | $(^3\text{F})4\text{d } ^4\text{H}_{11/2}$ | 5199.288 | -0.178 | 5199.29 | |
| | | | | 105 524.461 | $(^3\text{F})4\text{d } ^4\text{H}_{9/2}$ | 5233.477 | -0.662 | 5233.47 | computed too weak |
| | | | | 105 763.270 | $(^3\text{F})4\text{d } ^2\text{H}_{11/2}$ | 5299.732 | -0.158 | 5299.717 | lab |
| | | | | 106 018.643 | $(^3\text{F})4\text{d } ^2\text{H}_{9/2}$ | 5372.464 | -0.223 | | blend |
| | | | | 106 045.690 | $(^3\text{H})4\text{d } ^2\text{H}_{11/2}$ | 5380.285 | -0.656 | 5380.29 | |
| | | | | 106 097.520 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 5395.335 | +0.054 | 5395.32 | computed too strong |
| | | | | 106 722.170 | $(^3\text{F})4\text{d } ^4\text{F}_{9/2}$ | 5583.566 | -1.347 | | |
| | | | | 106 924.430 | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 5647.362 | -0.074 | | blend |
| | | | | 109 811.920 | $(^3\text{G})4\text{d } ^4\text{F}_{9/2}$ | 6748.062 | -1.222 | | at the level of the noise |
| 124 636.116 | $(^3\text{F})4\text{f}$ | 3[5] | 9/2 | 103 771.320 | $(^3\text{H})4\text{d } ^4\text{G}_{9/2}$ | 4791.423 | -1.349 | | at the level of the noise |
| | | | | 104 107.950 | $(^3\text{P})4\text{d } ^4\text{F}_{7/2}$ | 4869.996 | -1.378 | | blend |
| | | | | 104 481.590 | $(^3\text{H})4\text{d } ^2\text{F}_{7/2}$ | 4960.280 | -1.109 | 4960.28 | weak |
| | | | | 104 807.210 | $(^3\text{H})4\text{d } ^2\text{G}_{9/2}$ | 5041.737 | -1.101 | | weak |
| | | | | 104 873.230 | $(^5\text{D})5\text{d } ^4\text{D}_{7/2}$ | 5058.579 | -1.461 | | weak |
| | | | | 104 916.550 | $(^3\text{H})4\text{d } ^4\text{F}_{9/2}$ | 5069.692 | -1.055 | | weak |

Table 8. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|--|------------------|--|------------------------|---|-----------------------|---------------------------|---------|------------------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | | | |
| 124 636.116 | cont. | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5089.646 | -0.797 | | weak | | |
| | | 105 123.000 | (³ H)4d ² G _{7/2} | 5123.331 | -1.032 | | | | |
| | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5131.770 | -0.298 | | blend | | |
| | | 105 211.062 | (³ D)5d ⁴ G _{9/2} | 5146.557 | -0.622 | | blend | | |
| | | 105 220.600 | (³ H)4d ⁴ F _{7/2} | 5149.085 | +0.286 | 5149.1 | lab | | |
| | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5167.827 | -0.884 | 5167.82 | computed too weak | | |
| | | 105 398.852 | (³ F)4d ⁴ H _{11/2} | 5196.797 | -1.467 | | at the level of the noise | | |
| | | 105 524.461 | (³ F)4d ⁴ H _{9/2} | 5230.953 | -0.507 | 5230.959 | computed too weak | | |
| | | 105 589.670 | (³ F)4d ⁴ H _{7/2} | 5248.862 | -0.754 | 5248.801 | blend | | |
| | | 105 763.270 | (³ F)4d ² H _{11/2} | 5297.144 | -1.481 | | weak | | |
| | | 105 775.491 | (³ F)4d ² F _{7/2} | 5300.576 | -0.373 | | weak | | |
| | | 106 018.643 | (³ F)4d ² H _{9/2} | 5369.805 | -0.547 | 5369.81 | | | |
| | | 106 097.520 | (³ H)4d ² H _{9/2} | 5392.652 | -0.592 | | not obs, wrong | | |
| | | 106 767.210 | (³ F)4d ⁴ F _{7/2} | 5594.760 | -0.050 | | not obs, wrong | | |
| | | 106 900.370 | (³ F)4d ² G _{7/2} | 5636.766 | -0.061 | 5636.78 | computed too weak | | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 5644.423 | -0.918 | | blend | | |
| | | 109 901.500 | (³ G)4d ² G _{7/2} | 6784.867 | -1.141 | | at the level of the noise | | |
| | | 110 167.280 | (³ G)4d ⁴ F _{7/2} | 6909.500 | -1.099 | | at the level of the noise | | |
| | | 124 623.120 | (³ F)4f 3[4] 9/2 | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 4829.221 | -1.017 | 4829.25 | computed too weak |
| | | | | 103 983.510 | (³ G)5s ² G _{7/2} | 4843.700 | -1.308 | | computed too strong, not obs |
| 103 986.330 | (³ H)4d ⁴ H _{7/2} | | | 4844.361 | -1.133 | | | | |
| 104 916.550 | (³ H)4d ⁴ F _{9/2} | | | 5073.036 | -1.028 | | | | |
| 104 993.860 | (³ F)4d ⁴ D _{7/2} | | | 5093.016 | -1.142 | 5093.01 | weak | | |
| 105 123.000 | (³ H)4d ² G _{7/2} | | | 5126.745 | -0.382 | 5126.75 | lab, blend | | |
| 105 155.090 | (³ F)4d ⁴ G _{9/2} | | | 5135.196 | -0.318 | | blend | | |
| 105 211.062 | (³ D)5d ⁴ G _{9/2} | | | 5150.003 | -0.755 | 5150.02 | | | |
| 105 220.600 | (³ H)4d ⁴ F _{7/2} | | | 5152.534 | -1.333 | | blend | | |
| 105 291.010 | (³ F)4d ⁴ G _{7/2} | | | 5171.301 | +0.425 | 5171.305 | | | |
| 105 398.852 | (³ F)4d ⁴ H _{11/2} | | | 5200.310 | -1.359 | | blend | | |
| 105 449.540 | (³ D)5d ⁴ G _{7/2} | | | 5214.058 | -0.628 | | blend | | |
| 105 524.461 | (³ F)4d ⁴ H _{9/2} | | | 5234.513 | -0.157 | | blend | | |
| 105 763.270 | (³ F)4d ² H _{11/2} | | | 5300.794 | -1.386 | | blend | | |
| 105 775.491 | (³ F)4d ² F _{7/2} | | | 5304.231 | -0.076 | 5304.25 | blend | | |
| 106 018.640 | (³ F)4d ² H _{9/2} | | | 5373.555 | -1.277 | | | | |
| 106 097.520 | (³ H)4d ² H _{9/2} | | | 5396.435 | -0.899 | 5396.45 | computed too weak | | |
| 106 900.370 | (³ F)4d ² G _{7/2} | | | 5640.900 | -0.389 | 5640.9 | computed too strong | | |
| 106 924.430 | (³ F)4d ² G _{9/2} | | | 5648.568 | -0.369 | 5648.57 | blend | | |
| 110 570.300 | (³ G)4d ² F _{7/2} | | | 7114.048 | -1.243 | | | | |
| 124 620.914 | (³ F)4f 3[4] 7/2 | 103 921.630 | (³ H)4d ⁴ G _{7/2} | 4829.735 | -1.435 | | | | |
| | | 104 023.910 | (³ H)4d ⁴ G _{5/2} | 4853.719 | -0.883 | | | | |
| | | 104 569.230 | (³ P)4d ⁴ F _{5/2} | 4985.721 | -0.873 | 4985.72 | weak | | |
| | | 104 993.860 | (³ F)4d ⁴ D _{7/2} | 5093.588 | -1.437 | | blend | | |
| | | 105 123.000 | (³ H)4d ² G _{5/2} | 5127.325 | -0.784 | | blend | | |
| | | 105 155.090 | (³ F)4d ⁴ G _{9/2} | 5135.778 | -1.386 | | weak | | |
| | | 105 234.237 | (³ H)4d ⁴ F _{5/2} | 5156.745 | -0.254 | | blend | | |
| | | 105 291.010 | (³ F)4d ⁴ G _{7/2} | 5171.891 | +0.011 | 5171.9 | | | |
| | | 105 379.430 | (³ F)4d ⁴ D _{5/2} | 5195.658 | -0.478 | 5195.661 | lab | | |
| | | 105 414.180 | (³ F)4d ⁴ G _{5/2} | 5205.058 | -0.783 | | blend | | |
| | | 105 449.540 | (³ D)5d ⁴ G _{7/2} | 5214.658 | -1.042 | | weak | | |
| | | 105 524.461 | (³ F)4d ⁴ H _{9/2} | 5235.117 | -1.185 | | blend | | |
| | | 105 711.730 | (³ D)5d ⁶ S _{5/2} | 5286.964 | -0.934 | | blend | | |
| | | 105 775.491 | (³ F)4d ² F _{7/2} | 5304.852 | -0.525 | 5304.87 | blend | | |
| | | 106 208.560 | (³ F)4d ² F _{5/2} | 5429.627 | -0.531 | 5429.62 | computed too weak | | |
| | | 106 866.760 | (³ F)4d ⁴ F _{5/2} | 5630.922 | -1.421 | | weak | | |
| | | 106 900.370 | (³ F)4d ² G _{7/2} | 5641.602 | -0.724 | 5641.61 | weak | | |
| | | 106 924.430 | (³ F)4d ² G _{9/2} | 5649.272 | -1.404 | | not observed | | |
| | | 107 407.800 | (³ F)4d ² D _{5/2} | 5807.914 | -0.295 | 5807.9 | blend | | |

Table 8. continued.

| Upper level | | | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|------------------|---|----------|------------------|-------------|---|---------------------------|--------------|-----------------------|------------------------------|---------------------------|
| cm^{-1} | | J | cm^{-1} | | \AA | KUR | \AA | | | |
| 124 641.989 | $(^3\text{F})4\text{f}$ | 3[3] | 7/2 | 104 107.950 | $(^3\text{P})4\text{d } ^4\text{F}_{7/2}$ | 4868.603 | -1.393 | | | |
| | | | | 104 120.270 | $(^5\text{D})5\text{d } ^6\text{P}_{5/2}$ | 4871.525 | -1.423 | | | |
| | | | | 104 481.590 | $(^3\text{H})4\text{d } ^2\text{F}_{7/2}$ | 4958.835 | -1.370 | | | blend |
| | | | | 105 123.000 | $(^3\text{H})4\text{d } ^2\text{G}_{7/2}$ | 5121.789 | -0.828 | | | |
| | | | | 105 155.090 | $(^3\text{F})4\text{d } ^4\text{G}_{9/2}$ | 5130.223 | -0.928 | | | blend |
| | | | | 105 211.062 | $(^5\text{D})5\text{d } ^4\text{G}_{9/2}$ | 5145.002 | -1.290 | | | at the level of the noise |
| | | | | 105 220.600 | $(^3\text{H})4\text{d } ^4\text{F}_{7/2}$ | 5147.528 | -0.014 | 5147.52 | | |
| | | | | 105 291.010 | $(^3\text{F})4\text{d } ^4\text{G}_{7/2}$ | 5166.258 | -1.096 | | | weak |
| | | | | 105 379.430 | $(^3\text{F})4\text{d } ^4\text{D}_{5/2}$ | 5189.973 | -0.210 | | | blend |
| | | | | 105 414.180 | $(^3\text{F})4\text{d } ^4\text{G}_{5/2}$ | 5199.353 | -1.041 | | | blend |
| | | | | 105 589.670 | $(^3\text{F})4\text{d } ^4\text{H}_{7/2}$ | 5247.244 | -0.996 | 5247.25 | | weak |
| | | | | 105 711.730 | $(^5\text{D})5\text{d } ^6\text{S}_{5/2}$ | 5281.078 | -0.874 | | | not observed |
| | | | | 105 775.491 | $(^3\text{F})4\text{d } ^2\text{F}_{7/2}$ | 5298.926 | -0.405 | | | blend |
| | | | | 106 097.520 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 5390.945 | -1.384 | | | blend |
| | | | | 106 208.560 | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 5423.419 | -0.138 | 5423.41 | | lab |
| | | | | 106 767.210 | $(^3\text{F})4\text{d } ^4\text{F}_{7/2}$ | 5592.922 | -0.422 | | | wrong |
| | | | | 106 796.660 | $(^3\text{F})4\text{d } ^4\text{P}_{5/2}$ | 5602.152 | -0.795 | | | blend |
| | | | | 106 866.760 | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 5624.245 | -1.195 | | | blend |
| | | | | 106 900.370 | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 5634.900 | -0.588 | 5634.9 | | computed too weak |
| | | | | 106 924.430 | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 5642.552 | -1.377 | | | at the level of the noise |
| 107 407.800 | $(^3\text{F})4\text{d } ^2\text{D}_{5/2}$ | 5800.811 | -0.993 | | | at the level of the noise | | | | |
| 110 167.280 | $(^3\text{G})4\text{d } ^4\text{F}_{7/2}$ | 6906.696 | -1.294 | | | at the level of the noise | | | | |
| 110 611.800 | $(^3\text{G})4\text{d } ^2\text{F}_{5/2}$ | 7125.523 | -1.233 | | | at the level of the noise | | | | |
| 124 653.022 | $(^3\text{F})4\text{f}$ | 3[3] | 5/2 | 104 023.910 | $(^3\text{H})4\text{d } ^4\text{G}_{5/2}$ | 4846.164 | -1.115 | | weak | |
| | | | | 104 569.230 | $(^3\text{P})4\text{d } ^4\text{F}_{5/2}$ | 4977.751 | -0.819 | 4977.75 | | computed too weak |
| | | | | 104 839.998 | $(^3\text{P})4\text{d } ^2\text{D}_{3/2}$ | 5045.778 | -0.981 | 5045.79 | | computed too weak |
| | | | | 105 123.000 | $(^3\text{H})4\text{d } ^2\text{G}_{7/2}$ | 5118.896 | -1.484 | | | |
| | | | | 105 234.237 | $(^3\text{H})4\text{d } ^4\text{F}_{5/2}$ | 5148.219 | -0.286 | | | computed too strong |
| | | | | 105 291.010 | $(^3\text{F})4\text{d } ^4\text{G}_{7/2}$ | 5163.314 | -0.700 | 5163.29 | | weak |
| | | | | 105 317.440 | $(^3\text{P})4\text{d } ^2\text{P}_{3/2}$ | 5170.372 | -1.129 | | | |
| | | | | 105 379.430 | $(^3\text{F})4\text{d } ^4\text{D}_{5/2}$ | 5187.002 | -0.628 | 5187.0 | | |
| | | | | 105 414.180 | $(^3\text{F})4\text{d } ^4\text{G}_{5/2}$ | 5196.371 | -0.956 | | | blend |
| | | | | 105 460.230 | $(^3\text{F})4\text{d } ^4\text{D}_{3/2}$ | 5208.839 | -0.132 | 5208.862 | | lab, computed too strong |
| | | | | 105 711.730 | $(^5\text{D})5\text{d } ^6\text{S}_{5/2}$ | 5278.002 | -1.442 | | | |
| | | | | 105 775.491 | $(^3\text{F})4\text{d } ^2\text{F}_{7/2}$ | 5295.829 | -1.021 | | | blend |
| | | | | 106 208.560 | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 5420.175 | -0.824 | 5420.2 | | computed too weak |
| | | | | 106 846.650 | $(^3\text{F})4\text{d } ^4\text{F}_{3/2}$ | 5614.409 | -0.773 | | | computed too strong |
| | | | | 107 065.930 | $(^3\text{F})4\text{d } ^4\text{P}_{3/2}$ | 5684.411 | -1.018 | | | |
| | | | | 107 407.800 | $(^3\text{F})4\text{d } ^2\text{D}_{5/2}$ | 5797.100 | -0.273 | 5797.1 | | |
| | | | | 107 430.250 | $(^3\text{F})4\text{d } ^2\text{D}_{3/2}$ | 5804.657 | -0.981 | | | at the level of the noise |
| | | | | 108 105.900 | $(^3\text{F})4\text{d } ^2\text{P}_{3/2}$ | 6041.674 | -0.519 | | | |
| 124 731.762 | $(^3\text{F})4\text{f}$ | 3[0] | 1/2 | 104 189.380 | $(^5\text{D})5\text{d } ^4\text{P}_{3/2}$ | 4866.625 | -0.710 | | on the H_β wing | |
| | | | | 104 588.710 | $(^5\text{D})5\text{d } ^6\text{D}_{3/2}$ | 4963.106 | -1.473 | | | |
| | | | | 104 736.460 | $(^3\text{P})4\text{d } ^2\text{P}_{1/2}$ | 4999.780 | -1.476 | | | |
| | | | | 105 460.230 | $(^3\text{F})4\text{d } ^4\text{D}_{3/2}$ | 5187.556 | -1.137 | | | |
| | | | | 105 477.920 | $(^3\text{F})4\text{d } ^4\text{D}_{1/2}$ | 5192.323 | -0.902 | | | blend |
| | | | | 105 518.140 | $(^3\text{H})4\text{d } ^4\text{F}_{3/2}$ | 5203.192 | -0.854 | | | blend |
| | | | | 107 065.930 | $(^3\text{F})4\text{d } ^4\text{P}_{3/2}$ | 5659.074 | -0.650 | 5659.05 | | computed too weak |
| | | | | 107 176.100 | $(^5\text{D})5\text{d } ^4\text{P}_{1/2}$ | 5694.588 | -0.810 | 5694.59 | | good agreement |
| | | | | 107 430.250 | $(^3\text{F})4\text{d } ^2\text{D}_{3/2}$ | 5778.239 | -0.939 | | | blend |
| | | | | 108 105.900 | $(^3\text{F})4\text{d } ^2\text{P}_{3/2}$ | 6013.060 | -1.184 | | | |

Table 8. continued.

| Upper level | | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|------------------|------------------------------------|----------|------------------|-------------|------------------------------------|-----------|-----------------------|----------|---------------------------|
| cm^{-1} | | J | cm^{-1} | | \AA | KUR | \AA | | |
| 124 803.873 | $(^3\text{F})4f$ | 2[5] | 11/2 | 103 771.320 | $(^3\text{H})4d\ ^4\text{G}_{9/2}$ | 4753.206 | -1.359 | | |
| | | | | 104 807.210 | $(^3\text{H})4d\ ^2\text{G}_{9/2}$ | 4999.441 | -1.315 | | |
| | | | | 105 524.461 | $(^3\text{F})4d\ ^4\text{H}_{9/2}$ | 5185.437 | +0.377 | 5185.422 | lab |
| | | | | 106 018.643 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5321.852 | +0.731 | 5321.83 | lab |
| | | | | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 5344.292 | -1.008 | 5344.28 | |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 5591.464 | -0.173 | | computed too strong |
| | | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 6586.373 | -1.344 | | not observed |
| 124 809.727 | $(^3\text{F})4f$ | 2[5] | 9/2 | 103 921.630 | $(^3\text{H})4d\ ^4\text{G}_{7/2}$ | 4786.078 | -1.434 | | |
| | | | | 103 983.510 | $(^3\text{G})5s\ ^2\text{G}_{7/2}$ | 4800.298 | -1.342 | | |
| | | | | 105 291.010 | $(^3\text{F})4d\ ^4\text{G}_{7/2}$ | 5121.860 | -1.107 | | blend |
| | | | | 105 449.540 | $(^3\text{D})5d\ ^4\text{G}_{7/2}$ | 5163.801 | -1.335 | | blend |
| | | | | 105 524.461 | $(^3\text{F})4d\ ^4\text{H}_{9/2}$ | 5183.862 | -1.227 | | blend |
| | | | | 105 589.670 | $(^3\text{F})4d\ ^4\text{H}_{7/2}$ | 5201.450 | +0.802 | 5201.444 | lab |
| | | | | 105 775.491 | $(^3\text{F})4d\ ^2\text{F}_{7/2}$ | 5252.229 | -1.121 | | |
| | | | | 106 018.643 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5320.193 | -0.866 | | blend |
| | | | | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 5540.925 | -1.367 | | |
| | | | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 5582.123 | -0.405 | 5582.12 | |
| 124 793.905 | $(^3\text{F})4f$ | 2[4] | 9/2 | 103 921.630 | $(^3\text{H})4d\ ^4\text{G}_{7/2}$ | 4789.706 | -1.174 | 4789.7 | computed too weak |
| | | | | 103 986.330 | $(^3\text{H})4d\ ^4\text{H}_{7/2}$ | 4804.599 | -1.426 | | blend |
| | | | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 4921.748 | -1.081 | | blend |
| | | | | 105 123.000 | $(^3\text{H})4d\ ^2\text{G}_{7/2}$ | 5082.234 | -0.341 | | blend |
| | | | | 105 220.600 | $(^3\text{H})4d\ ^4\text{F}_{7/2}$ | 5107.576 | -0.574 | | blend |
| | | | | 105 291.010 | $(^3\text{F})4d\ ^4\text{G}_{7/2}$ | 5126.016 | +0.065 | 5126.00 | lab. |
| | | | | 105 449.540 | $(^3\text{D})5d\ ^4\text{G}_{7/2}$ | 5168.025 | -1.175 | | good agreement |
| | | | | 105 524.460 | $(^3\text{F})4d\ ^4\text{H}_{9/2}$ | 5188.118 | -0.544 | 5188.12 | good agreement |
| | | | | 105 589.670 | $(^3\text{F})4d\ ^4\text{H}_{7/2}$ | 5205.735 | -0.340 | | blend |
| | | | | 105 775.491 | $(^3\text{F})4d\ ^2\text{F}_{7/2}$ | 5256.599 | -0.442 | 5256.599 | good agreement |
| | | | | 106 018.640 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5324.675 | -0.131 | 5234.68 | good agreement= |
| | | | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 5587.059 | +0.466 | | blend |
| | | | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 5594.582 | -1.114 | | blend |
| | | | | 109 901.500 | $(^3\text{G})4d\ ^2\text{G}_{7/2}$ | 6712.979 | -1.436 | | |
| | | | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 6834.961 | -1.262 | | |
| 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 7028.628 | -1.389 | | | | | | |
| 124 783.748 | $(^3\text{F})4f$ | 2[4] | 7/2 | 104 023.910 | $(^3\text{H})4d\ ^4\text{G}_{5/2}$ | 4815.647 | -0.780 | | not observed |
| | | | | 104 120.270 | $(^3\text{D})5d\ ^6\text{P}_{5/2}$ | 4838.105 | -1.439 | | |
| | | | | 104 209.610 | $(^3\text{H})4d\ ^2\text{F}_{5/2}$ | 4859.114 | -1.499 | | |
| | | | | 104 569.230 | $(^3\text{P})4d\ ^4\text{F}_{5/2}$ | 4945.559 | -1.176 | | weak |
| | | | | 105 123.000 | $(^3\text{H})4d\ ^2\text{G}_{7/2}$ | 5084.859 | -1.401 | | |
| | | | | 105 291.010 | $(^3\text{F})4d\ ^4\text{G}_{7/2}$ | 5128.687 | -0.876 | | blend |
| | | | | 105 414.180 | $(^3\text{F})4d\ ^4\text{G}_{5/2}$ | 5161.300 | +0.512 | 5161.3 | lab, computed too strong |
| | | | | 105 589.670 | $(^3\text{F})4d\ ^4\text{H}_{7/2}$ | 5208.490 | -0.196 | 5208.501 | |
| | | | | 105 630.750 | $(^3\text{D})5d\ ^4\text{G}_{5/2}$ | 5219.661 | -0.923 | | blend |
| | | | | 106 018.640 | $(^3\text{F})4d\ ^2\text{H}_{9/2}$ | 5327.557 | -1.482 | | |
| | | | | 106 208.560 | $(^3\text{F})4d\ ^2\text{F}_{5/2}$ | 5382.029 | -0.281 | 5382.12 | |
| | | | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 5590.233 | -0.326 | 5590.22 | |
| | | | | 107 407.800 | $(^3\text{F})4d\ ^2\text{D}_{5/2}$ | 5753.486 | -0.930 | | at the level of the noise |
| 110 611.800 | $(^3\text{G})4d\ ^2\text{F}_{5/2}$ | 7054.248 | -1.377 | | at the level of the noise | | | | |

Table 9. Fe II lines in the 3800–8000 Å region with $\log gf \geq -1.5$ and $3d^6(^3G)4f$ energy levels as upper levels.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|-----------------------|------------------|--------|------------------------|------------------------|-----------------------|--------|-------------|----------------------------|
| cm^{-1} | J | cm^{-1} | | Å | KUR | Å | | | |
| 127 507.241 | $(^3G)4f$ | 5[8] | 17/2 | 103 878.370 | $(^3H)4d\ ^4I_{15/2}$ | 4230.919 | -1.017 | 4230.93 | |
| | | | | 108 337.860 | $(^3G)4d\ ^4I_{15/2}$ | 5215.200 | +1.119 | 5215.21 | |
| 127 524.122 | $(^3G)4f$ | 5[8] | 15/2 | 104 064.670 | $(^3H)4d\ ^4I_{13/2}$ | 4261.475 | -1.477 | | |
| | | | | 104 622.300 | $(^3H)4d\ ^2I_{13/2}$ | 4365.238 | -1.210 | | |
| | | | | 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5155.680 | -0.971 | | |
| | | | | 108 463.910 | $(^3G)4d\ ^4I_{13/2}$ | 5245.071 | +0.889 | 5245.073 | lab, J78 |
| | | | | 108 648.695 | $(^1D)5s\ e^2I_{13/2}$ | 5296.420 | -0.047 | 5296.418 | |
| | | | | 109 049.600 | $(^3G)4d\ ^2I_{13/2}$ | 5411.356 | +0.449 | | blend |
| 127 484.653 | $(^3G)4f$ | 5[7] | 15/2 | 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5166.196 | +0.934 | 5166.2 | lab |
| | | | | 108 337.860 | $(^3G)4d\ ^4I_{15/2}$ | 5221.353 | +0.453 | 5221.335 | lab |
| | | | | 108 463.910 | $(^3G)4d\ ^4I_{13/2}$ | 5255.955 | -0.980 | | |
| | | | | 108 648.695 | $(^1D)5s\ e^2I_{13/2}$ | 5307.518 | -0.940 | | |
| | | | | 109 049.600 | $(^3G)4d\ ^2I_{13/2}$ | 5422.941 | -1.415 | | |
| 127 515.235 | $(^3G)4f$ | 5[7] | 13/2 | 105 763.270 | $(^3F)4d\ ^2H_{11/2}$ | 4595.998 | -1.059 | | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 4656.457 | -0.284 | | |
| | | | | 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5158.044 | -0.684 | | |
| | | | | 108 181.550 | $(^3G)4d\ ^4G_{11/2}$ | 5170.879 | -0.639 | | |
| | | | | 108 387.920 | $(^3G)4d\ ^4H_{11/2}$ | 5226.670 | +0.474 | 5226.686 | lab |
| | | | | 108 463.910 | $(^3G)4d\ ^4I_{13/2}$ | 5247.518 | +0.157 | 5247.536 | lab |
| | | | | 108 648.695 | $(^1D)5s\ e^2I_{13/2}$ | 5298.915 | -1.299 | | |
| | | | | 108 775.080 | $(^3G)4d\ ^4I_{11/2}$ | 5334.651 | -0.859 | | |
| | | | | 109 049.600 | $(^3G)4d\ ^2I_{13/2}$ | 5413.960 | -0.246 | | |
| | | | | 109 683.280 | $(^3G)4d\ ^2H_{11/2}$ | 5606.354 | +0.514 | 5606.38 | |
| 127 489.429 | $(^3G)4f$ | 5[6] | 13/2 | 103 600.430 | $(^3H)4d\ ^4G_{11/2}$ | 4184.848 | -1.133 | | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 4662.061 | -1.312 | | |
| | | | | 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5164.921 | +0.601 | 5164.9 | lab |
| | | | | 108 181.550 | $(^3G)4d\ ^4G_{11/2}$ | 5177.791 | +0.705 | 5177.77 | lab |
| | | | | 108 337.860 | $(^3G)4d\ ^4I_{15/2}$ | 5220.051 | -0.463 | | |
| | | | | 108 387.920 | $(^3G)4d\ ^4H_{11/2}$ | 5233.732 | -1.225 | | |
| | | | | 108 463.910 | $(^3G)4d\ ^4I_{13/2}$ | 5254.636 | -0.596 | | |
| | | | | 108 648.695 | $(^1D)5s\ e^2I_{13/2}$ | 5306.173 | -0.818 | | |
| | | | | 109 683.280 | $(^3G)4d\ ^2H_{11/2}$ | 5614.479 | -0.728 | | |
| | | | | 127 489.977 | $(^3G)4f$ | 5[6] | 11/2 | 103 600.430 | $(^3H)4d\ ^4G_{11/2}$ |
| 103 683.070 | $(^5D)5d\ ^4F_{9/2}$ | 4199.279 | -1.301 | | | | | | |
| 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 4661.942 | -1.108 | | | | | | |
| 106 722.170 | $(^3F)4d\ ^4F_{9/2}$ | 4813.800 | -0.314 | | | | | 4813.8 | |
| 106 924.430 | $(^3F)4d\ ^2G_{9/2}$ | 4861.143 | -0.513 | | | | | | |
| 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5164.775 | -0.273 | | | | | 5164.77 | |
| 108 181.550 | $(^3G)4d\ ^4G_{11/2}$ | 5177.644 | +0.437 | | | | | 5177.64 | lab |
| 108 387.920 | $(^3G)4d\ ^4H_{11/2}$ | 5233.581 | -0.349 | | | | | 5233.58 | |
| 108 391.500 | $(^3G)4d\ ^4G_{9/2}$ | 5234.562 | -0.887 | | | | | | |
| 109 049.600 | $(^3G)4d\ ^2I_{13/2}$ | 5421.376 | -1.110 | | | | | | |
| 109 625.200 | $(^3G)4d\ ^2G_{9/2}$ | 5596.053 | -0.050 | | | | | | computed too strong |
| 109 683.280 | $(^3G)4d\ ^2H_{11/2}$ | 5614.306 | -0.230 | | | | | | |
| 109 811.920 | $(^3G)4d\ ^4F_{9/2}$ | 5655.161 | -0.047 | | | | | 5655.15 | |
| 110 008.300 | $(^3G)4d\ ^2H_{9/2}$ | 5718.689 | -0.545 | | | | | | |
| 127 482.748 | $(^3G)4f$ | 5[5] | 11/2 | 105 763.270 | $(^3F)4d\ ^2H_{11/2}$ | 4602.873 | -1.478 | | |
| | | | | 106 045.690 | $(^3H)4d\ ^2H_{11/2}$ | 4663.514 | -0.736 | | |
| | | | | 106 722.170 | $(^3F)4d\ ^4F_{9/2}$ | 4815.476 | -0.239 | | computed too strong |
| | | | | 108 133.440 | $(^3G)4d\ ^4H_{13/2}$ | 5166.704 | -0.401 | | computed too strong |
| | | | | 108 181.550 | $(^3G)4d\ ^4G_{11/2}$ | 5179.583 | +0.320 | | blend |
| | | | | 108 387.920 | $(^3G)4d\ ^4H_{11/2}$ | 5235.563 | -0.190 | 5235.585 | blend |
| | | | | 108 391.500 | $(^3G)4d\ ^4G_{9/2}$ | 5236.545 | +0.191 | | blend, computed too strong |

Table 9. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes |
|------------------|------------------------------------|------------------|--------------------------------------|------------------------|-----------|-----------------------|---------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | |
| 127 482.748 | cont. | 108 463.910 | $(^3\text{G})4d\ ^4\text{I}_{13/2}$ | 5256.482 | -0.830 | 5256.5 | |
| | | 108 648.695 | $(^1\text{D})5s\ e^2\text{I}_{13/2}$ | 5308.055 | -1.341 | | |
| | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5343.915 | -1.043 | | |
| | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5598.319 | -0.100 | 5598.32 | computed too weak |
| | | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5616.586 | -0.042 | 5616.6 | computed too weak |
| | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5657.474 | -0.662 | 5657.50 | computed too weak |
| | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5721.054 | -0.506 | | |
| 127 485.362 | $(^3\text{G})4f\ 5[4]\ 9/2$ | 104 107.950 | $(^3\text{P})4d\ ^4\text{F}_{7/2}$ | 4276.430 | -1.168 | | |
| | | 104 481.590 | $(^3\text{H})4d\ ^2\text{F}_{7/2}$ | 4345.891 | -1.316 | | |
| | | 105 775.491 | $(^3\text{F})4d\ ^2\text{F}_{7/2}$ | 4604.910 | -1.176 | | |
| | | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 4662.945 | -1.404 | | |
| | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 4814.870 | -0.945 | | |
| | | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 4825.337 | -1.318 | | |
| | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 4862.235 | -0.425 | | |
| | | 108 181.550 | $(^3\text{G})4d\ ^4\text{G}_{11/2}$ | 5178.882 | -0.635 | | |
| | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5228.658 | -0.224 | | blend |
| | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5234.846 | -0.695 | 5234.80 | |
| | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5235.828 | -0.195 | 5235.80 | blend |
| | | 108 537.610 | $(^3\text{G})4d\ ^4\text{G}_{7/2}$ | 5276.203 | -1.169 | | |
| | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5287.351 | -1.391 | | |
| | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5597.499 | +0.251 | 5597.50 | computed too strong |
| | | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5615.762 | -0.466 | 5615.75 | |
| | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5656.638 | -0.349 | 5656.55 | blend |
| | | 109 901.500 | $(^3\text{G})4d\ ^2\text{G}_{7/2}$ | 5685.455 | -0.333 | 5685.45 | |
| 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5720.199 | -0.468 | 5720.20 | | | |
| 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5772.711 | -1.064 | | | | |
| 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5910.253 | -0.120 | | blend H2O | | |
| 127 485.699 | $(^3\text{G})4f\ 5[4]\ 7/2$ | 103 683.070 | $(^5\text{D})5d\ ^4\text{F}_{9/2}$ | 4200.033 | -1.226 | | |
| | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 4814.791 | +0.017 | 4814.8 | computed too strong |
| | | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 4825.259 | -0.375 | 4825.30 | blend |
| | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 4856.472 | -1.384 | | |
| | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 4862.155 | -0.753 | | |
| | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5228.566 | +0.266 | | blend |
| | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5235.735 | -0.618 | | blend |
| | | 108 537.610 | $(^3\text{G})4d\ ^4\text{G}_{7/2}$ | 5276.109 | -0.999 | | |
| | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5597.394 | -1.025 | | |
| | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5656.530 | +0.034 | 5656.55 | |
| | | 110 065.750 | $(^3\text{G})4d\ ^2\text{D}_{5/2}$ | 5738.953 | -1.494 | | |
| | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5772.598 | -0.676 | | |
| | | 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5910.135 | -1.369 | | |
| 127 510.913 | $(^3\text{G})4f\ 5[3]\ 5/2$ | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 4819.393 | -0.294 | 4819.40 | |
| | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 4850.531 | -1.345 | | |
| | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5221.680 | +0.447 | 5221.68 | lab |
| | | 108 537.610 | $(^3\text{G})4d\ ^4\text{G}_{7/2}$ | 5269.097 | -0.794 | 5369.12 | |
| | | 110 065.750 | $(^3\text{G})4d\ ^2\text{D}_{5/2}$ | 5730.658 | -0.761 | | |
| | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5764.206 | -0.654 | | blend |
| 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5901.339 | -1.193 | | | | |
| 127 487.681 | $(^3\text{G})4f\ 5[2]\ 3/2$ | 106 866.760 | $(^3\text{F})4d\ ^4\text{F}_{5/2}$ | 4848.090 | -0.945 | | |
| | | 108 642.410 | $(^3\text{G})4d\ ^4\text{D}_{5/2}$ | 5304.895 | -0.425 | 5304.89 | blend |
| | | 110 065.750 | $(^3\text{G})4d\ ^2\text{D}_{5/2}$ | 5738.300 | -0.104 | 5738.30 | |

Table 9. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | | |
|------------------|------------------|-------------|------------------|-------------------------------------|--------------------------------------|-----------------------|---------|----------|-------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | | |
| 127 892.981 | $(^3\text{G})4f$ | 4[7] | 15/2 | 104 064.670 | $(^3\text{H})4d\ ^4\text{I}_{13/2}$ | 4195.506 | -1.455 | | |
| | | | | 104 622.300 | $(^3\text{H})4d\ ^2\text{I}_{13/2}$ | 4296.044 | -1.387 | | |
| | | | | 108 133.440 | $(^3\text{G})4d\ ^4\text{H}_{13/2}$ | 5059.436 | -0.484 | 5059.42 | lab |
| | | | | 108 463.910 | $(^3\text{G})4d\ ^4\text{I}_{13/2}$ | 5145.493 | -0.007 | 5145.5 | |
| | | | | 108 648.695 | $(^1\text{D})5s\ e^2\text{I}_{13/2}$ | 5194.901 | +0.482 | | blend |
| | | | 109 049.600 | $(^3\text{G})4d\ ^2\text{I}_{13/2}$ | 5305.427 | +0.862 | 5305.42 | lab | |
| 127 895.260 | $(^3\text{G})4f$ | 4[7] | 13/2 | 104 174.270 | $(^3\text{H})4d\ ^4\text{I}_{11/2}$ | 4214.489 | -1.351 | | |
| | | | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5124.848 | -0.679 | | |
| | | | | 108 630.429 | $(^1\text{D})5s\ e^2\text{I}_{11/2}$ | 5189.361 | -0.144 | 5189.371 | blend |
| | | | | 108 648.695 | $(^1\text{D})5s\ e^2\text{I}_{13/2}$ | 5194.286 | -1.434 | | lab |
| | | | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5228.621 | +0.896 | 5228.635 | lab |
| | | | 109 389.880 | $(^3\text{G})4d\ ^2\text{I}_{11/2}$ | 5402.332 | +0.099 | 5402.32 | lab | |
| 127 875.000 | $(^3\text{G})4f$ | 4[6] | 13/2 | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 4579.713 | -0.754 | | |
| | | | | 108 133.440 | $(^3\text{G})4d\ ^4\text{H}_{13/2}$ | 5064.044 | -1.045 | | |
| | | | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5130.176 | +0.662 | 5130.18 | lab |
| | | | | 108 463.910 | $(^3\text{G})4d\ ^4\text{I}_{13/2}$ | 5150.259 | -0.700 | | |
| | | | | 108 648.695 | $(^1\text{D})5s\ e^2\text{I}_{13/2}$ | 5199.759 | -0.190 | | blend |
| | | | 109 049.600 | $(^3\text{G})4d\ ^2\text{I}_{13/2}$ | 5310.495 | +0.113 | 5310.5 | lab | |
| | | | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5495.480 | +0.481 | 5495.49 | lab, J78 | |
| 127 880.436 | $(^3\text{G})4f$ | 4[6] | 11/2 | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 4589.468 | -0.765 | | |
| | | | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5128.745 | -0.375 | | |
| | | | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5129.687 | -1.085 | | |
| | | | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5179.133 | +0.652 | 5179.14 | lab |
| | | | | 108 630.429 | $(^1\text{D})5s\ e^2\text{I}_{11/2}$ | 5193.357 | -0.797 | | |
| | | | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5232.678 | -0.047 | | blend |
| | | | | 108 929.040 | $(^3\text{G})4d\ ^4\text{I}_{9/2}$ | 5275.188 | -0.897 | | |
| | | | | 109 389.880 | $(^3\text{G})4d\ ^2\text{I}_{11/2}$ | 5406.663 | -0.491 | | |
| | | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5476.359 | -0.333 | 5476.38 | |
| | | | | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5493.838 | -1.052 | | |
| | | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5532.952 | -0.700 | | | |
| | | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5593.749 | +0.039 | 5593.85 | | |
| 127 869.158 | $(^3\text{G})4f$ | 4[5] | 11/2 | 106 045.690 | $(^3\text{H})4d\ ^2\text{H}_{11/2}$ | 4580.939 | -1.153 | | |
| | | | | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 4727.483 | -0.893 | | |
| | | | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5131.714 | +0.220 | 5131.7 | lab |
| | | | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5132.657 | +0.408 | | blend |
| | | | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5182.161 | -0.938 | | |
| | | | | 108 648.695 | $(^1\text{D})5s\ e^2\text{I}_{13/2}$ | 5201.340 | -1.171 | | |
| | | | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5235.768 | -0.234 | | blend |
| | | | | 108 929.040 | $(^3\text{G})4d\ ^4\text{I}_{9/2}$ | 5278.329 | -1.413 | | |
| | | | | 109 049.600 | $(^3\text{G})4d\ ^2\text{I}_{13/2}$ | 5312.143 | -0.846 | | |
| | | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5479.744 | -0.089 | 5479.72 | lab |
| | | | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5497.245 | +0.050 | 5497.25 | | |
| | | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5536.408 | -0.555 | 5536.40 | | |
| | | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5597.281 | -0.105 | 5597.30 | | |
| 127 855.952 | $(^3\text{G})4f$ | 4[5] | 9/2 | 106 722.170 | $(^3\text{F})4d\ ^4\text{F}_{9/2}$ | 4730.437 | -0.906 | | |
| | | | | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 4740.541 | -0.409 | | |
| | | | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 4770.664 | -1.118 | | |
| | | | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5129.241 | -0.301 | 5129.25 | |
| | | | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5135.195 | -0.409 | | blend |
| | | | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5136.140 | +0.294 | | blend |
| | | | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5185.710 | -0.829 | | |
| | | | | 108 709.450 | $(^3\text{G})4d\ ^4\text{H}_{7/2}$ | 5221.432 | -1.407 | | |
| | | | 109 625.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5483.714 | +0.010 | 5483.70 | | |

Table 9. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes |
|------------------|------------------------------------|------------------|--------------------------------------|------------------------|-----------|-----------------------|------------------------|
| cm^{-1} | J | cm^{-1} | | \AA | KUR | \AA | |
| 127 855.952 | cont. | 109 683.280 | $(^3\text{G})4d\ ^2\text{H}_{11/2}$ | 5501.240 | -0.659 | | |
| | | 109 811.920 | $(^3\text{G})4d\ ^4\text{F}_{9/2}$ | 5540.460 | -0.431 | 5540.47 | |
| | | 109 901.500 | $(^3\text{G})4d\ ^2\text{G}_{7/2}$ | 5568.103 | -0.216 | 5568.10 | |
| | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5651.767 | -0.160 | 5651.78 | computed too weak |
| | | 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5783.541 | -0.854 | | |
| 127 869.892 | $(^3\text{G})4f\ 4[4]\ 9/2$ | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 4591.690 | -1.043 | | no spectrum |
| | | 106 900.370 | $(^3\text{F})4d\ ^2\text{G}_{7/2}$ | 4767.493 | -1.141 | | no spectrum |
| | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5125.575 | -1.117 | | weak |
| | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5132.464 | -0.690 | | blend |
| | | 108 537.610 | $(^3\text{G})4d\ ^4\text{G}_{7/2}$ | 5171.255 | +0.332 | 5171.25 | lab, J78 |
| | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5181.963 | +0.101 | 5181.97 | lab |
| | | 108 709.450 | $(^3\text{G})4d\ ^4\text{H}_{7/2}$ | 5217.634 | -1.196 | | weak |
| | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5235.567 | -0.810 | | blend |
| | | 108 929.040 | $(^3\text{G})4d\ ^4\text{I}_{9/2}$ | 5278.125 | -0.704 | | blend |
| | | 109 389.880 | $(^3\text{G})4d\ ^2\text{I}_{11/2}$ | 5409.748 | -1.407 | | blend |
| | | 109 901.500 | $(^3\text{G})4d\ ^2\text{G}_{7/2}$ | 5563.783 | -0.269 | 5563.79 | |
| | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5597.051 | +0.023 | 5597.05 | |
| | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5647.317 | -0.723 | | blend |
| | | 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5778.881 | -0.074 | 5778.88 | |
| 127 874.745 | $(^3\text{G})4f\ 4[3]\ 5/2$ | 106 767.210 | $(^3\text{F})4d\ ^4\text{F}_{7/2}$ | 4736.320 | -0.862 | | no spectrum |
| | | 106 796.660 | $(^3\text{F})4d\ ^4\text{P}_{5/2}$ | 4742.937 | -1.442 | | no spectrum |
| | | 106 866.760 | $(^3\text{F})4d\ ^4\text{F}_{5/2}$ | 4758.764 | -0.354 | | no spectrum |
| | | 107 407.800 | $(^3\text{F})4d\ ^2\text{D}_{5/2}$ | 4884.563 | -1.137 | | blend |
| | | 108 365.320 | $(^3\text{G})4d\ ^4\text{D}_{7/2}$ | 5124.300 | -0.351 | 5124.3 | |
| | | 108 537.610 | $(^3\text{G})4d\ ^4\text{G}_{7/2}$ | 5169.957 | -0.493 | 5169.95 | |
| | | 108 613.960 | $(^3\text{G})4d\ ^4\text{G}_{5/2}$ | 5190.451 | -1.336 | | blend |
| | | 108 642.410 | $(^3\text{G})4d\ ^4\text{D}_{5/2}$ | 5198.129 | -0.577 | 5198.12 | |
| | | 108 859.470 | $(^3\text{G})4d\ ^4\text{D}_{3/2}$ | 5257.467 | -1.074 | | weak |
| | | 109 901.500 | $(^3\text{G})4d\ ^2\text{G}_{7/2}$ | 5562.281 | -0.790 | | weak |
| | | 110 065.750 | $(^3\text{G})4d\ ^2\text{D}_{5/2}$ | 5613.582 | -0.302 | 5613.55 | blend |
| | | 110 167.280 | $(^3\text{G})4d\ ^4\text{F}_{7/2}$ | 5645.769 | -0.897 | | weak |
| | | 110 428.280 | $(^3\text{G})4d\ ^4\text{F}_{5/2}$ | 5730.231 | -0.236 | | blend |
| | | 110 570.300 | $(^3\text{G})4d\ ^2\text{F}_{7/2}$ | 5777.260 | -0.288 | 5777.73 | computed too weak |
| 110 611.800 | $(^3\text{G})4d\ ^2\text{F}_{5/2}$ | 5791.149 | -1.493 | | blend | | |
| 128 110.214 | $(^3\text{G})4f\ 3[6]\ 13/2$ | 104 765.450 | $(^3\text{H})4d\ ^2\text{I}_{11/2}$ | 4282.411 | -1.266 | | blend |
| | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5068.991 | -0.821 | 5068.99 | |
| | | 108 630.429 | $(^1\text{I})5s\ e^2\text{I}_{11/2}$ | 5132.097 | -0.929 | | blend |
| | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5170.492 | +0.154 | 5170.5 | lab |
| | | 109 389.880 | $(^3\text{G})4d\ ^2\text{I}_{11/2}$ | 5340.300 | +0.922 | 5340.30 | lab, J78 |
| 128 071.171 | $(^3\text{F})4f\ 3[5]\ 11/2$ | 106 097.520 | $(^3\text{H})4d\ ^2\text{H}_{9/2}$ | 4549.630 | -0.731 | | no spectrum |
| | | 106 924.430 | $(^3\text{F})4d\ ^2\text{G}_{9/2}$ | 4727.539 | -0.926 | | no spectrum |
| | | 108 387.920 | $(^3\text{G})4d\ ^4\text{H}_{11/2}$ | 5079.046 | -1.376 | | blend |
| | | 108 391.500 | $(^3\text{G})4d\ ^4\text{G}_{9/2}$ | 5079.970 | -1.401 | | at the continuum level |
| | | 108 577.560 | $(^3\text{G})4d\ ^4\text{H}_{9/2}$ | 5128.457 | +0.377 | 5128.47 | lab |
| | | 108 775.080 | $(^3\text{G})4d\ ^4\text{I}_{11/2}$ | 5180.954 | -0.687 | | blend |
| | | 108 929.040 | $(^3\text{G})4d\ ^4\text{I}_{9/2}$ | 5222.625 | -0.245 | 5222.62 | computed too strong |
| | | 109 389.880 | $(^3\text{G})4d\ ^2\text{I}_{11/2}$ | 5351.461 | +0.043 | 5351.47 | |
| | | 106 925.200 | $(^3\text{G})4d\ ^2\text{G}_{9/2}$ | 5419.731 | -0.013 | 5419.73 | lab |
| | | 110 008.300 | $(^3\text{G})4d\ ^2\text{H}_{9/2}$ | 5534.681 | +0.459 | 5534.68 | |

Table 9. continued.

| Upper level | | Lower level | | $\lambda(\text{calc})$ | $\log gf$ | $\lambda(\text{obs})$ | Notes | |
|---|-------------------------|-------------|------------------|--|-----------|-----------------------|----------|----------------------------|
| cm^{-1} | | J | cm^{-1} | \AA | KUR | \AA | | |
| 128 055.658 | $(^3\text{F})4\text{f}$ | 3[5] | 9/2 | $(^3\text{H})4\text{d } ^2\text{H}_{9/2}$ | 4552.844 | -1.204 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^4\text{F}_{7/2}$ | 4696.069 | -0.812 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^2\text{G}_{9/2}$ | 4731.009 | -1.380 | | no spectrum |
| | | | | $(^3\text{G})4\text{d } ^4\text{G}_{7/2}$ | 5122.036 | +0.148 | 5122.02 | lab |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{9/2}$ | 5132.541 | +0.038 | 5132.55 | lab |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{7/2}$ | 5167.532 | -0.521 | | blend |
| | | | | $(^3\text{G})4\text{d } ^4\text{I}_{11/2}$ | 5185.122 | -1.448 | 5185.141 | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{I}_{11/2}$ | 5355.908 | -0.925 | 5355.9 | weak |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{9/2}$ | 5424.293 | -0.649 | | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{7/2}$ | 5506.850 | +0.159 | 5506.85 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{H}_{9/2}$ | 5539.439 | +0.045 | 5539.41 | |
| $(^3\text{G})4\text{d } ^4\text{F}_{7/2}$ | 5588.670 | -0.697 | 5588.65 | | | | | |
| $(^3\text{G})4\text{d } ^2\text{F}_{7/2}$ | 5717.485 | -0.176 | 5717.50 | | | | | |
| 128 062.710 | $(^3\text{F})4\text{f}$ | 3[4] | 9/2 | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 4724.054 | -1.276 | | no spectrum |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{7/2}$ | 5165.649 | +0.734 | 5165.65 | lab |
| | | | | $(^3\text{G})4\text{d } ^4\text{I}_{9/2}$ | 5224.934 | +0.139 | 5224.938 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{7/2}$ | 5504.712 | -0.840 | | not observed |
| | | | | $(^3\text{G})4\text{d } ^2\text{H}_{9/2}$ | 5537.275 | -1.268 | | at the level of the noise |
| | | | | $(^3\text{G})4\text{d } ^2\text{F}_{7/2}$ | 5715.180 | -1.173 | | at the level of the noise |
| 128 066.823 | $(^3\text{F})4\text{f}$ | 3[4] | 7/2 | $(^3\text{H})4\text{d } ^4\text{G}_{5/2}$ | 4158.057 | -1.351 | | not observed, wrong |
| | | | | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 4573.647 | -1.130 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^4\text{F}_{7/2}$ | 4693.607 | -1.067 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^2\text{G}_{7/2}$ | 4723.136 | -1.319 | | no spectrum |
| | | | | $(^3\text{G})4\text{d } ^4\text{G}_{7/2}$ | 5119.108 | -0.444 | | computed too strong |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{9/2}$ | 5129.601 | -1.316 | | blend |
| | | | | $(^3\text{G})4\text{d } ^4\text{G}_{5/2}$ | 5139.200 | +0.196 | 5139.20 | lab |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{7/2}$ | 5164.552 | -0.146 | 5164.52 | computed too weak |
| | | | | $(^3\text{G})4\text{d } ^4\text{I}_{9/2}$ | 5223.811 | -0.993 | | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{7/2}$ | 5503.465 | -0.078 | | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{H}_{9/2}$ | 5536.014 | -0.751 | 5536.0 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{F}_{7/2}$ | 5713.836 | -0.308 | 5713.8 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{F}_{5/2}$ | 5727.421 | -0.043 | 5727.45 | |
| 128 063.103 | $(^3\text{G})4\text{f}$ | 3[3] | 5/2 | $(^3\text{G})4\text{d } ^4\text{F}_{3/2}$ | 4712.005 | -0.481 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 4716.475 | -1.431 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^2\text{D}_{3/2}$ | 4845.286 | -0.946 | | blend, computed too strong |
| | | | | $(^3\text{G})4\text{d } ^4\text{G}_{5/2}$ | 5140.183 | +0.037 | 5140.19 | |
| | | | | $(^3\text{G})4\text{d } ^4\text{D}_{5/2}$ | 5147.713 | -0.412 | 5147.71 | computed too weak |
| | | | | $(^3\text{G})4\text{d } ^4\text{H}_{7/2}$ | 5165.544 | -0.693 | | blend |
| | | | | $(^3\text{G})4\text{d } ^4\text{D}_{3/2}$ | 5205.898 | -0.225 | 5205.879 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{5/2}$ | 5504.593 | -1.414 | | at the continuum level |
| | | | | $(^3\text{G})4\text{d } ^4\text{F}_{5/2}$ | 5669.025 | -0.651 | 5669.03 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{D}_{3/2}$ | 5679.647 | -1.133 | | at the level of the noise |
| | | | | $(^3\text{G})4\text{d } ^4\text{F}_{3/2}$ | 5727.900 | -0.186 | 5727.90 | |
| $(^3\text{G})4\text{d } ^2\text{F}_{5/2}$ | 5728.642 | -0.772 | | weak | | | | |
| 128 089.313 | $(^3\text{G})4\text{f}$ | 3[2] | 5/2 | $(^3\text{F})4\text{d } ^2\text{F}_{5/2}$ | 4568.946 | -1.396 | | no spectrum |
| | | | | $(^3\text{D})5\text{d } ^4\text{F}_{7/2}$ | 4688.657 | -1.457 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^4\text{P}_{5/2}$ | 4695.142 | -1.393 | | no spectrum |
| | | | | $(^3\text{F})4\text{d } ^4\text{F}_{5/2}$ | 4710.650 | -1.102 | | no spectrum |
| | | | | $(^3\text{G})4\text{d } ^4\text{G}_{7/2}$ | 5113.219 | -1.022 | | at the continuum level |
| | | | | $(^3\text{G})4\text{d } ^4\text{D}_{5/2}$ | 5140.775 | -0.580 | | blend |
| | | | | $(^3\text{G})4\text{d } ^4\text{D}_{3/2}$ | 5198.803 | -0.577 | | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{G}_{5/2}$ | 5496.660 | -0.747 | | blend |
| | | | | $(^3\text{G})4\text{d } ^4\text{F}_{5/2}$ | 5660.612 | -0.985 | | blend |
| | | | | $(^3\text{G})4\text{d } ^2\text{D}_{3/2}$ | 5671.202 | -0.429 | 5671.20 | |
| | | | | $(^3\text{G})4\text{d } ^2\text{F}_{7/2}$ | 5706.501 | -0.913 | | at the level of the noise |
| | | | | $(^3\text{G})4\text{d } ^2\text{F}_{5/2}$ | 5720.051 | +0.065 | 5720.05 | |